

CORRECTED VERSION

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
26 August 2004 (26.08.2004)

PCT

(10) International Publication Number
WO 2004/072250 A2

(51) International Patent Classification⁷:

C12N

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(21) International Application Number:

PCT/US2004/003545

(22) International Filing Date: 5 February 2004 (05.02.2004)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

60/445,539

6 February 2003 (06.02.2003)

US

(71) Applicant (*for all designated States except US*): UNIVERSITY OF GEORGIA RESEARCH FOUNDATION, INC. [US/US]; DW Brooks Drive, Athens, GA 30602 (US).

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): MOHNEN, Debra [US/US]; 122 Snapfinger Way, Athens, GA 30605 (US). STERLING, Jason, Dwight [US/US]; 345 Research Drive, Apt. 65, Athens, GA 30606 (US). DOONG, Ron, Lou [US/US]; Usda-Ars-Ncaur, 1815 North University St., Peoria, IL 61604 (US). KOLLI, Venkata, Silva, Kumar [IN/US]; 4055 Canterbury Walk Drive, Duluth, GA 30097 (US). HAHN, Michael, G. [US/US]; 165 Sandstone Drive, Athens, GA 30605 (US).

Published:

— *without international search report and to be republished upon receipt of that report*

(48) Date of publication of this corrected version:

20 January 2005

(15) Information about Correction:

see PCT Gazette No. 03/2005 of 20 January 2005, Section II

(74) Agents: YOO-WARREN, Heeja et al.; Greenlee, Winner and Sullivan P.C., 4875 Pearl East Circle, Suite 200, Boulder, CO 80301 (US).

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: GALACTURONOSYL TRANSFERASES, NUCLEIC ACIDS ENCODING SAME AND USES THEREFOR

(57) Abstract: The invention provides an isolated nucleic acid molecule encoding the polypeptide having galacturonosyltransferase (GaIAT) activity. The *GALA T 1* disclosed represents the first pectin biosynthetic glycosyltransferase gene isolated from plants. The invention further provides 14 *GALAT* and 10 *GALAT*-like gene superfamily members. The identification of the *GALAT* gene superfamily offers new opportunities to modulate pectin synthesis *in vivo* and *in vitro* by modulating the *GALAT* gene, for example, transgenic plants that produce modified pectins can be generated by altering the *GALAT* gene. Since modified pectins are predicted to affect plant growth, development, and plant defense responses, the transgenic plants are expected to have improved agricultural value. The modified pectins isolated from such transgenic plants are useful as gelling and stabilizing agents in the food, nutraceutical, and pharmaceutical industries. The expressed proteins, and variants thereof, of the *GALAT* superfamily are useful to produce *in vitro* modified pectins of commercial value.

GALACTURONOSYLTRANSFERASES, NUCLEIC ACIDS ENCODING SAME AND USES THEREFOR

CROSS REFERENCE TO RELATED APPLICATIONS

The present application claims benefit of United States Provisional Patent Application No. 60/445,539 filed February 6, 2003, which is incorporated in its entirety herein by reference to the extent not inconsistent herewith.

BACKGROUND

This invention relates to plant physiology, growth, development, defense and, in particular, to plant genes, termed galacturonosyltransferases (GALATs), nucleic acids encoding same and the uses therefor.

Pectins are the most complex polysaccharides in the plant cell wall. They comprise 30-40% of the primary wall of dicots and non-graminaceous monocots, and ~ 10% of the primary wall in the grass family. Pectins are a family of polysaccharides^{6,8,27} that include homogalacturonan (HGA) (Fig. 1), rhamnogalacturonan-I (RG-I) (Fig. 2) and rhamnogalacturonan II (RG-II) (Fig. 3) as well as xylogalacturonans (XGA)^{32,34,38} and apiogalacturonans.^{6,37} While the specific structure of each of these polysaccharides differs as shown in Figs. 1-3, they are grouped into one family since they appear to be linked to each other in the wall and they each contain α -D-galacturonic acid connected by a 1,4-linkage.

HGA is the most abundant pectic polysaccharide, accounting for ~55%-70% of pectin³⁹. HGA is a linear homopolymer of α 1,4-linked D-galactosyluronic acid that is partially methylesterified at the C6 carboxyl group and may be partially acetylated at O-2 and/or O-3⁸ (Fig. 1). Some plants also contain HGA that is substituted at the 2 or 3 position by D-apiofuranose, the so-called apiogalacturonans (AGA)^{36,37} and/or HGA that is substituted at the 3 position with D-xylose³²⁻³⁵, so-called xylogalacturonan (XGA). RG-II is a complex polysaccharide

that accounts for approximately 10-11% of pectin^{8,39}. RG-II has an HGA backbone with four structurally complex side chains attached to C-2 and/or C-3 of the GalA^{8,27} (Fig. 3). Rhamnogalacturonan I (RG-I) accounts for 20-35% of pectin³⁹ (Fig. 2). RG-I is a family of polysaccharides with an alternating [\rightarrow 4)- α -D-GalA-(1 \rightarrow 2)- α -L-Rha-(1 \rightarrow)] backbone in which roughly 20-80% of the rhamnoses are substituted by arabinan, galactan, or arabinogalactan side branches^{6,8,30}.

Pectins are believed to have multiple roles during plant growth, development, and in plant defense responses. For example, pectic polysaccharides play essential roles in cell wall structure⁴³, cell adhesion⁴⁴ and cell signaling^{45,46}. Pectins also appear to mediate pollen tube growth⁴⁷ and to have roles during seed hydration^{48,49}, leaf abscission⁵⁰, water movement⁵¹, and fruit development^{47,8}. Oligosaccharides cleaved from pectin also serve as signals to induce plant defense responses^{52,53}. Studies of mutant plants with altered wall pectin reveal that modifications of pectin structure leads to dwarfed plants⁴³, brittle leaves⁴⁴, reduced numbers of side shoots and flowers⁵⁴, malformed stomata⁴⁴ and reduced cell adhesion⁵⁵.

Although pectins appear to have multiple roles in plants, in no case has their specific mechanism of action been determined. One way to directly test the biological roles of pectins, and to study their mechanisms of action, is to produce plants with specific alterations in pectin structure. This can be done by knocking out genes that encode the pectin biosynthetic enzymes. Such enzymes include the nucleotide-sugar biosynthetic enzymes and the glycosyltransferases that synthesize the pectic polysaccharides. Each glycosyltransferase is expected to transfer a unique glycosyl residue in a specific linkage onto a specific polymeric/oligomeric acceptor. To date, only five^{56-59,136} of the more than 200 predicted wall biosynthetic glycosyltransferases have been functionally identified at the gene level (i.e. enzyme activity of the gene product proven), and none of these have been shown to encode pectin biosynthetic enzymes.

Based on the known structure of pectin, at least 58 distinct glycosyl-, methyl- and acetyl-transferases are believed to be required to synthesize the family of

polymers known as pectin. As shown in the review by Mohnen, D. (2002) "Pectins and their Manipulation", G.B. Seymour *et al.*, Blackwell Publishing and CRC Press, Oxford, England, pp. 52-98, and Table I below, a minimum of 4-9 galacturonosyltransferases are predicted to be required for the synthesis of HGA, RG-I, RG-II and possibly for the synthesis of the modified forms of HGA known as XGA and AGA. The present invention relates to the identification of the first gene, *GALAT1*, encoding a galacturonosyltransferase and related genes thereto. The studies disclosed hereinbelow led the inventors to conclude that the gene *GALAT1* encodes the enzyme known as *UDP-GalA:Homogalacturonan α -1,4-Galacturonosyltransferase*.

Table I. List of galacturonosyltransferase activities predicted to be required for pectin biosynthesis⁹

Type of GalAT	Working ¹ Number	Parent polymer ²	Enzyme ³		Ref for Structure
			Acceptor substrate	Enzyme activity	
D-GalAT	1	HGA	*GalA α 1 \rightarrow 4GalA	α 1,4-GalAT	27
D-GalAT	2	RG-I	L-Rha α 1 \rightarrow 4GalA	α 1,2-GalAT	27-29
D-GalAT	3	RG-II	L-Rha β 1 \rightarrow 3Apif	α 1,2-GalAT	30,31
D-GalAT	4	RG-II	L-Rha β 1 \rightarrow 3Apif	β 1,3GalAT	30,31
D-GalAT	5 ? ⁴	RG-I/HGA	GalA α 1 \rightarrow 2LRha	α 1,4-GalAT	---
D-GalAT	6 ?	RG-II/HGA	GalA α 1 \rightarrow 4GalA	α 1,4-GalAT	---
D-GalAT	7?	XGA	GalA α 1 \rightarrow 4(Xyl β 1 \rightarrow 3)GalA ⁵	α 1,4-GalAT	32-35
D-GalAT	8 ?	AGA	GalA α 1 \rightarrow 4(Apif β 1 \rightarrow 2)GalA	α 1,4-GalAT	36,37
D-GalAT	9 ?	AGA	GalA α 1 \rightarrow 4(Apif β 1 \rightarrow 3)GalA	α 1,4-GalAT	36,37

¹Numbers for different members of the same groups are given based on pectin structure and on the assumption that HGA is synthesized first, followed by RG-I and RG-II. The numbers were given⁹ to facilitate a comparison of the enzymes, but final numbering will likely correspond to the order in which the genes are identified.

²HGA: homogalacturonan; RG-I: Rhamnogalacturonan I; RG-II: Rhamnogalacturonan II; XGA: Xylogalacturonan; AGA; Apiogalacturonan.

³All sugars are D sugars and have pyranose rings unless otherwise indicated. Glycosyltransferases add to the glycosyl residue on the left* of the indicated acceptor.

⁴The ? means the designated GalAT may be required if a different GalAT in the list does not perform the designated function.

⁵Glycosyl residue in the parenthesis is branched off the first GalA.

Over the years, membrane-bound α 1-4galacturonosyltransferase (GalAT) activity has been identified and partially characterized in mung bean^{10,11}, tomato¹², turnip¹², sycamore¹³, tobacco suspension², radish roots⁵, enriched Golgi from pea⁷,

Azuki bean¹⁴, *Petunia*¹⁵, and *Arabidopsis* (see Table II). The pea GalAT was found to be localized to the Golgi⁷ with its catalytic site facing the lumenal side of the Golgi⁷. These results provided the first direct enzymatic evidence that the synthesis of HGA occurs in the Golgi. In *in vitro* reactions, GalAT adds [¹⁴C]GalA from UDP-[¹⁴C]GalA^{1,60} onto endogenous acceptors in microsomal membrane preparations to produce radiolabeled products of large molecular mass (i.e. ~105 kd in tobacco microsomal membranes² and ≥ 500 kd in pea Golgi⁷). The cleavage of up to 89% of the radiolabeled product into GalA, digalacturonic acid (diGalA) and trigalacturonic acid (triGalA) following exhaustive hydrolysis with a purified endopolygalacturonase confirmed that the product synthesized by tobacco GalAT was largely HGA. Thus, the crude enzyme catalyzes the reaction *in vitro*: UDP-GalAT + HGA(n) → HGA(n+1) + UDP. The product produced *in vitro* in tobacco microsomes was ~ 50% esterified² while the product produce in pea Golgi did not appear to be heavily esterified⁷. These results suggest that the degree of methyl esterification of newly synthesized HGA may be species specific and that methylesterification occurs after the synthesis of at least a short stretch of HGA. GalAT in detergent-permeabilized microsomes from azuki bean seedlings added [¹⁴C]GalA from UDP-[¹⁴C]GalA onto acid-soluble polygalacturonate (PGA) exogenous acceptors¹⁴. Treatment of the radiolabeled product with a purified fungal endopolygalacturonase yielded GalA and diGalA, confirming that the activity identified was a GalAT comparable to that studied in tobacco and pea. The azuki bean enzyme had a surprisingly high specific activity of 1300-2000 pmol mg⁻¹ min⁻¹, especially considering the large amount (3.1-4.1 nmol mg⁻¹ min⁻¹) of polygalacturonase activity that was also present in the microsomal preparations. As with the product made by tobacco, no evidence for the processive transfer of galactosyluronic acid residues onto the acceptor was obtained (see below).

Table II. Comparison of apparent catalytic constants and pH optimum of HGA- α 1,4-galacturonosyltransferases^{1,2}

Enzyme ²	Plant Source	Apparent K _m for UDP-GalA (μ M)	pH optimum	Vmax (pmol mg ⁻¹ min ⁻¹)	Ref
GalAT ¹	mung bean	1.7	6.0	~4700	¹⁰
GalAT	mung bean	n.d.	n.d.	n.d.	⁶¹
GalAT	pea	n.d. ⁵	6.0	n.d.	⁶²
GalAT	pea	n.d.	n.d.	n.d.	⁷
GalAT	sycamore	770	n.d.	?	¹³
GalAT	tobacco	8.9	7.8	150	²
GalAT (sol) ³	tobacco	37	6.3-7.8	290	³
GalAT (sol) ³	Petunia	170	7.0	480	¹⁵
GalAT (per) ⁴	Azuki bean	140	6.8-7.8	2700	¹⁴

¹Adapted from ref 6.² Unless indicated, all enzymes are measured in particulate preparations.³ (sol): detergent-solubilized enzyme.⁴ (per): detergent-permeabilized enzyme.⁵ n.d.: not determined.

GalAT can be solubilized from membranes with detergent³. Solubilized GalAT adds GalA onto the non-reducing end⁴ of exogenous HGA (oligogalacturonide; OGA) acceptors of a degree of polymerization of at least ten². The bulk of the HGA elongated *in vitro* by solubilized GalAT from tobacco membranes³, or detergent-permeabilized Golgi from pea⁷, at roughly equimolar UDP-GalA:acceptor concentrations is elongated by a single GalA residue. These results suggest that solubilized GalAT *in vitro* acts nonprocessively, (i.e. distributively). The apparent lack of *in vitro* processivity of GalAT was recently confirmed by Akita *et al.* who, using pyridylaminated oligogalacturonates as substrates and high concentrations of UDP-GalA, showed that although OGAs can be elongated in a "successive" fashion with up to 10 GalA residues by solubilized enzyme from petunia pollen¹⁵, the kinetics of this response suggest a distributive mode of action. We have two working hypotheses as to why GalAT *in vitro* does not appear to act processively. One hypothesis is that the solubilized enzyme or the enzyme in particulate preparations does not have the required factors, or is not present in the required complex, to act processively. An alternative hypothesis is that for a Golgi-localized enzyme that synthesizes a complex polymer in a confined

internal cellular compartment, such as GalAT, with sufficiently high concentrations of substrate, it would not necessarily be advantageous for the enzyme to act processively. In fact, the reaction velocity could be hindered under such conditions if the enzyme were processive⁶⁵.

5

The apparent kinetic constants and pH optimum for the characterized GalATs are shown in Table II. We have performed additional kinetic studies in tobacco and radish that suggest that solubilized and membrane bound GalAT may have unusual apparent biphasic kinetics. We tested V_o for radish GalAT at 2 μ M to 80 mM UDP-GalA and obtained a biphasic curve (Fig. 4), suggesting that the kinetics of GalAT, at least in the membrane and soluble fractions, are complex. Comparable results were also obtained for the solubilized radish and tobacco enzyme. The initial V_o vs [UDP-GalA] curve was hyperbolic and appeared to reach an initial maximum V_o of ~ 300 pmol $\text{mg}^{-1} \text{min}^{-1}$ at ~ 1 mM UDP-GalA, confirming previous results reported for tobacco^{2,3}. However, at ≥ 2 mM UDP-GalA there was a second hyperbolic increase in GalAT activity that reached a maximum of $\sim 2\text{-}4$ nmol $\text{min}^{-1} \text{mg}^{-1}$ with ~ 20 mM UDP-GalA. In crude enzyme preparations it was not possible to determine the basis for the unusual kinetics. One possibility is that two GalATs were present, one with a low K_m and one with a high K_m . Another possibility is that UDP-GalA is both a substrate and an allosteric regulator of GalAT. Alternatively, a more "trivial" explanation is that at low substrate concentrations the kinetics of GalAT were effected by a catabolic enzyme (e.g. a phosphodiesterase) in the enzyme preparation.

20

25

30

As a first step towards elucidating the role of galacturonosyltransferase (GALAT) in pectin synthesis, the inventors herein identified an *Arabidopsis* gene encoding alpha1,4- galacturonosyltransferase 1 (GALAT1). The database searches using the amino acid sequence of the GALAT1 identified fourteen additional GALAT family members and ten GALAT-like genes. The identification of these genes and the availability of the sequence information allow the characterization of the enzyme, the use of these genes to produce mutated enzymes *in vivo* and *in vitro*, and transgenic plants producing modified pectins, and

studies of the role of a specific GalAT in pectin synthesis. The advantages of the present invention will become apparent in the following description.

SUMMARY OF THE INVENTION

5

The present invention provides an isolated nucleic acid molecule encoding the polypeptide having galacturonosyltransferase (GalAT) activity. The *GALAT 1* disclosed herein represents the first functionally proven pectin biosynthetic glycosyltransferase gene isolated from plants. Also provided are additional 14 *GALAT* gene family members and 10 *GALAT*-like genes predicted to have galacturonosyltransferase activity. The identification and availability of the nucleic acid molecules as a member of the *GALAT* gene superfamily offer new opportunities to modulate pectin synthesis *in vivo* and *in vitro* by modulating the *GALAT* gene using various art-known recombinant DNA technology. For example, transgenic plants that produce modified pectins of desired properties can be generated by manipulating the gene encoding the GALAT protein i.e., mutating the gene including coding and non-coding sequences, silencing the gene by RNAi approach, or by administering a composition that would affect the GalAT activity in the plant. Since modified pectins are predicted to affect plant growth, development, and plant defense responses, the transgenic plants thus modified are expected to have improved agricultural value. The modified pectins can be isolated from such transgenic plants according to the art-known methods and serve as gelling and stabilizing agents of improved properties in the food, nutraceutical, and pharmaceutical industries.

25

The inventors herein identified the first gene, *GALAT1*, which encodes a pectin biosynthetic enzyme by employing a partial purification-tandem mass spectrometry approach combined with a search of the *Arabidopsis* gene/protein database. Two genes, designated JS33 and JS36 herein, were identified as present only in the GalAT-containing fractions. As demonstrated hereinbelow, the expressed protein from the nucleic acid sequence of JS36 indeed exhibits the predicted GalAT enzymatic activity.

30

A standard protein blast and a PSI Blast of the NCBI protein database using the GALAT1 (JS36) amino acid sequence revealed that *GALAT1* is a member of a 15 member *GALAT* gene family in *Arabidopsis*. The genes selected for this family have at least 30% amino acid identity and at least 50% amino acid similarity based on the PSI Blast. The database search using the *GALAT1* sequence further identified 10 *GALAT*-like genes as shown in Table IV. The genes disclosed herein, fifteen *GALAT* genes and ten *GALAT-like* genes thus represent the *GALAT* gene superfamily members.

The availability of the amino acid and nucleotide sequences of the *GALAT* gene superfamily members makes it possible to identify other *GALAT* homologs in other plants. The nucleotide and amino acid sequences of the *GALAT* genes can also be used to generate specific antibodies for the protein.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 shows the trimeric region of homogalacturonan (HGA). HGA is a linear homopolymer of alpha-1,4-linked galacturonic acid that may be methylesterified at C6 and acetylated at O2 or O3. Substituted galacturonans, such as RG-II and apiogalacturonan, have an HGA backbone.

Fig. 2 shows the representative structure of rhamnogalacturonan I (RG-I). RG-I has an alternating [\rightarrow 4)-alpha-D-GalpA-(1 \rightarrow 2)-alpha-L-Rhap-(1 \rightarrow) backbone in which roughly 20-80% of the rhamnoses are substituted by arabinans, galactans, or arabinogalactans.

Fig. 3 shows the representative structure for rhamnogalacturonan II (RG-II). RG-II has a backbone of 1,4-linked alpha-D-GalpA residues. GalA residues are also present in RG-II side chain A.

Fig. 4 illustrates the GalAT kinetics in radish microsomal membranes. Radish microsomal membranes (60-80 μ g protein) were incubated with 70 μ g of OGA (DP 7-23) and the indicated concentrations of UDP-GalA. Each reaction

contained a small concentration of UDP-[^{14}C]GalA (2-3.6 μM) with larger amounts of nonradioactive UDP-GalA. The precipitated reaction products were measured by liquid scintillation counting. The data are the averages of duplicate samples from three separate experiments. The Y axis is specific activity ($\text{pmole min}^{-1}\text{mg}^{-1}$).

5

Fig. 5 shows the outline of the strategy to identify the gene for GalAT. The sequenced *Arabidopsis* genome allowed the use of a function-based partial purification-mass spectrometry approach to identify the putative galacturonosyltransferase genes. The sample analyzed in each lane is as follows:

10 lane 1: homogenate, lane 2: total membranes, lane 3: solubilized proteins, lane 4: initial anion exchange purification step.

Figs. 6A and 6B show the results of RT-PCR experiments; 6A shows the results of JS33, JS36, and JS36L (a GalAT family gene with 63% identity to JS36) using *Arabidopsis* flower (F), root (R), stem (S), and leaf (L) RNA, and B shows the RT-PCR control using *Arabidopsis* actin gene in the same tissues.

15

Fig. 7 is a schematic representation of the transmembrane spanning region and the conserved amino acids in the *Arabidopsis thaliana* GALAT gene family. The relative position of the strictly conserved residues among the members of the proposed GALAT family is numbered as for JS36 (i.e., GALAT1). The striped region from residues 22-44 represents the predicted transmembrane region.

20

Fig. 8 demonstrates that recombinant JS36 (At3g61130) has galacturonosyltransferase (GalAT) activity. Human embryonic kidney cells (HEK293) were transiently transfected with the pEAK vector alone, or with pEAK vector containing the truncated versions of JS33 or JS36. Total media (1); protein immunoabsorbed from the medium using anti-HA epitope:Protein A Sepharose (2); and protein immunoabsorbed from the medium using anti-HA epitope:Protein G Sepharose (3) were tested for GalAT activity. Data are the average [^{14}C]GalA incorporated into product from duplicate reactions from three separate experiments.

25

30

Fig. 9 shows the relationship of the *Arabidopsis* GalAT superfamily including the GalAT family and the GalAT-like family. The Neighbor-Joining Tree is based on a sequence alignment generated by ClustalX.

5

DETAILED DESCRIPTION OF THE INVENTION

In general the terms and phrases used herein have their art-recognized meaning, which can be found by reference to standard texts, journal references
10 and contexts known to those skilled in the art. The following definitions are provided to clarify their specific use in the context of the invention.

In the present application, the designation, "*GALAT*", is used to denote the gene for galacturonosyltransferase, "*GALAT*" is used to denote the protein encoded
15 by the gene, and "GalAT" is used to indicate galacturonosyltransferase enzyme activity.

The term, "polypeptide", is used herein interchangeably with "protein" to indicate a product encoded by a given nucleic acid.
20

The terms, "identity" or "similarity" as used herein, are intended to indicate the degree of homology between the two or more nucleic acid or amino acid sequences. The degree of identity or similarity can be determined using any one of the computer programs that are well known in the art. The National Center for
25 Biotechnology Information (NCBI) website on the internet provides detailed description and references necessary for this subject. Also see Karlin and Altschul (1993) *Proc. Natl. Acad. Sci. USA* **90**:5873-5877; Altschul *et al.* (1997) *Nucl. Acids. Res.* **25**:3389-3402. In the present application, the percent amino acid identity and similarity among the *GALAT* gene family and *GALAT*-like gene family members
30 were carried out using the NCBI Pairwise Blast and Matrix Blosum62 using the GALAT1(JS 36) amino acid sequence.

A "corresponding" nucleic acid or amino acid or sequence of either, as used herein, is one present at a site in a *GALAT* molecule or fragment thereof that has
35 the same structure and/or function at a site in another *GALAT* molecule, although the nucleic acid or amino acid position may not be identical.

The term "gene" is used herein in the broadest context and includes a classical genomic gene consisting of transcriptional and/or translational regulatory sequences and/or a coding region and/or nontranslated sequences (i.e., introns, 5'- and 3'-untranslated sequences), or mRNA or cDNA corresponding to the coding regions (i.e., exons) and 5'- and 3'-untranslated sequences.

The meaning of a "homolog" as used herein is intended to indicate any gene or gene product which has a structural or functional similarity to the gene or gene product in point. For example, a new homolog of a given *GALAT* gene can be identified either by a database search using the amino acid or nucleic acid sequences of a given *GALAT* gene or by screening appropriate cDNA or genomic libraries according to the art-known methods.

An "expression vector" as used herein, generally refers to a nucleic acid molecule which is capable of expressing a protein or a nucleic acid molecule of interest in a host cell. Typically, such vectors comprise a promoter sequence (e.g. TATA box, CATTbox, enhancer etc) fused to a heterologous sequence (i.e., a nucleic acid of interest), sense or antisense strand, followed by a transcriptional termination sequence, a selectable marker, and other regulatory sequences necessary for transcription and translation of the nucleic acid of interest. A plant expressible promoter is a promoter comprising all the necessary so called regulatory sequences for transcription and translation of a gene of interest in plants. The linkage between the heterologous sequence and the regulatory sequences (e.g., promoter) is "in operable linkage" when a desired product can be made from the heterologous sequence under the control of the given regulatory sequences. An "expression vector" is often used interchangeably with an "expression construct" in this sense.

The term "transgenic plant" as used herein refers to a plant that has been transformed to contain a heterologous nucleic acid, i.e., a plant expression vector or construct for a desired phenotype. The transgenic plant is intended to include whole plant, plants parts (stems, roots, leaves etc.) or organs, plant cells, seeds, and progeny of same. The transgenic plant having modified pectin of the present application is one that has been generated by manipulating the gene encoding the *GALAT* protein. This can be achieved, for example, by mutating the gene, silencing

the gene by RNAi approach, or by knocking out the gene. The transgenic plants of the invention are predicted to have properties such as changes in organ and plant size, water transport properties, ease of removal of leaves and fruits via effects on abscission, pollen development and release, fruit ripening, root mucilage production, root growth, root cell cap production and separation, stem elongation, shoot growth, flower formation, tuber yield, defense responses against pathogens, and stomata opening⁸. Thus, the invention provides new means of improving plants of agricultural value. The "modified" pectins are those that exhibit structures and properties (e.g., gelling and stabilizing) different from those of the pectins naturally present in plants. Since galacturonic acid is a component of each of the pectic polysaccharides (i.e. HGA, RG-I, RG-II and XGA), a modification of the GalATs that add the specific GalAs into the specific polysaccharides is expected to modify the unique polymers. Such changes in pectin structure would affect multiple pectin properties including ionic interactions between HGA regions, gelation properties, dimer formation of RG-II molecules, length and degree of branching of RG-I, and side branch structure of RG-II. Such modifications are predicted to not only affect the biological function of pectin in plants, and the chemical and biological properties of pectin extracted and used by the food and cosmetic industries, but also properties that affect the use of pectin as a biopolymer for industrial processes, as a drug delivery polymer, and pectins of medicinal and nutraceutical properties in human and animal health.

The term "mutation" as used herein refers to a modification of the natural nucleotide sequence of a nucleic acid molecule made by deleting, substituting, or adding a nucleotide(s) in such a way that the protein encoded by the modified nucleic acid is altered structurally and functionally. The mutation in this sense includes those modifications of a given gene outside of the coding region.

The present invention provides polypeptides and nucleic acids encoding the polypeptides belonging to a family of the pectin biosynthetic enzyme, galacturonosyltransferase (GALAT). Pectins have been implicated in a broad range of plant growth phenomena including pollen tube growth⁴⁷, seed hydration⁴⁸⁻⁴⁹, leaf abscission⁵⁰, water movement¹²⁸, and fruit development⁸. In addition, pectic oligosaccharides serve as signals⁴⁵ during plant development⁴⁵ and induce plant

defense responses⁵²⁻⁵³. Mutant studies have shown that altered pectin structure leads to dwarfed plants⁴³, brittle leaves⁴⁴, reduced numbers of side shoots and flowers¹²⁹, and plants with reduced cell-cell adhesion^{130, 55}. Therefore, the present invention provides the molecular and biochemical tools needed to identify additional glycosyltransferases involved in branching of the backbones, and would allow the generation of plants with altered pectin structure. While the 25 genes disclosed herein represent only ~0.1% of the ~28,000 genes in *Arabidopsis*, they are some of the most difficult genes to identify and characterize because of a lack of commercially available acceptor substrates and activated glycosyl donor substrates.

The *GALAT1* gene has high sequence similarity to proteins expressed in other plants, thus using the sequences disclosed herein, a person of ordinary skill in the art can identify other pectin biosynthetic genes (i.e. homologs) in other plant species, including agriculturally important plants. Since pectin of very similar structure is present in the walls of all flowering plants and gymnosperms, the identification of functional pectin biosynthetic genes will greatly facilitate the engineering of plants with modified pectin and with altered growth characteristics, some of which are expected to yield plants of increased agronomical value. In addition, mutant plants with defined changes in pectin synthesis can allow the dissection of the biological role of each pectic component in plants. The pectin biosynthetic genes provide valuable tools for understanding mechanistically how pectin is synthesized. The glycosyltransferase-specific antibodies that can be generated using the sequences disclosed herein are also within the scope of the invention and allow the process of pectin assembly in the Golgi to be elucidated. A complete understanding of such a polysaccharide cellular trafficking process is unknown in any biological system.

Pectin is found in fruits and vegetables and is used as a gelling and stabilizing agent in the food industry. Pectin has been shown to have multiple beneficial effects on mammalian systems and on human health including the inhibition of cancer growth and metastasis, inhibition of cancer metastasis by binding of pectic oligosaccharides to cell surface receptors of cancer cells (US5834442, US5895784), immunomodulatory effects and stimulation of tumor

necrosis factor by macrophages (EP03983113), interaction with mucous cell lining of the duodenum and the prevention of ulcers (US4698229, US6024959); and anti-complementary activity¹²⁵. Many cancer cells have specific carbohydrate-binding protein molecules on their cell surfaces called galectins (galactoside-binding lectins). Galectins aid in cellular interactions by binding to beta-galactose linked molecules on neighboring cancer cells. Galectin-3 is a multifunctional lectin that is involved in tumor cell adhesion, metastasis and cancer progression. Blocking galectin-3 expression in malignant human breast, papillary and tongue carcinoma cells led to reversion of the transformed phenotype and suppression of tumor growth in nude mice¹¹⁷⁻¹¹⁹. A pH-modified citrus pectin is suggested to block binding of galectins and inhibit tumor cells adhesion. Pienta *et al.*¹²⁷ showed that feeding of pH-modified pectin to rats caused a reduction in metastasis of prostate cancer. Similarly, oral administration of pectin to mice carrying colon tumors, reduced tumor size compared to control animals¹¹⁴, reduced metastatic colonization of B16-F1 melanoma in the lung¹²⁰⁻¹²¹ and reduced human breast and colon carcinoma growth, angiogenesis, and metastasis¹²⁵. When prostate cancer patients were fed pH-modified citrus pectin, a 30% lengthening in prostate specific antigen (PSA) doubling time was observed in 57% of the patients¹²². As progression of prostate cancer is evaluated based on the time that it takes for the PSA to double, the above observations suggested that pectins may reduce tumor size. It has also been shown that fruit-derived pectins inhibit the interaction of fibroblast growth factor 1 (FGF1) to its receptor (FGFR1)¹²³. Defects in the FGF signal transduction system are known to disturb cellular regulatory processes resulting in cancer, cardiovascular disease and diabetes mellitus. The availability of the gene(s) encoding galacturonosyltransferase allows the modification of neutraceutical or pharmaceutical pectins to provide pectins with novel cell and molecule binding activities and thus, with novel and specified anticancer and other physiological activities.

In order to identify a gene(s) involved in pectin biosynthesis, the inventors used a partial purification-tandem mass spectrometry approach to identify putative *GALAT* genes from *Arabidopsis* (see Fig. 5 for strategy). GalAT from *Arabidopsis* was partially purified from detergent-solubilized enzyme by sequential passage over two or more of the following resins: cation exchange resin SP-Sepharose,

reactive green 19 resin, reactive blue 72 resin, reactive yellow 3 resin, and UDP-agarose. Proteins obtained from selected fractions from these columns were treated with trypsin to generate peptides, and the amino acid sequence of the peptides identified by liquid chromatography-tandem mass spectrometry. The amino sequence thus generated was used to screen the *Arabidopsis* gene/protein database. Thirty unique proteins were solely identified in the GalAT-containing fractions (i.e. not present in fractions not containing GalAT activity). Among the 30 unique proteins that co-purified with GalAT activity, two proteins (designated JS33 and JS36) were initially identified as *Arabidopsis* putative GALAT proteins/genes based on their having at least one predicted transmembrane domain and since they contained a predicted glycosyltransferase domain (see CAZy database; <http://afmb.cnrs-mrs.fr/CAZY/index.html>).

These two genes, along with another *Arabidopsis* gene with high sequence similarity to JS36 (designated JS36L for JS36-like) (see below) were either cloned by RT-PCR (JS36) using mRNA from *Arabidopsis* flower and stem tissue, or a cDNA clone was obtained from the Arabidopsis Biological Resource Center (JS33 and JS36L). The proteins encoded by these genes each have a predicted single transmembrane domain (Table III). The genes were truncated to remove their N-terminal region including all or most of the predicted transmembrane domain (see Table III), and the truncated genes were inserted into a mammalian expression vector pEAK10 (Edge BioSystems as modified by Kelley Moremen lab, CCRC) containing an N-terminal heterologous signal sequence (targeting the protein for secretion into the medium), a polyhistidine (HIS) tag, and two influenza hemagglutinin (HA) epitopes (useful for immunoabsorption).

Table III. Predicted characteristics of JS36, JS33 and JS36L proteins. Predictions were made using information from the NCBI database and the SOSUI (Classic & Membrane Prediction program) at BCM Search Launcher site (<http://searchlauncher.bcm.tmc.edu/seq-search/struct-predict.html>).

Gene	NCBI protein ID	# amino acids	MW (kd)	pI	Predicted transmembrane domain	Truncated protein
At3g61130 (JS36)	NP_191672	673	77.4	9.95	^N 22-44 ^C	^N 42-673 ^C
At2g38650 (JS33)	NP_565893	619	69.7	8.63	^N 23-45 ^C	^N 44-619 ^C
At5g47780 (JS36-like)	NP_568688	616	71.1	9.26	^N 6-22 ^C	^N 26-616 ^C

The truncated forms of JS33, JS36 and JS36L, and the vector alone, were transiently expressed in human embryonic kidney cells (HEK293 cells) for 46 hours. Since the translational fusion proteins constructed contained two copies of the HA epitope, the culture medium was collected and a portion was treated with a mouse anti-HA IgG1 bound either to Protein A Sepharose or Protein G Sepharose. The immunoadsorbed protein was assayed for GalAT activity using UDP-[¹⁴C]GalA and a mixture of OGA acceptors. Figure 8 shows that the JS36 construct expressed a protein exhibiting GalAT activity. These studies establish that JS36 is a GalAT and thus we designated the gene *GALAT1*.

As mentioned above, analysis of the amino acid sequence of GALAT1 shows that the expressed protein contains one transmembrane domain. This is in agreement with the GalAT activity being membrane bound in all species tested (see Mohnen *et al.* (2002)⁹. Furthermore, the predicted topology of GALAT1 is that of a type-II membrane protein, in agreement with our previous determination that the catalytic site of pea GalAT lies in the lumen of the Golgi. Type-II membrane proteins have a short N-terminal cytosolic tail, a transmembrane region, a stem region, and a C-terminal catalytic domain¹⁶.

GALAT1 is a member of the Glycosyltransferase Family 8 in the CAZy database [database of putative and proven carbohydrate modifying enzymes that currently contains 61 different proposed glycosyltransferase families (<http://afmb.cnrs-mrs.fr/CAZY/index.html>)^{66,67}]. The presence of GALAT1 in Family 8 is in agreement with our demonstrated activity of GALAT1 as an α 1,4-galacturonosyltransferase, since Family 8 is a family of proposed retaining glycosyltransferases and GALAT1 is a retaining enzyme, i.e., the α -configuration in the substrate UDP- α -GalA is retained in the product α 1,4-linked-galacturononan (HGA).

GALAT is expressed in multiple *Arabidopsis* tissues at multiple times during development. We base this on our RT-PCR analysis of RNA from *Arabidopsis* flower, root, stem and leaf tissue (Figs. 6A and 6B) showing that GALAT1 is expressed in all these tissues, and based on the 18 EST entries for this gene in the TAIR database (<http://www.arabidopsis.org/>) indicating that GALAT1 is expressed in developing seed, green siliques, roots and above ground organs.

Identification of the *GALAT1* Gene Family

A standard protein blast and a PSI Blast of the NCBI protein database using the *GALAT1* (JS36) amino acid sequence reveal that *GALAT1* is a member of a at least 15 member *GALAT* gene family in *Arabidopsis* (see Table IV). The genes selected for this family have at least 30% amino acid identity and at least 50% amino acid similarity based on the PSI Blast. We further compared these genes along their entire coding sequences with JS36 using a Pairwise BLAST (Table IV) and show that this family of genes has at least 34% identity and at least 52% similarity to JS36 in the portion of the genes C-terminal to the membrane spanning domain. This identity is comparable to the 37-54% identity shared among the proposed ten member *Arabidopsis* fucosyltransferase gene family (AtFU1-10)⁷¹.

Mutant studies provide further evidence that the GalAT family encodes GalATs involved in pectin synthesis. We recently used seed received from *Arabidopsis* T-DNA mutant collection (SIGnAL; <http://signal.salk.edu/cgi-bin/tdnaexpress>) to identify and generate six homozygous *Arabidopsis* GalAT family T-DNA insert mutant lines of several members of the GalAT family. We found that one GalAT family gene At1g06780, when mutated, produces leaves with cell walls that contain reduced amounts of galacturonic acid. Specifically, analysis of walls from homozygous mutant line 073484 revealed that the walls had an 18% reduction in GalA and a concomitant increase in glucose. None of the other sugars changed. Of the three available At1g06780 T-DNA insert lines, no homozygous seed was recovered from mutants where the T-DNA was inserted into an exon. Rather, seed recovered from such lines had a reduced germination rate. In line 073484, however, the T-DNA is inserted in the 5'-UTR, suggesting that it may have a leaky phenotype. The results are consistent with gene At1g06780 encoding a GalAT and with the identification of the gene family as a GalAT gene family. The GalA content of the walls of another *Arabidopsis* mutant (*Quasimodo*) is reduced by 25% and these plants exhibit decreased cell adhesion⁵⁵, characteristics consistent with the *Quasimodo* gene encoding a GalAT. *Quasimodo* has 53% amino acid identity and 72% similarity to *GALAT1* and the gene affected in *Quasimodo* (At3g25140) is a member of our proposed GalAT family. There is, however, at present no direct enzymatic evidence that the protein encoded by *Quasimodo* is a functional GalAT.

The conserved amino acids in the *GALAT* gene family are shown in Fig. 7. Glycosyltransferases are expected to contain one or more carboxylates at the catalytic site. At least one of the carboxylates is expected to coordinate a divalent cation associated with the nucleotide-sugar. In many glycosyltransferases the metal coordination involves two carboxylates that are often present as DDx, xDD, or DDD (the so-called "D(x) D" motif)⁷².

A PSI Blast against *GALAT1* gene (JS36) further identified 10 genes that have high sequence identity (23-29%) and similarity (41-51%) to *GALAT1* and form a tight cluster of highly similar genes (55-66% identity/67-77% similarity). A Neighbor Joining Tree of our proposed *Arabidopsis* GalAT Superfamily (i.e. the proposed *GALAT* family and the *GALAT*-Like family), based on a sequence alignment generated by ClustalX¹²⁸, is shown in Fig. 9. The 10 *GALAT*-like genes are all significantly smaller, lacking ~200 amino acids in comparison with the *GALAT* family. Nonetheless, they appear to be targeted to the secretory pathway based on annotation of the genes at the *Arabidopsis* Information Resources. All 10 genes appear to be expressed in *Arabidopsis*, since they are represented by one or more ESTs in the *Arabidopsis* EST collection. The *GALAT*-like genes also contain some of the same conserved residues as the GalAT family, namely D-D---D---L (the predicted "D(x) D" motif) and L---F-----W---GLG-----H---G---KPW. We group the 10 *GALAT*-like genes into a family that encode GalATs directly involved in pectin synthesis or GalATs with, as yet, unidentified glycosylating function.

Table IV. Pairwise sequence alignment between JS36 and the other members of proposed GALAT gene family. The alignment was done using the NCBI Pairwise BLAST and Matrix Blosum62. The % amino acid identity and similarity are shown. In all cases the alignment compares the bulk of the C-terminal portion of the proteins on the carboxy-terminal side of the transmembrane region.

Gene	NCBI protein ID	EMBL protein #	% Identity (#aa identical/#aa)	% Similar amino acids (aa/aa)
GalAT-Family				
***At3g61130 (GALAT1; JS36)	NP_191672	Q9LE59	100% (673/673)	100% (673/673)
At5g47780 (JS36-like)	NP_568688	Q93ZX7	63% (290/458)	81% (374/458)
At2g46480	NP_182171		61% (297/485)	75% (365/485)
At4g38270	NP_195540		55% (344/620)	73% (459/620)
At3g25140 (Quasimodo)	NP_189150	Q9LSG3	53% (241/450)	72% (330/450)
At1g18580	AAK93644		48% (226/469)	67% (317/469)
At3g02350	NP_566170	Q9FWA4	47% (247/521)	66% (350/521)
At2g20810	NP_565485	Q93VL7	46% (215/462)	68% (320/462)
At1g06780	NP_563771	Q9M9Y5	44% (204/461)	63% (296/461)
At2g30575	NP_850150		43% (203/463)	65% (309/463)
At3g01040	NP_186753	Q9MAB8	42% (189/447)	61% (227/447)
At5g15470	NP_197051	Q9LF35	42% (189/443)	61% (274/443)
At5g54690	NP_200280	Q9FH36	38% (169/436)	60% (265/436)
At2g38650 (JS33)	NP_565893	Q949N9	36% (171/475)	60% (286/475)
At3g58790	NP_191438	Q9LXS3	34% (160/458)	52% (247/458)
GalAT-Like Family				
At1g02720	NP_171772		26 (85/316)	44 (143/316)
At1g13250	NP_563925	Q9FX71	23 (86/359)	41 (154/359)
At1g19300	NP_564077	Q9LN68	29 (58/198)	49 (98/198)
At1g24170	NP_173827	O48684	23 (75/322)	41 (136/322)
At1g70090	NP_564983	O04536	27 (64/233)	48 (115/233)
At3g06260	NP_187277	Q9M8J2	29 (52/179)	51 (92/179)
At3g28340	NP_189474	Q9LHD2	28 (56/194)	52 (104/194)
At3g50760	NP_190645	Q9S7G2	24 (76/308)	43 (137/308)
At3g62660	NP_191825	Q9LZJ9	29 (56/191)	51 (99/191)
At4g02130	NP_192122		29 (58/197)	51 (103/197)

The expression of the *GALAT1* gene in transiently transfected mammalian cells as demonstrated herein now allows the production of stably transformed cell lines that produce GALAT1 and experiments aimed at characterizing the mechanism of the enzyme and at determining the role of GalAT1 in pectin synthesis. Specifically, the substrate specificity of GalAT1 will indicate whether it catalyzes only HGA synthesis, or also plays a role in RG-I and RG-II synthesis. Characterization of the kinetics of GalAT1 can clarify whether or not UDP-GalA is both a substrate and an allosteric regulator of the enzyme. Characterization of the mutated GalA1 enzyme can provide information regarding amino acids important in catalysis and substrate binding. The subcellular location of GALAT1 will provide the first framework for where, within the Golgi and plant endomembrane system the complex series of pectin biosynthetic reactions occur. The invention can further be used to generate transgenic plants with modified pectin, which can provide information regarding the role of GALAT1 in pectin synthesis, provide novel biosynthesis acceptors, and provide information about the role of pectin in plant growth and development. This biosynthesis framework allows further identification of GALAT1 binding proteins that would be putative pectin biosynthesis complex members. The results of these studies can serve as the foundation for a full *in vitro* reconstitution of functional pectin synthesis complexes.

GALAT1 has high sequence similarity to 14 other *Arabidopsis* proteins as shown in Table IV and to proteins expressed in other plants. Possible *GALAT1* homologs in other plants are a 68 kd protein expressed in *Cicer arietinum* (chickpea) epicotyls (76% amino acid identity; 87% similarity), a hypothetical protein from *Oryza sativa* (japonica) (59% identify; 75% similarity) and a protein from *Populus alba* (49% identity; 72% similarity). Thus, the results from the study of GALAT1 in *Arabidopsis* can be extended to other plants, including those of high agricultural value.

Heterologous expression of GALAT1

As described above, the media from human embryonic kidney (HEK293) cells transiently infected with recombinant expression vector bearing truncated *GALAT1* expressed GALAT1. Whereas transient expression allowed the

expression of sufficient GALAT to measure GalAT activity, additional expression strategies can be readily devised to produce large quantities of GALAT1 required for further characterization of the enzyme and for antibody production. Since the transiently expressed N-terminal epitope-tagged GALAT1 expressed in mammalian cells was active, one strategy is to produce stably transfected clonal HEK293 lines⁷⁵ expressing the same protein. The alternative strategy is to express the full length and N-terminal truncated forms of GALAT1 in the fungal expression system *Pichia pastoris*. These systems were chosen since we and others⁵⁶⁻⁵⁸ have successfully used them to express plant glycosyltransferases.

For expression in *P. pastoris*, cDNA encoding the entire, and the truncated soluble forms of GALAT can be generated by PCR using gene/vector specific primers. The PCR products are then subcloned into appropriate *Pichia* expression vectors (Invitrogen, Carlsbad, CA) in which the cDNA is inserted downstream from an alcohol oxidase (AOX1) promoter. We have made full length coding sequence constructs for expression in the *Pichia* vector pPIC 3.5. This vector does not contain an epitope tag. One can easily make epitope tagged GALAT1 constructs in the *Pichia* vectors pPICz and pPICz α (Invitrogen) and determine whether functional C-terminal epitope-tagged constructs that do not affect GalAT activity can be recovered. Several studies have demonstrated success of the *Pichia* system⁷⁶⁻⁸². Once a high-GALAT1-producing line is recovered, production of large amounts of protein can be carried out in fermentors or spinner flasks.

Characterization of Expressed GALAT1

To begin to address how HGA is synthesized, the kinetics, substrate specificity, and structure of the purified recombinantly expressed GALAT1 can be determined and compared to the solubilized membrane-bound *Arabidopsis* GALAT purified by immunoadsorption using the polyclonal-antiGALAT1 (see below). Although the characteristics of GalAT1 are consistent with the enzyme being the/a catalytic subunit of the HGA synthase, GALAT1 could be a GalAT involved in RG-II or RG-I synthesis. For example, GalAT could represent an RG-I:GalAT that initially elongates HGA by a single GalA and then waits for a required NDP-Rha to start RG-I backbone synthesis. The kinetics of purified and recombinantly expressed GALAT1 for UDP-GalA and a size range of homogalacturonan and pectin

acceptors can be determined. The effect of other nucleotide-sugars and oligosaccharide substrates on GalAT can also be tested to identify activators and inhibitors.

5 The expressed full length and truncated enzymes can be assayed in a reaction buffer in the presence, and absence, respectively, of Triton X-100. The kinetics of the enzyme for UDP-GalA can be carried out in a total of 1 μ M to 80 mM UDP-GalA + UDP-[14 C]GalA. We routinely synthesize UDP-[14 C]GalA either by the 4-epimerization of UDP-[14 C]GlcA¹ or oxidation of UDP-[14 C]Gal⁸⁴ since UDP-
10 [14 C]GalA is not commercially available. The effect of different acceptors on GALAT1 activity can be conducted using 100 μ M UDP-GalA and 0.1-100 μ g acceptor/ 30 μ l reaction. The acceptors to be tested include HGA oligosaccharides (oligogalacturonides) of degrees of polymerization ranging from 2-16, polygalacturonic acid, commercially available citrus pectin of ~30, 60 and 90%
15 esterification, RG-I and RG-II. The products made using the different acceptors can be characterized^{2,3}. If RG-I is shown to serve as an acceptor, RG-I backbone fragments that have a GalA or a Rha at the non-reducing end can be used to determine acceptor specificity. The acceptors can be tested using multiple assays including the precipitation assay² and a filter assay⁶³. The enzymes can also be
20 tested for the effect of pH, temperature, reducing agents, divalent cations and salts on enzyme activity and product structure.

Characteristics of the recombinant truncated GALAT1 can be compared to the GALAT1 solubilized from *Arabidopsis* membranes by immunoabsorption of the
25 solubilized GALAT1 using anti-GALAT1 antibody (see section below) bound to Protein A or G Sepharose, or by coupling the anti-GALAT1 antibodies to 3M-Emphaze resin⁸⁶ and using the resin used to purify GALAT1 from solubilized *Arabidopsis* enzyme. If the characteristics of the immunoabsorbed *Arabidopsis* GALAT1 are different from those of the recombinant truncated GALAT1, the
30 immunoabsorbed GALAT1 can be analyzed by LC tandem mass spectrometry to determine if additional proteins are immunoabsorbed with the *Arabidopsis* solubilized GALAT1 that may have modified the activity (e.g. a heteromeric complex).

The recombinant GALAT1 and the GALAT1 immunoadsorbed-from *Arabidopsis* solubilized membranes can also be treated with *N*-glycanase to determine if they are *N*-glycosylated. To determine if they are O-glycosylated, the proteins can be exhaustively treated with *N*-glycanase, the released oligosaccharides removed, and the resulting protein analyzed by TMS methylation analysis to determine the glycosyl residue composition of any carbohydrates still attached to the protein. Any oligosaccharide released by the *N*-glycanase treatment can also be analyzed by TMS methylation. The results of these experiments would indicate whether the native *Arabidopsis* GalAT is glycosylated and whether the recombinant forms have the same or different glycosylation pattern. Changes in glycosylation could affect GalAT1 enzyme activity and/or substrate binding. GALAT1 is predicted to have 5 or 6 *N*-glycosylation sites (NetNGlyc 1.0 Prediction; <http://www.expasy.org/sitemap.html>).

As mentioned above, we have found that membrane-bound and solubilized GalAT activity in tobacco and radish has unusual apparent biphasic kinetics. Thus, we are particularly interested in determining if the expressed GALAT1 shows the same kinetics, including possible allosteric regulation by UDP-GalA. One can test for possible multimeric structure by determining the mass of the enzyme by size exclusion chromatography and comparing these with the mass obtained by SDS-PAGE. The possibility that GALAT1 exists as a heteromultimer can be tested by mixing expressed recombinant GALAT1 with solubilized *Arabidopsis* enzymes and immunoadsorbing GALAT1 and proteins bound to it using either an anti-GALAT1 antibody or an anti-HA epitope antibody (see previous section).

Production of a series of mutated GALAT1 proteins by site-directed mutagenesis

As discussed above, there are 45 conserved amino acids in GALAT1 among the 15 members of the *GALAT* family. To determine the role of these residues in substrate/acceptor binding and/or catalysis, each amino acid is systematically mutated using site-directed mutagenesis. The effect of these mutations on GALAT1 specific activity, and where warranted, on K_m , V_{max} , and acceptor specificity (i.e. OGA, RG-I and RG-II) and product size (i.e. enzyme processivity) is determined.

Production and use of antibodies

Anti-GalAT antibodies are necessary for the immunocytochemistry experiments, to immunopurify solubilized GALAT1 from *Arabidopsis*, and to select proteins that potentially bind to GALAT1 and may function in pectin biosynthetic enzyme complexes. A skilled artisan can generate anti-GalAT antibodies using the nucleic acid or amino acid sequences disclosed herein. This can be accomplished by employing the heterologously expressed truncated or full-length GALAT1. Alternatively, a small peptide derived from the GALAT1 sequence can be synthesized and used to generate anti-GALAT1 antibodies. One can generate either polyclonal or monoclonal antibodies. Such antibodies are useful for a range of types of experiments, including subcellular immunocytochemistry, immunoprecipitation/adsorption, and enzyme activity inhibition studies. Monoclonal or polyclonal antibodies, specifically reacting with a protein of interest can be made by methods well known in the art. See, e.g., Harlow and Lane (1988) *Antibodies: A Laboratory Manual*, Cold Spring Harbor Laboratories; Goding (1996) *Monoclonal Antibodies: Principles and Practice*, 3rd ed., Academic Press, San Diego, CA, and Ausubel *et al.* (1993) *Current Protocols in Molecular Biology*, Wiley Interscience/Greene Publishing, New York, NY.

Subcellular localization of GALAT1

All available data, including the localization of the catalytic domain of GalAT in the Golgi lumen⁷, suggest that pectin is synthesized in the Golgi and transferred via vesicles to the wall. However, it is not known how the different glycosyltransferases function to make specific pectin structures. We predict that different glycosyltransferases are localized in a sequential manner to different cisternae of the Golgi^{22,91} in an order indicative of the order in which pectin is synthesized as it moves from the cis, through the medial and to the trans Golgi. Evidence from both animal^{92,93} and plants⁹⁴ suggests that, either individually or in combination, the transmembrane domain (i.e. the bilayer thickness model⁹⁵), the N- or C-terminal sequences flanking the transmembrane domain, and/or the luminal domain (i.e. the 'kin recognition model'⁹⁶) contribute to localization of proteins within the Golgi system. The anti-GalAT antibodies generated as described above can be used to determine the subcellular localization of GALAT1 within the Golgi in order

to provide additional information on the role of GalAT1 in pectin synthesis. For example, a location of GALAT1 in the cis and medial Golgi cisternae would be consistent with a function of GALAT1 in HGA synthesis, while a localization primarily in the late medial or trans Golgi would be more suggestive of a role in RG-I or possible RG-II synthesis. It should be noted that such subcompartment localization studies, while important and novel for the pectin biosynthetic enzymes, are also novel in any species since the "precise location of only a small number of the glycosyltransferase proteins within the Golgi apparatus have been determined"⁹³. Anti-GALAT1 antibodies can be used to identify where in the Golgi GALAT1 is localized by, for example, immunogold label of thin sections from *Arabidopsis*^{97, 91, 98, 99} including both developing *Arabidopsis* seedlings and growing suspension cultures which have cells actively making wall.

Use of mutants and RNAi to generate and characterize GALAT1 and GalAT gene Superfamily knockouts.

Double-stranded RNA-mediated interference (RNAi) is a method to study the function of genes in plants¹⁰⁰. Transgenic plants harboring an RNAi construct often have reduced expression of the gene-specific mRNA. The resulting plants may display either complete gene silencing, thus having a knockout phenotype, or a partial "knockout" phenotype due to 'leaky' expression. The RNAi approach should allow the suppression of *GALAT1* expression and a reduction or loss of GALAT1. This enables one to elucidate the function of GALAT in pectin synthesis and in the plant. Simultaneously, the sequence-indexed T-DNA insertion mutants listed in the Salk Institute Genomic Analysis Laboratory (SIGnAL) *Arabidopsis* T-DNA mutant collection (<http://signal.salk.edu/cgi-bin/tdnaexpress>) can be monitored to determine if any T-DNA insert lines for GALAT become available. If so, the seed can be obtained and the mutants generated therefrom can be characterized (as described above).

The putative pectin biosynthesis mutants can aid in the identification of gene function in two ways. The visible phenotypes of the mutants can provide information on the biological function of the gene (if there is no redundancy in gene function) by demonstrating when during growth and development the particular

gene product is needed (as shown above). Structural analysis of the pectin in the mutant walls can provide information about the specific enzyme activity of the gene in pectin synthesis (as shown above).

5 Of particular importance regarding pectin synthesis, the cell walls are isolated and analyzed for glycosyl residue composition (see above) and linkage to provide information about the possible role of GALAT1 in pectin synthesis.

Identification of the members of HGA biosynthetic complexes.

10 There is growing evidence that glycoconjugates are synthesized by complexes of glycosyltransferases and other types of proteins¹⁰². For example, ganglioside synthesis occurs via a tightly regulated formation of multiple glycosyltransferase complexes¹⁰². Thus, any protein members of HGA biosynthetic
15 complexes can be isolated by immunoadsorbing such proteins bound to GALAT1 using anti-GALAT1 antibodies or anti-HA epitope antibodies. The immunoadsorbed proteins can be identified by SDS-PAGE, removed from the gel, and their amino acid sequence determined by LC-tandem mass spectrometry. The amino acid sequences thus obtained can then be used to search the available
20 protein databases for their identities.

Characterization of mutant phenotypes and bulking up of seed.

A person of ordinary skill in the art can use mutant seeds to probe gene
25 function. For example, the initial mutant seed (often a segregating T3 line, see http://signal.salk.edu/tdna_FAQs.html) can be grown and selfed to increase the seed stock (T4). Multiple plants from T4 seed can be grown and the presence of, for example) the T-DNA insert determined by PCR of plant genomic DNA using a T-DNA primer and a gene specific primer. The same DNA can be analyzed with gene
30 specific primers that should span the T-DNA insertion site. These analyses should indicate whether the given plant contains a T-DNA insert and if so, whether it is homozygous or heterozygous for the mutation. If necessary, Southern blotting and hybridization with the specific genes can be used to determine if the gene contains the expected T-DNA insert. Seed homozygous for the T-DNA insertion (when not
35 lethal) or heterozygous (when no viable TDNA homozygous plants are obtained) can be selfed to amplify the seed and, for heterozygous plants, to test for

segregation of any phenotype or T-DNA insert. Plants can be scored as heterozygous or homozygous by PCR analysis of the T-DNA insert and by any visible phenotype. Homozygous or heterozygous plants can be used for growth phenotype and cell wall analysis. The seed can also be crossed with wild type
5 Columbia and then selfed to eliminate the possibility that the lines contain an unexpected mutation or additional T-DNA insert(s).

Growth Phenotype analysis

10 Several growth parameters of the mutant and wild type plants are recorded to yield a general phenotypic characterization of the mutant plants.¹³⁴

Analysis of Cell Walls

15 Homozygous or heterozygous plants are grown and analyzed for wall composition and linkage. Cell walls can, for example, be prepared as alcohol insoluble residues (AIRs) from WT and (homozygous) mutant *Arabidopsis* plant tissues¹³⁵. AIRs are prepared by homogenizing leaves and stems (from soil-grown plants) and roots (from liquid-cultured plants) in aqueous 80% EtOH followed by
20 washes with absolute EtOH, chloroform-methanol, and acetone. Separate fractions containing RG-I, RG-II and oligogalacturonides can be obtained by size-exclusion chromatography (SEC) and ion exchange chromatography of the material solubilized from the cell walls by treatment with pectin methyl esterase (PME) and
25 *endo*-polygalacturonase (EPG). The yields, glycosyl residue compositions, and glycosyl linkage compositions of each fraction can be determined²⁷.

The nucleotide and amino acid sequences of the fifteen *GALAT* gene family members are shown as follows.

Sequence #1 (SEQ ID NO:1)

5 Gene name: At3g61130

GeneBank accession # for reference: NM_115977 GI:18411855

Nucleotide sequence of Sequence #1:

Positions 1-2022 of CDS of NM_115977.

```

10      1 atggcgctaa agcgagggct atctggagtt aaccggatta gaggaagtgg tgggtgatct
      61 cgatctgtgc ttgtgcttct catattttc tgtgttttg cacctcttg ctctttgtt
      121 ggccgaggag tgtatatcga ttctcaaat gattattcaa ttgtttctgt gaagcagaat
      181 ctgactgga gagaacgttt agcaatgcaa tctgttagat ctctttctc gaaagagata
      241 ctgatgtta tagcaaccag cacagctgat ttgggtcctc ttagcctga ttctttaag
15      301 aaaaaaatt tgtctgcatc atggcgggga accggagtag accctcctt tagacattct
      361 gagaatccag caactcctga tgcataatct aataacctga atgaaaaacg tgacagcatt
      421 tcaaaagata gtatccatca gaaagttgag acacctaca agattcacag aaggcaacta
      481 agagagaaaa ggcgtgagat gcgggcaaat gagttagttc agcacaatga tgacacgatt
      541 ttgaaactcg aaaatgctgc cattgaacgc tctaagtctg ttgattctgc agtccttggt
20      601 aaatacagta ttggagaag agaaaatgag aatgacaact ctgattcaaa tatacgcttg
      661 atgcgggatc aagtaataat ggctagagtc tatagtggga ttgcaaaatt gaaaaacaag
      721 aacgatttgt tacaagaact ccaggcccgga ctaaggaca gccaacgggt ttgggggga
      781 gcaacatctg atgctgatct tctcggagt gcgcatgaga aactcagagc catgggtcaa
      841 gtcttgcta aagctaagat gcagttatat gactgcaagc tggttactgg aaagctgaga
25      901 gcaatgcttc agactgccga cgaacaagtg aggagcttaa agaagcagag tactttctg
      961 gctcagttag cagcaaaaac cattccaaat cctatccatt gcctatcaat gcgcttgact
      1021 atcgattact atctctgtc tccggagaaa agaaaattcc ctcgagtgga aaacctagaa
      1081 aaccctaate ttatcatta tgcctcttt tccgacaatg tattagctgc atcagtagtt
      1141 gtttaactca ccatcatgaa tgccaaggat ccttctaagc atgttttca cctgttcacg
30      1201 gataaactca atttcggagc aatgaacatg tggttcctcc taaaccacc cggaaggga
      1261 accatacatg tggaaaacgt cgatgagttt aagtggctca attcatctta ctgtcctgtc
      1321 ctctgtcagc ttgaatctgc agcaatgaga gactactatt taaagcaga ccatccaact
      1381 tcaggctctt cgaatctaaa atacagaaac ccaaagtatc tatccatgtt gaatcacttg
      1441 agattctacc tccctgaggt ttatccaag ctgaacaaaa tctcttctc ggacgatgac
35      1501 atcattgttc agaaagactt gactccactc tgggaagtta acctgaacgg caaagtcaac
      1561 ggtgcagtcg aaacctgtgg ggaaagtttc cacagattcg acaagtatct caacttttcg
      1621 aatcctcaca ttgcgaggaa ctcaatcca aatgcttgtg gatgggctta tggaatgaac
      1681 atgttcgacc taaaggaatg gaagaagaga gacatcactg gtatatacca caagtggaac
      1741 aacatgaatg agaacaggac actatggaag ctagggacat tgccaccagg attaataaca
40      1801 ttctacggat taacacatcc cttaacaag gcgtggcatg tgctgggact tggatataac
      1861 ccgagtatcg acaagaagga cattgagaat gcagcagttg ttactataa cggaacatg
      1921 aaaccatggt tggagttggc aatgtccaaa tatcgccgtt attggacca gtacatcaag
      1981 ttgatcacc catatcttcg tcgttgcaac ctcatgaat aa

```

45

Amino Acid Sequence of Sequence #1: (SEQ ID NO:2)
 GeneBank ID# NP_191672
 Positions 1-673 of NP_191672.

5
 1 malkrglsgv nrirgsgggs rsvlvlliff cvfaplcffv grgvyidssn dysivsvkqn
 61 ldwrerlamq svrsifskei ldviatstad lgplslsdfk knnlsaswrg tgvdpfrhs
 121 enpatpdkvs nlnnekrdsi skdsihqkve tptkihrql rekrremran elvqhnddti
 181 lklenaaier sksvdsavlg kysiwrrene ndnsdsnrl mrdqvimarv ysgiaklknk
 10 241 ndllqelqar lkdsqrvlge atsdadlprs aheklramgq vlakakmqly dcklvtgklr
 301 amlqtadeqv rslkkqstfl aqlaaktipn pihclsmrlt idyylspek rkfprsenle
 361 npnlyhyalf sdnvlaasvv vnstimnakd pskhvfhlt dklngamnm wflnppgka
 421 tihvenvdef kwlnessyapv lrqlesaamr eeyfkadhpt sgssnlkyrn pkylsmlnhi
 481 rfylpevypk lnkilflddd iivqkdltpi wevnlngkvn gavetcgese hrfdkylfns
 15 541 nphiarnfnp nacgwaygmn mfdlkewkk rditgiyhwq nmnenrtlwkg lgtlppglit
 601 fygltphlnk awhvlglgyn psidkkdien aavvhyngnm kpwlslamsk yrpywtkyik
 661 fdhpylrrcn lhe

20 Sequence #2 (SEQ ID NO:3)

Gene name: At2g38650

GeneBank accession # for reference: NM_129422 GI:30687590

Nucleotide sequence of Sequence #2:

25 Positions 1-1860 of CDS of NM_129422

1 atgaaaggcg gaggcggtgg tggaggaggt ggtggcggag gaaaacgccg gtggaaagt
 61 ctggtgattg gagtttgggt tctgttatt cttctatgc ttgtcctct tctttctta
 121 ctggtcttc acaatggctt tcaactcctt ggatttgta ctgtcaacc ggcttctca
 30 181 ttgagagct ttaccagaat caatgtact aagcatacac agagagatgt atccgaacgg
 241 gtcgatgagg ttctcaaaa aatcaatcca gtcttcca agaaaagcga cataaacgtg
 301 ggtccagag atgtgaatgc aacaagcggc actgattcta aaaaagagg attaccagtg
 361 tcccaactg ttgtgcaa tccaagcctt gcaataaaa caaatcgga agcctcatat
 421 acaggtgttc agaggaaaat agtaagtgg gatgaaactt ggagaacttg tgaagtga
 35 481 tatgggagct actgcctctg gagggaggaa aataaggaa caatgaaaga tgccaaggtg
 541 aagcaaatga aggaccagct gttgtggct agagcactat atccagtat tgctaaaatg
 601 cttctcaaa gcaagttgac tgggatatg aaacagaata tccaagagt ttgagcgtatt
 661 ctagtgaag gtctcaaga tgctgacctt ccaccacagg ttgataaaa gttgcagaag
 721 atggaagctg taattgcaa ggcaagtct ttccagtcg actgtaaca tgtgacaag
 40 781 aaattgagac agatcctga ttgactgag gatgaagcta gttccacat gaaacagagt
 841 gtgtcctct accagctgc agtacagaca atgcctaaga gtctcattg ctgtcaatg
 901 cgactaactg tgaacattt caagtcagat tcaattgagg atccattag tgagaaatt
 961 tcagatccct cattactca cttgttatc atctccgata atatactagc atcgctcgtt
 1021 gtgatcaact caacggttgt acatgcaagg gacagtaaaa acttgtttt ccatgtactg
 45 1081 acagacgagc agaattactt tgcaatgaaa caatggttta ttaggaatcc ttgcaacaa
 1141 tcaactgttc aagtattgaa cattgaaaaa ctgagctgg acgattctga tatgaaactg
 1201 tcttctctg cggagttcgg ttttcttc cccagtggtg acctttggc gtctcaacg
 1261 aatagaacac actactatc ctttctct caatctcact atctcttcc caaattatt
 1321 gacaaattgg agaaggttgt gattctggat gatgacgtg tagtcagcg agacttatct
 50 1381 ccccttggg acctgatat ggaagggaaa gtgaatggcg ctgttaagtc gtgcactgtg

1441 agattgggtc agctaaggag tctcaagaga ggaaattttg ataccaatgc ttgtctctgg
 1501 atgtctggtt tgaatgtcgt tgatcttgct agatggaggg cattgggtgt ttcagaaacc
 1561 tatcaaaaat attataaaga gatgagtagt ggagatgagt cgagcgaagc aattgcattg
 1621 caggcaagct tgctcacatt tcaagaccaa gtatatgctc ttgacgacaa atgggctcta
 5 1681 tcagggcttg gttatgacta ctacatcaat gcacaagcca taaaaaacgc agccatattg
 1741 cactataacg ggaacatgaa gccgtggctt gagctgggaa tcccaaatta caaaaactat
 1801 tggagaaggc atctgagtcg ggaagatcgg ttcttgagtg actgtaacgt gaatcctga

10 Amino Acid Sequence of Sequence #2: (SEQ ID NO:4)

GeneBank ID# NP_565893

Positions 1-619 of NP_565893.

1 mkgggggggg ggggkrrwkv lvigvlvli lsmlyplafi lglhngfhsp gfvvtqpass
 15 61 fesfrinat khtqrdvser vdevlqkinp vlpkksdinv gsrdivnatsg tdsckrglpv
 121 sptvvanpsp anktkseasy tgvqrkivsg detwrtcevk ygsyclwree nkepmkdakv
 181 kqmkdqifva rayypsiakm psqskltrdm kniqeferi lsessqdadi ppqvdkklqk
 241 meaviakaks fpvdcnnvdk klrqildite deasfhmkqs vflyqlavqt mpkslhslsm
 301 ritvehfksd sledpisefk sdpsllhfvi isdnillassv vinstvvhav dsknfvfhl
 20 361 tdeqnyfamk qwfirnpckq stvqvlnek lelddsdmkl slsaefrvsf psdillasqq
 421 nrthylsifs qshyllpklf dklekvvild ddvvvqrdls plwldm megk vngavksctv
 481 rlgqlrslkr gnfdtnaclw msglnvvdla rwralgvset yqkykemss gdesseaiat
 541 qaslltfqdq vyalddkwai sglgydyiin aqaiknaail hyngnmkpwl elgipnykny
 601 wrrhlsredr flsdcnvp

25 Sequence #3 (SEQ ID NO:5)

Gene name: At5g47780

GeneBank accession # for reference: NM_124152 GI:30695292

30 Nucleotide sequence of Sequence #3:

Positions 1-1851 of CDS of NM_124152.

1 atgatggtga agcttcgcaa tctgttctt ttcttcacgc tctcaccgt cgttgctcat
 61 atccttctct acaccgatcc cgctgcctcc tcaagaccc ccttttctaa acgcgatttc
 35 121 ctcgaggacg taaccgcctt gactttcaat tccgatgaga atcgtttgaa tcttcttct
 181 cgggaatctc ccgctgtgct cagaggagga ctgcgcggtg ctgtctattc cgataagaat
 241 tcacggcggc tagaccaatt gtctgctcga gttctttccg ccaccgacga tgatactcac
 301 tcacatactg acatttccat caaacaagtc actcatgatg cagcctcaga ctgcatatt
 361 aatagggaaa atatgcatgt tcaattgacc caacaaacct ctgaaaaagt tgatgagcaa
 40 421 ccagagccta atgcttttgg agctaagaaa gatactggaa acgtgttgat gcctgatgct
 481 caagtgaggc atcttaaaga tcagcttatt agggcaaagg ttatctttc ccttccatct
 541 gcaaaggcca atgctcattt tggagagag ctgcgactcc gtattaaaga agttcaacgg
 601 gcacttgacg atgcctccaa ggattcggat ctgccaaaga ctgctataga aaagctaaaa
 661 gcaatggagc aaacactggc caaaggcaag cagatccaag atgactgttc tacagtggct
 45 721 aagaagctac gtgctatgct ccactccgca gatgagcagc tacgggtcca taagaagcaa
 781 accatgtttt tgactcaatt gactgctaag accattccta aaggacttca ctgccttct
 841 ctgcgcctca ctacagacta ttatgcttta aattcatctg aacaacaatt tccaaatcag
 901 gagaaactag aagatactca gctgtatcac tatgcccttt tctctgataa tgttttggct
 961 acgtcagttg ttgttaactc taccataacc aatgcaaagc atccctaaa gcatgtcttc
 50 1021 cacatcgtca cagacagact caattatgcg gcaatgagga tgtgggtcct ggacaatcca

1081 cctggcaaag ccaccatcca gggtcagaat gttgaagaat ttacatggct gaattcaagc
 1141 tacagtcccg ttctcaaaca gcttagttct agatcgatga tagattatta cticagagcc
 1201 caccatacaa attcagacac caacttgaag ttccggaatc caaaatactt atcgatcctt
 1261 aatcatcttc gttttactt gcctgagatc ttcccaagc tcagcaaagt gctcttctg
 5 1321 gatgatgata tagttgtgca gaaggacctt tctggtcttt ggtcagtga tctgaaaggt
 1381 aatgttaacg gtgctgtaga gacgtgtggg gaaagcttgc atcgcttga ccgttatctg
 1441 aacttctcaa atccactcat ttccaagaac ttgaccctc gagcttgtgg ttgggcgtat
 1501 ggtatgaatg tctttgatct ggatgaatgg aagaggcaaa acatcacaga agtttatcat
 1561 cgatggcagg atctgaatca agaccgagaa ttgtggaagc tagggacgtt gccgcctggg
 10 1621 ctaatcacat ttggagacg aacatatccg ctgaccgga aatggcacat actagggctt
 1681 ggatacaacc cgagtgtgaa ccaaagggat attgagaggg cagccgtgat aactataat
 1741 ggcaacctca aaccatggct agagattggg attccaagat acagaggctt ctggtcaaag
 1801 catgtagact atgagcacgt ttatctcaga gaatgcaaca tcaatcctta g

Amino Acid Sequence of Sequence #3: (SEQ ID NO:6)

Genebank ID# NP_568688

Positions 1-616 of NP_568688.

1 mmvklrnlvl ffmlltvvah illytdpaas fktpfskrdf ledvtaltfn sdenrlnllp
 61 respavlrvg lvgavysdkn srrldqlsar vlsatdddth shtdisikqv thdaasdshi
 121 nrenmhvqlt qqtsekvdeq pepnafgakk dtgnvimpda qvrhlkdqli rakvylslps
 181 akanahfvre lrrikevqr aladaskdsd lpktaieklk ameqtlakgk qiqddcstvv
 25 241 kklramlhse deqlrvhkkq tmfltqltak tipkglhclp lrlttdyyal nsseqqfnpq
 301 ekledtqlyh yalfsdnvl tsvvnstit nakhplkhvf hivtdrlnya amrmwflndp
 361 pgkativqvn veeftwlnss yspvlkqlss rsmidyyfra hhtnsdnlk frnpkylsil
 421 nhirfylpei fpklskvlfl dddivvqkdl sglwsvdlkg nvngavetcg esfhrfdryl
 481 nfnpliskn fdpracgway gmnvfdldew krqnitevyh rwqdlndre lwklgtlppg
 30 541 litfwrrtyp ldrkwhilgl gynpsvnqrd ieraavihyn gnlkpwl eig ipryrgfwsk
 601 hvdyehtvylr ecninp

Sequence #4 (SEQ ID NO:7)

Gene name: At1g06780

GeneBank accession # for reference: NM_100555 GI:30679825

Nucleotide sequence of Sequence #4:

Positions 1-1770 of CDS of NM_100555.

1 atgaaacaaa ttgctcgatg gcagaggatt ttgatcctcg ctctgctatc gatatcagta
 61 ttgctccgc ttatttctgt atcgaatcgg ctaagagca tcaactcccg ttgctgtaga
 121 gaatttattg aagagttatc caaaattaga ttacagacaa atgacctag acttagcgct
 181 attgaacatg aggatggaga aggcttgaag gggccaaggc tcattctctt caaggatggg
 45 241 gagtttaatt cgtctgctga aagtgatggg ggtaatactt acaaaaacag ggaagaacaa
 301 gtgattgttt cacagaagat gacagttagc tctgatgaaa agggtaaat tctaccaaca
 361 gtcaaccaac ttgctaataa aacggatttc aagccccctt tatctaaggg tgaagaagaac
 421 acaagggttc agcccgacag agcaacagat gtgaaaacga aggagatcag agacaaaatt
 481 attcaagcta aagcctacct gaatttctgt ccacctggaa gtaacttca agttgtgaag
 50 541 gagttgagag gtcggctgaa agagctggaa cggctgtgtg gtgatgcaac aaaggacaag
 601 gacttatcaa agggcgctct ccgcagggtg aagcccatgg aaaatgtgtt atataaggct

661 agtcgtgtct ttaacaattg cctgccatc gctaccaaac tccgtgccat gaattataac
 721 acagaagaac aagttcaggc gcagaaaaat caagcagcgt atctaatac gctgcagca
 781 aggaccacc caaaagggtc tcactgtctc tcaatgcggc tgacatcaga atactttca
 841 ctggatcctg aaaaaaggca gatgcctaac cagcaaaatt atttgacgc taatttcaat
 5 901 cattatgttg tcttctctga caatgtttg gcttctcag tcgttgtaa ctctacgata
 961 tcttcatcaa aggagccaga aagaatagtc ttccatgtcg tgactgattc acttaattac
 1021 ccagcaatct caatgtggtt tctgctaaac attcaaagta aagctactat ccaaataccta
 1081 aacattgatg atatggatgt cctgcctaga gattatgac aattactgat gaagcaaaac
 1141 tctaatacacc caagattcat ttctacactc aatcacgcac gcttctatct cccggatata
 10 1201 ttccggggtt tgaacaagat ggtactcttg gaccatgatg tagttgtca aagagattta
 1261 agtagactgt ggagcattga tatgaaagga aaggtggttg gagctgtaga gacttgtctt
 1321 gaaggtgaat ctctattcg atcaatgagc acattatta atttctcaga cacatgggtc
 1381 gctgggaaat ttagtcctag agcttgaca tgggcttctg ggatgaatct aatgatctc
 1441 gaagaatgga gaatacggaa gttgacttct acatacataa aatacttcaa cctgggaaca
 15 1501 aagagaccat tgtggaaagc tgggagctta ccaatagggt ggtgacttt ctataggcaa
 1561 acattagcat tggacaagag atggcatgtg atggggttag gtcgcgaatc aggagtcaaa
 1621 gcggttgaca tcgaacaagc ggcagttata cactacgatg gggcatgaa gccgtgggtg
 1681 gacattggaa aagagaatta caaacgttac tggaacatac acgtccctta ccatcacacc
 1741 tacttgcaac agtgcaatct tcaagcttga
 20

Amino Acid Sequence of Sequence #4: (SEQ ID NO: 8)

Genebank ID# NP_563771

Positions 1-589.

25 1 mkqirwqri lilallsiv faplifvsnr lksitpvgr efielskir ftndlrlsa
 61 iehedgeglk gprlilfdg efnssaesdg gntyknreeq vivsqkmtvs sdekgqilpt
 121 vnqlanktdf kpplskgekn trvqpdratd vktkeirdki iqakaylnfa ppgsnsqvvk
 181 elrgrikele rsvgdatkdk dlsgalrrv kpmenvlyka srvfnncpai atklramnyn
 30 241 teeqvqaqkn qaaylmqlaa rtpkglhcl smrltseyfs ldpekrqmpn qqnyfdanfn
 301 hyvvfsdnvl assvvvnsti ssskeperiv fhvvtlsny paismwfiln iqskatiqil
 361 niddmdvlpr dydqlmkqn sndprfistl nharfypdi fpglnkmvll dhdvvvqrdl
 421 srlwsidmkg kvvgavetcl egessfrsms tfinfsdtwv agkfspract wafgmnlidl
 481 eewrirkits tyikyfnlgt krplwkagsl pigwltfyrq tlaldrwhv mglgresgvk
 35 541 avdieqaavi hydgvmpkpw digkenykry wnhvpyhht ylqqcnlqa

Sequence #5 (SEQ ID NO:9)

Gene name: At1g18580

GeneBank accession # for reference: AY062444 GI:17064735

5 Nucleotide sequence of Sequence #5:

Positions 1-1614 of CDS of AY062444.

```

1 atgaggcggg ggccgggtga tcaccggcgg cgaggtagaa ggagattgtc gagttggata
10 61 tggtttctcc ttggttcttt ctctgtcgct ggtttagttc tcttcatcgt tcagcattat
121 caccatcaac aagatccatc ccagctttta cttagagagag acacgagaac cgaaatggta
181 tctcctcccc atttaaactt cacggaagag gtcacaagtg ctctctctt ctctaggcag
241 ttagcagagc aatgacact tgccaaagct tatgtgttta tagctaaaga gcataataat
301 ctctatttag ctgggaatt gagttctaag atcagaagtt gtcagctttt gctttccaaa
15 361 gcagctatga gaggacaacc tatttcgttt gatgaggcta aaccgattat tactgggtcta
421 tcagctctta tctacaaggc tcaagatgca cattatgata ttgccaccac tatgatgacc
481 atgaaatctc acatccaagc actgaagag cgtgcaaatg cagctactgt tcagaccaca
541 atatttgggc aattgggtgc tgaggcatta ccaaagagcc tccactgttt gacgataaag
601 ctacatctcg attgggtaac agagccatct cgccatgaac tggcagatga gaacagaaaac
20 661 tcacctagac ttgtcgacaa caacctctac cacttctgca tcttctcgga caacgtgatt
721 gccacctcgg ttgtgttaa ttcaactgct tcgaatgctg atcatccaaa gcagcttggt
781 ttccacatag tgacgaatcg agtgagctac aaagctatgc aggcctggtt tctaagtaat
841 gacttcaagg gctcagcaat agagatcagg agcgtagagg agtttcttg gttgaatgct
901 tcatattctc ctgttgtaa gcaactgctg gacacagatg caagagctta ctatttcggg
25 961 gaacagacaa gtcaagatac gatttccgag ccaaaagtga ggaacccaaa gtactgttca
1021 ttactgaacc atctcagatt ctacattccg gagatctatc cacagctaga gaagattgtt
1081 ttcttagacg atgatgttgt tttcagaaa gatttgactc cacttctctc ctggatctg
1141 catggaaacg tcaatggagc tgtggaaaca tgtcttgaag cctttcaccg atattacaag
1201 tatctaaatt tctcgaacct actcatcagc tcaaagttcg acccacaagc atgtggatgg
30 1261 gcttttggtg tgaacgtttt tgatctgacg gcttggagga atgcaaactg gactgctcgg
1321 taccattact ggcaagatca gaacagagaa cgaacgcttt ggaaactcgg gacactccct
1381 ccagggtctac tatcttcta ttgtctcaca gagccactgg acagaagatg gcatgtcttg
1441 ggtttagggt acgatgtgaa catcgataac cgtctgatcg aaacagcagc tgtgattcac
1501 tataatggta acatgaagcc ttggctaaag ctggctattg gtaggtataa accttctgg
35 1561 ttaaagtttt tgaactcgag ccatccttat ttacaagatt gtgtcacagc ttaa

```

Amino Acid Sequence of Sequence #5: (SEQ ID NO: 10)

Genebank ID# AAK93644 GI:15293067

40 Positions 1-537 of AAK93644.

```

1 mrrwpvdhrr rrrrlsswi wflgsfsva glvlfivqhy hhqqdpsqll lerdtrtemv
45 61 spphinftee vtsassfsrq laeqmtlaka yvfiakehnn lhlawelssk irscqllllsk
121 aamrgqpisf deakpiitgl saliykaqda hydiattmmt mkshiqalee ranaatvqtt
181 ifgqlvaeal pkslhcltik ltsdwwtpep rheladenrn sprivdnny hfcifsdnvi
241 atsvvvnstv snadhpqqlv fhivtrvsy kamqawflsn dfkgsaier sveefswlna
301 syspvvkqll dtdarayyfg eqtsqdtise pkvrnpkyls llnhlrfyip eiypqlekiv
361 fldddvvvqk dltpfslidl hgnvngavet cleafhryyk ylnfsnplis skfdpqacgw
50 421 afgmnvfdli awrnanvtar yhywqdqnre rtlwklgtlp pgllsfyglf epdrrwhvl
481 glgydvnidn rlietaavii yngnmkpwlk laigrykpfw lkflnsshpy lqdcvta

```

Sequence #6 (SEQ ID NO: 11)

Gene name: At2g20810

GeneBank accession # for reference: NM_127647 GI:30681142

5 Nucleotide sequence of Sequence #6:

Positions 1-1611 of CDS of NM_127647.

1 atgagaagga gaggagggga tagttccgg agagctggac ggaggaagat ctggaatgtg
 61 gtatggtggg ttctctctgg tattgccctc ctgctcttct ttctcattct ctccaaagct
 10 121 ggtcatattg aacctagacc ctctattcct aagcgacgtt accgtaatga caaatttga
 181 gagggtatga atagactga ggaaatgtg agtcctactt ccgttgctcg tcaagttaat
 241 gatcagattg ctcttgctaa agcttttgt gtcattgcta aagaaagtaa gaatcttcag
 301 ttgcttggg acttaagtgc tcagatccgt aactctcagt tgctttatc gagtgctgct
 361 actaggagaa gtcccttgac tgtcttgaa tctgagtcta ctattcgtga catggctgtt
 15 421 ttgttatatc aagctcagca gcttactat gatagtgcta ctatgattat gaggcttaag
 481 gcctcgattc aggctcttga agaacaaatg agtccgta gcgagaagag ttccaagtat
 541 ggacagattg ctgctgagga agtgcctaag agtctttact gtcttggtgt tcgtctcact
 601 accgaatggt ttcagaattt agacttacag agaactctta aggaaaggag tcgtgttgat
 661 tcgaaactca cggataacag tctctacat ttctgtgtgt ttccgataa cattattgct
 20 721 acttctgttg tggtaattc tactgctctc aattccaagg cccctgagaa agttgtgttt
 781 catcttgta ctaatgagat caactatgct gcaatgaagg ctgtgttcgc cattaatatg
 841 gacaacctca gaggagtcac tgtggaggtt cagaagttcg aggatttctc atggctgaat
 901 gcttctatg ttccggctct caagcagctg caagactctg atacgcaaag ctattatttc
 961 tctggacaca acgatgatgg gcgcactcca atcaaatca ggaaccccaa gtatctttcc
 25 1021 atgctcaacc atcttaggtt ctacatccct gaagtgttct ctgctgtgaa gaagggtgct
 1081 ttcttgatg atgatgtgt agtccagaag gatctttcat ctctctttc gatcgattta
 1141 aacaaaaatg tgaacggggc tgttgagacc tgcattggaga cctccaccg ctaccacaag
 1201 tacttgaact atttcatcc tctcatcgc tccactttg atccagatgc gtgtgggtg
 1261 gcgttggaa tgaacgtctt tgatttagtt gagtggagga agagaaatgt gaccggcata
 30 1321 taccactact ggcaagaaaa aaacgtggac cggacctat ggaaactggg aacactacct
 1381 ccaggacttc tgacatttta cgggttaaca gaggcactag aggcgtctct gcatactctg
 1441 ggattgggat acacgaatgt gtagtctcgt gtgatagaga aaggagctgt tcttcacttc
 1501 aatgggaact taaagccatg gtgaagatc gggatagaga agtacaacc tttgtgggag
 1561 agatacgttg attacacttc tcttttatg caacaatgca attttcattg a

Amino Acid Sequence of Sequence #6: (SEQ ID NO: 12)

Genebank ID# NP_565485

Positions 1-536 of NP_565485.

40 1 mrrrgdsfr ragrrkisnv vwwwlsgial lffliiska ghieprpsip krryrndkfv
 61 egmnmteeml sptsvarqvn dqialakafv viakesnllq fawdlasqir nsqllssaa
 121 trrsplvle sestirdmav llyqaqqlyh dsatmimrlk asiqaleeqm ssvsekssky
 181 gqiaaeevpk slyclgvrlt tewfqnlldl rtkersrvd skltdnslyh fcvfsdnia
 241 tsvvnstl nskapekvvf hltvneinya amkawfainm dnlgvtvev qkfedfswln
 45 301 asyvpvikql qdsdtqsyf shnddgrtp ikfrnpkyls mlnhlrfyip evfpalkkv
 361 fldddvvvqk dlslfsidl nknvngavet cmetfhryhk ylnyshplir shfdpdacgw
 421 afgmnvfdlv ewrkrnvtgi yhywqeknvd rllwklgtlp pglftfygt ealeaswhil
 481 glgytnvdar viekgavlhf ngnlkpwlki giekykplwe ryvdytspfm qqcnfh

Sequence #7 (SEQ ID NO: 13)

Gene name: At2g30575

GeneBank accession # for reference: NM_179819 GI:30684641

5 Nucleotide sequence of Sequence #7:

Positions 1-1833 of NM_179819.

```

1 atgaatcaag ttcgtcgttg gcagaggatt ctgacacctt cgctgctatt gttatctgtt
61 ttagctccga ttgtttcgt ttcgaatcgg ctcaagagca tcacttccgt cgatagagga
10 121 gaattcattg aagaattatc cgacattaca gataagaccg aggatgaact tagacttact
181 gctattgaac aggacgaaga aggctgaag gagcctaaac gtattctgca ggatcgagat
241 ttaattctg tggtttctc aaattcctct gataaaagta atgatactgt gcagtcta
301 gagggagacc aaaaaaactt tctctcagaa gttgataagg gaaataatca caaaccaaag
361 gaggaacaag cagtttcaca gaaaaccaca gtaagctcga atgcggaggt gaaaatttca
15 421 gcaagagata ttcaacttaa tcataaaacg gaattccgac ccccttcaag taagagtga
481 aagaatacaa gggttcaact tgaaagagca acagatgaga gggtaaagga gatcagagac
541 aaaattatcc aagcgaaagc ctatctgaat ttggccctac ctgggaataa ctcccaa
601 gtaaaggagt tgagagttcg aacgaaagag ctggaacggg ctactggtga tactaccaag
661 gataaatatt tgccaaagag ctctcctaac agattgaagg ccatggaagt tgcgttatac
20 721 aaggtcagcc gtgccttca caactgccct gccattgcta ccaaactcca agccatgact
781 tataaaaccg aagaacaagc tcgggcgcag aagaacaag cagcatattt aatgcagctt
841 gcagcaagga ctaccccaaa agggcttcat tgtctctcaa tgcggtgac aacagaatat
901 ttaccctgg atcacgaaaa aaggcagctt ttgcaacaaa gttataatga tctgatctc
961 taccattacg tagtcttctc tgacaatgtt ttggcctctt cggttgtgt taactctaca
25 1021 atctctcat caaaggaacc ggataaaata gtattccatg tggtgacaga ttactcaat
1081 taccagcaa tctcaatgtg gttttacta aaccaagtg gcagagcttc aatccaaatc
1141 ctaaacattg atgaaatgaa tgcctgcca ttgtaccatg ctgaattgct gatgaagcaa
1201 aattcaagt acccaagaat catttcagcg ctcaaccatg cagccttcta tctccagat
1261 atcttccag gtctaaacaa gatcgctactc ttcatcatg atgtagtagt gcaaagggat
30 1321 ctaactagac tgtggagcct tgatagacg gggaaagttg ttggagctgt agagacttgt
1381 ctgaagggtg atccttcata tcgttcgatg gactcattca ttaattctc agatgcatgg
1441 gtttctcaga aatttgatcc caaggcttgc acttgggcat tcgggatgaa tctatttgat
1501 ctgaagaat ggagaagaca ggagttgact tctgtatacc tgaaatactt cgacctggga
1561 gtaaaggac atctgtggaa agcaggggga ttgccagtag gttggtgac tttttcggg
35 1621 caaacgtttc cgttggaata gagatggaac gtgggtgggt taggtcacga atcaggactc
1681 agggcaagcg acatcgaaca agcagcggtt atactactc acgggatcat gaaaccatgg
1741 ctggacatcg gtatagacaa gtacaagcgc tactggaaca tacatgtacc ttaccatcac
1801 cctcacttac aacggtgcaa cattcacgat tga

```

40

Amino Acid Sequence of Sequence #7: (SEQ ID NO: 14)

Genebank ID# NP_850150

Positions 1-610 of NP_850150.

```

45 1 mnqvrwqri lilsllsv lapivfvsnr lksitsvdr g efieelsdit dktedelrlt
61 aieqdeeglk epkrlqdrd fnsvvlssn dksndtvqsn egdqknflse vdkgnnhkpk
121 eeqavsqktt vssnaevkis ardiqlnhkt efrppsskse kntrvqlera tdervkeird
181 kiiqakayln lalpgnnsqi vkelrvrtke leratgdttk dkylpksspn rlkamevaly
241 kvsrafhncp aiatklqamt ykteeqaraq kkqaaylmql aarttpkglh clsmrltrey
50 301 fildhekrql lqsyndpdl yhyvvfsdnv lassvvvnst issskepdki vfhvvtdsln

```

361 ypaismwfl npsgrasiqi Inidemnvlp lyhaellmkq nssdpriisa Inharfylpd
 421 ifpglnkivl fdhdvvvqrd ltrlwsldmt gkvvgavetc legdpsyrsm dsfinfsdaw
 481 vsqkfdpkac twafgmnlfd leewrrqelt svylkyfdlg vkghlwkgagg lpvgwitffg
 541 qtfplekrwn vgglgthesgl rasdieqaav ihydgimkpw ldigidkykr ywnihvpyhh
 601 phlqrcnihd

Sequence #8 (SEQ ID NO: 15)

Gene name: At2g46480

10 GeneBank accession # for reference: NM_130212 GI:22326493

Nucleotide sequence of Sequence #8:

Positions 1-1587 of NM_130212.

1 atgactgatg ctgtgtgtt gaagggaac gaggacaaa tggctcctcg ttttggtcat
 15 61 ggaacctgga taggaaaagc attaatgat acaccagaga tgttgcata aaggagtctg
 121 agacaggaaa aaagattgga aagggtaat gagctgatga atgatgatag tctgcaaaag
 181 ctgagacgg cagccatggc acgttcaga tctgtcgatt ctgcaccact aggaaactac
 241 accatttga aaaatgaata ccggaggggc aagagtttg aagatatgtt acgtttgatg
 301 caagatcaaa tcatcatggc acgagttac agtggacttg caaagttac aaacaatctc
 20 361 gccttgacc aagagataga aacacaacta atgaaactag ctggggagga agaacttact
 421 gatattgatc aggagcagag agtacttgac agtataagag acatgggaca aatactggct
 481 agagcacacg agcagctata tgaatgaag ttggtgacaa ataagttgag agcaatgcta
 541 caaacagttg aagatgaact cgaaaacgag cagacttata taacgttctt gactcagcta
 601 gctccaagg cactaccaga tgctatccac tgctgacca tgcgctgaa tctagagtat
 25 661 catctcctgc cttaccgat gagaaatit ccaaggagg agaatttga gaatccaaa
 721 cttaccact acgtctctt ctctgataat gtactggctg catcagttgt tgtcaactcc
 781 acagtcatga atgcacagga tccttcaagg catgtttcc acctgtgac tgataagctc
 841 aactttggag caatgagat gtggtttctg ttgaaccctc ctggagaagc gaccatccat
 901 gtccaaagg tgaagattt tacttggtc aactcatctt actctccagt ttgagtcag
 30 961 ctgagtcag cagctatgaa gaagttctac ttcaagacag cgaggctcga atcagttgaa
 1021 tcaggctcag aaaacctcaa gtaccggtac ccgaaataca tgtcaatgct taaccacctg
 1081 aggttctaca tccttaggat ctcccaaag ttggagaaaa tctgtttgt tgacgatgat
 1141 gtggtgttc agaaggattt aactccccta tggtcattg atcttaaagg gaaagtgaat
 1201 gaaaactttg atcccaagtt ctgaggatgg gcttatggga tgaacatctt cgacctgaaa
 35 1261 gaatggaaga agaacaacat tacagaaact tatcactttt ggcaaaacct gaacgaaaac
 1321 cggactctat ggaaactagg aacattgcca ccagggtcga taacgttcta caatctgaca
 1381 caaccacttc agagaaaatg gcacttactt ggactgggtt atgataaagg aatcgatgtc
 1441 aagaagattg aaagatcagc tgttatacat tacaatggac acatgaaacc atggacagag
 1501 atggggataa gcaagtatca gccatattgg acgaagtaca ccaatttga ccatccttac
 40 1561 atcttactt gcaggctgtt tgagtga

Amino Acid Sequence of Sequence #8: (SEQ ID NO: 16)

Genebank ID# NP_182171

45 Positions 1-528 of NP_182171.

1 mtdacclkg n edkmvprfgh gtwigkafnd tpemlhersl rqekrleran elmnddsllqk
 61 letaamars svdsaplgn tyiwkneyrrg ksfedmlrlm qdqimmarvy sglakftnnl
 121 alhqeietql mklaweeest didqeqrvid sirdmgqila raheqlyeck lvtlnklraml
 50 181 qtvedelene qtyitftql askalpdaih cltmrlnley hllplpmrnf prrenlenpk

241 lyhyalfsdn vlaasvvns tvnnaqdpsr hvfhlvtdkl nfgamsmwfl inppgeatih
 301 vqrfedftwl nssyspvlisq lesaamkkfy fktarsesve sgsenlkyry pkymsmnlhl
 361 rfyiprifpk lekilfvddd vvvqkdltp lwsidlkgvn enfdpkfcgw aygmnlfdlk
 421 ewkknitet yhfwnlnen rtlwklgtlp pglitfynlt qplqrkwhll glgydkgidv
 481 kkiersavii ynghmkpwte mgiskyqpyw tkytnfdhpy iftclife

Sequence #9 (SEQ ID NO: 17)

Gene name: At3g01040

GeneBank accession # for reference: NM_110969 GI:30678269

Nucleotide sequence of Sequence #9:

Positions 1-1602 of CDS of NM_110969.

1 atgcagcttc acatatcgcc tagcatgaga agcattacga tatcgagcag caatgagttt
 61 attgatttga tgaagatcaa agtcgcagct cgtcacatct cttaccgaac tctcttccac
 121 actatcttaa tctctgcttt ctgtttacct ttgttttca tcttaaccgc tgttgttacc
 181 ctggaagggt tcaacaagtg ctctctttt gattgtttcg ggaggcggct aggaccacgt
 241 ctcttggtta ggatagatga ttcagagcag agactagta gagatttta caaaattcta
 301 aatgaagtaa gcactcaaga aattccagat ggttaaagc ttccagagtc ttttagtcaa
 361 ctggtttcgg atatgaagaa caaccactat gatgctaaaa catttgcctt cgtatttcca
 421 gctatggtag agaagttga aagggttga agggaatcca aattgcaga actcatgaac
 481 aagcactttg ctgcaagttc aattccaaaa ggaattcact gtctctctt aagactaacc
 541 gatgaatatt cctccaatgc tcatgcccgg agacagcttc ctccccgga gctctcctt
 601 gtctctcag acaatgctta ccaccatttt gtctagcta cagataatat cttagctgca
 661 tcggttgttg tctcatctgc tgttcaatca tctcaaaac ccgagaaaat tgtcttccat
 721 gttatcacag acaagaaaac ctatgcgggt atgcattctt ggtttgcact caattctgtt
 781 gctcctgcga ttgtgaagt gaaaagcgtt catcagtttg attggttaac aagagagaat
 841 gttccagttc ttgaagctgt ggaaagccat aacagtatca gaaattatta ccatgggaat
 901 catattgctg gtgcaaacct cagcgaaaca acccctcgaa catttgcttc gaaactgcag
 961 tcaagaagtc ccaaatacat atcttgcctc aaccatctta gaatatatct accagagctt
 1021 ttccgaact tagacaagggt agtgttctta gatgatgata tagtgataca gaaagattta
 1081 tctccgcttt gggatattga ccttaacggg aagggttaatg gagctgtgga gactgtcga
 1141 ggagaagacg tatgggttat gtcaaagcgt cttaggaact actcaattt tctcaccgg
 1201 ctcatcgcaa agcatttaga tcccgaagaa tgtgcttggg cttatggaat gaatatctt
 1261 gatctacgga ctggaggaa gacaaatata agagaaacgt atcattcttg gcttaagag
 1321 aatctgaagt cgaatctaac aatgtggaaa ctggaacat tgcctcctgc tctaatagca
 1381 tttaaaggtc atgttcagcc aatagattcc tcttgccata tgcttgatt aggttatcag
 1441 agcaagacca acttagaaaa tgcgaagaaa gctgcagtga ttcattacaa tggccaatca
 1501 aagccgtggc ttgagatagg ttctgagcat ctgagacat tctggacaaa atatgttaac
 1561 tactccaatg atttcattaa gaattgtcat atcttggaat ag

Amino Acid Sequence of Sequence #9: (SEQ ID NO: 18)

Genebank ID# NP_186753

Positions 1-533 of NP_186753.

1 mqlhispsmr sitisssnef idlmkikvaa rhisyrtilf tililaflp fviltavvt
 61 legvncsssf dcfgrlgr lgriddseq rlvrdfykil nevstqepd glklpesfsq
 121 lvsdmknnhy daktfalvfr amvekferdl reskfaelmn khfaassipk gihclslrlt
 181 deysnabar rqlpspellp vlstdnayhhf vlatdnilaa svvssavqs sskpekivfh

241 vitdkktyag mhswfalnsv apaivevksv hqfdwltren vpvleavesh nsirnyyhgn
 301 hiaganlset tprtfasklq srspsyisll nhliylpel fpnldkvvfl dddiviqkdl
 361 splwdidlng kvngavetcr gedvwvmskr lryfnfshp liakhldpee cawaygmni
 421 dlrtwrktni retyhswike nlksnltnmwk lgtlppalia fkghvqpids swhmlglgyq
 5 481 sktnlenakk aavihyngqs kpwleigfeh lrpfwtkyvn ysndfiknch ile

Sequence #10 (SEQ ID NO: 19)

Gene name: At3g02350

10 GeneBank accession # for reference: NM_111102 GI:18396158

Nucleotide sequence of Sequence #10:

Positions 1-1686 of CDS of NM_111102.

1 atggcgggtgg ccttccgtgg aggccgggga ggcgtcggat cgggccaatc taccggactt
 15 61 cgtagtttct tctcctaccg gatctttatc tccgcttgt tctctttct ctctctcgcc
 121 actttctccg tcgttcttaa ctctctcgt catcagcctc atcaggatca tacattgccg
 181 agtatgggca acgcatatat gcagaggacg ttttggctt tgcaatcgga tccattgaaa
 241 actaggttgg atctgataca caagcaagcc attgatcatt tgacactggt gaatgcgat
 301 gctgcttacg ctaggaagct aaagcttgat gcttctaagc agcttaagct ctctgaagat
 20 361 ttggctatca acttctcgga ttgcagtcg aaacctggtt tgaaatctgc tgtgtctgat
 421 aatggtaatg ctcttgagga ggattcggtt aggcagcttg agaaagaagt gaaggataag
 481 gtgaagacag cgaggatgat gatcgttgag tctaaagaga gttatgatac acagcttaaa
 541 atccagaagt tgaaagatac aatcttgcgt gtccaagaac agtgacaaa ggctaagaaa
 601 aacgggtcgg ttgctagctt gatttcagcc aagtcgggtc ctaaaagtct tcatgtttg
 25 661 gccatgaggc ttgtaggaga gaggatctct aatcctgaga agtacaagga tgctccacct
 721 gacccagccg cagaggatcc aactctttac cactatgcga ttttcttga taatgtcatt
 781 gctgtgtctg ttgtggtgag atcgggttg atgaacgctg aggagccatg gaagcatgtc
 841 ttccatgtgg tgacagatcg gatgaatctc gcagccatga aggtgtggtt taagatgcgt
 901 cctttggacc gtggtgcca tgttgagatt aaatccgtgg aggattcaa gttcttaaac
 30 961 tcttctatg cgccggtctt gaggcagctt gactctgcca agttgcagaa gtttacttt
 1021 gagaatcaag ctgagaacgc aactaaagat tcacataacc tcaagttcaa gaacccaag
 1081 tatctctcga tgttgaacca tctcagattt tacttaccag agatgtatcc gaagctgaat
 1141 aagattttgt tcttgacga tgatgttggt gtgcagaaag acgtgactgg tttatggaaa
 1201 atcaacttgg atggcaaggt gaatggagcc gttgagacat gttttggttc tttcatcga
 35 1261 tatggtcaat acttaaacct ctctcatcct ttgatcaaag agaactttaa cccagtgcc
 1321 tgtgcttggg ctttggaaat gaacatattc gatctcaatg cctggagacg cgagaagtgc
 1381 accgatcaat accattactg gcagaacctg aatgaagaca gaactctctg gaaattggga
 1441 actctaacctc cgggattgat cacattctat tcaaagacga aatcattgga caaatcatgg
 1501 catgtacttg ggttaggcta taaccgggga gtgagcatgg acgaaatcag aaatgcagga
 40 1561 gtgattcatt acaatggaaa catgaaaccg tggctagaca ttgcgatgaa ccaatacaag
 1621 tctctctgga cttaatattg tgataacgaa atggagtttg tgcagatgtg caattttggt
 1681 ctctaa

45

Amino Acid Sequence of Sequence #10: (SEQ ID NO: 20)
 Genebank ID# NP_566170.1
 Positions 1-561 of NP_566170.

5 1 mavafrggrg gvgsgqstgl rsffsyrfi salfsflfla tfsvvlnssr hqphqdhtlp
 61 smgnaymqrt flalqsdplk trldlihkqa idhltivnay aayarklkld askqlkifed
 121 lainfsdlqs kpglksavsd ngnaleedsf rlekevkdk vktarmmive skesydtqlk
 181 iqklkdtifa vqeqltkakk ngavasliisa ksvpkslhcl amrlvgeris npekykdapp
 241 dpaaedptly hyaifsdnvi avsvvrsrvv mnaeepwkhv fhvvtdrnml aamkvwfkmr
 10 301 pldrghavei ksvedfkfln ssyapvlrql esaklqkyf enqaenatk shnlkfknpk
 361 ylsmlnhlrf ylpemypkln kilfldddvv vqkdvtglwk inldgkvnga vetcfgsfhr
 421 ygqylnfshp likenfnpsa cawafgmniif dlnawrrekc tdqyhywqnl nedrtlwklg
 481 tlppglitfy sktksldksw hvlglgynpg vsmdeirnag vihyngnmkp wldiamnqyk
 541 slwtkyvdne mefvqmcnfg l

Sequence #11 (SEQ ID NO: 21)

Gene name: at3g25140

GeneBank accession # for reference: NM_113418 GI:30687767

20 Nucleotide sequence of Sequence #11:

Positions 1-1680 of CDS of NM_113418.

1 atggctaacc accaccgact ttacgcggc gccggatctc cggccataat cgggtggcaga
 61 atcacactca cagcttgcg ttcactatc gactcttcc tcttactct ctccttctc
 25 121 ttcgctcag attctaacga ttctctgat ctcttcttc cgggtgtga gtactcta
 181 ggagtcggat ctagaagatc catgttgat atcaaactcg atccgctta gccacggtg
 241 attcagatcc ggaacaagc tgatgatcat cggtcattag cattagctta tgctcttac
 301 gcgagaaagc ttaagctga gaattcgaaa ctgctcagga tcttcgctga tcttcgagg
 361 aattacacgg atctgattaa caaacgacg tatcgagctt tgatgattc tgatggagcc
 30 421 tcgattgaag aatctgtgct taggcaattt gagaaagaag ttaaggaacg gattaaaatg
 481 actcgtaag tgattgctga agctaaagag tctttgata atcagtgaa gattcagaag
 541 ctgaaagata cgattttcgc tgtaacgaa cagttaacta atgctaagaa gcaagggtgcg
 601 ttttcgagtt tgatcgctgc gaaatcgatt ccgaaaggat tgcattgtct tgctatgagg
 661 ctgatggaag agaggattgc tcacctgag aagtatactg atgaaggga agatagaccg
 35 721 cgggagctcg aggatccgaa tctttacat tacgtatat ttcggataa tgtgattgcg
 781 gcttcggtgg ttgtgaactc tgctgtgaag aatgctaagg agccgtggaa gcatgtttt
 841 cagttgtga ctgataagat gaatcttga gctatgcagg ttatgttta actgaaggag
 901 tataaaggag ctcatgtaga agttaaagct gttgaggatt atacgtttt gaactctcg
 961 tatgtgctg tgtgaagca gttagaatct gcgaatctc agaagttta ttcgagaat
 40 1021 aagctcgaga atgcgacgaa agataccacg aatatgaagt tcaggaaccc caagtattta
 1081 tctatattga atcacttgag gttttattta cccgagatgt acccgaaact acataggata
 1141 ctgttttgg acgatgatgt ggtgtgcag aaggatttaa cgggtctgtg ggagattgat
 1201 atggatggga aagtgaatgg agctgtagag actgttttg ggtcgtttca tcggtacgct
 1261 caatacatga atttctaca tctttgatc aaagagaagt ttaatcccaa agcatgtgcg
 45 1321 tgggcgtatg gaatgaactt cttgatctt gatgcttga gaagagagaa gtgcacagaa
 1381 gaatatcact actggcaaaa tctgaacgag aacagggctc tatggaaact ggggacgtta
 1441 ccaccgggac tgatcacctt ttactcaacc acaaagccgc tggacaaatc atggcatgtg
 1501 ctggggctgg gttacaatcc gagcattagc atggatgaga tccgcaacgc tgcagtggta
 1561 cacttcaacg gtaacatgaa gccatggctt gacatagcta tgaaccagtt tcgaccactt
 50 1621 tggaccaaac acgtcgacta tgacctcgag ttgttcagg cttgcaattt tggcctctga

Amino Acid Sequence of Sequence #11: (SEQ ID NO: 22)

Genebank ID# NP_189150

Positions 1-559 of NP_189150.

5 1 manhhrlrg ggspaiiggr itltafasti alfltlslff fasdsndspd llpgveysn
 61 gvgsrrsmld iksdplkprl iqirkqaddh rslalayasy arkklensk lvrifadlsr
 121 nytdlinkpt yralydsdga sieesvlrqf ekevkerikm trqviaeake sfdnqlkiqk
 181 lkdtifavne qltnakkqga fssliaaksi pkglhclamr lmeeriahe kytdegkdrp
 241 reledpnlyh yaifsdnvia asvvvnsavk nakepwkhvf hvvtdkmnlg amqvmfklke
 10 301 ykgahvevka vedytflnss yvpvlkqles anlqkyfen klenatkdt nmkfrnpkyl
 361 silnhrlfyl pemypklhri lfddddvvvq kdlgtlweid mdgkvngave tcfgsfhrya
 421 qymnfshpli kekfnpkaca waygmnnfdl dawrrekcte eyhywqnln nralwklgtl
 481 ppglitfyst tkpldkswhv lglgynpsis mdeirnaavv hfngnmkpwl diamnqfrpl
 541 wtkhvdyle fvqacnfgl

15

Sequence #12 (SEQ ID NO: 23)

Gene name: At3g58790

GeneBank accession # for reference: NM_115741 GI:22331856

20 Nucleotide sequence of Sequence #12:

Positions 1-1623 of CDS of NM_115741.

1 atgaagtttt acatatcagc gacggggatt aagaaggtta cgatatcaaa tcccgcgctc
 61 ggaatcggta aaggaagcgg aggatgtgcg gctgcagcgg cggcgtagc agcgcggaga
 25 121 ttctctagtc gcacgttgtt actgttgctg ctgctgctcg ctatcgtcct ccctttatc
 181 ttcgtcaggt tcgcgtttct cgtcctcgaa tctgcctccg ttgcgattc accactcgat
 241 tgcatgggac tcagactttt ccgtgggggc gacacatctc tgaatattgg ggaagagttg
 301 acacgggctc tagtggaaga gacgacagat catcaggacg ttaatggaag aggaacgaag
 361 ggatcattgg agtcattcga cgaccttgtt aaggagatga cgtaaaacg ccgtgacata
 30 421 agggcggttg cttccgtgac taagaagatg ctgttgacga tggaacgtaa agtccaatca
 481 gcgaacatc atgagttagt gtactggcat ttagcctctc acggtattcc taaaagcctc
 541 cattgccttt ccctcagatt aactgaagag tactctgtaa atgcaatggc tcgaatgcgt
 601 ttgcctccgc ctgagtcctg atcacgtctg accgacccat ctttcatca tattgtcctc
 661 ctgactgaca atgtccttgc tgcctctgct gtcatatcgt ctactgtaca aaacgctgtg
 35 721 aatcccgaga agttgtctt tcatattgtt accgataaga aaacctatac ccctatgcat
 781 gcttggtttg ctatcaactc tgcttcatca ccagttgttg aagtaaaggg acttcatcag
 841 tatgattggc ctcaagaagt gaactcaaa gtagagaga tgctggacat tcaccgctta
 901 atttgagac gacattatca aaattgaaa gactctgatt ttagtttgt tgagggtact
 961 catgagcagt ccttgcaagc tctaaatcct agctgccttg ccctttgaa ccatcttgcg
 40 1021 atttacattc ccaagctttt tccagatctc aacaagatag tgtgttgga tgatgatga
 1081 gtagtacaga gcatcttctc gtctttatgg gaaacggatc tcaacggtaa agttgttggt
 1141 gctgtcgttg attcgtgggt cggagacaac tgttgccccg gaagaaaata caaagactat
 1201 tcaacttct cacatccttt gatctcatca aacttagttc aagaagactg tgcttggtt
 1261 tctggatga atgtcttga tctcaaagcc tggagacaaa ccaatattac tgaagcttac
 45 1321 tctacatggc taagactcag tgtaggtca ggactacaat tatggcaacc aggggcttta
 1381 ccaccgacat tacttgcttt caaaggactt acacagtctc ttgaaccatc atggcacgtc
 1441 gctggactag gttctcgatc cgtaaaatcc cctcaagaga ttctgaaatc tgcttcggtt
 1501 ttacatttca gcggtccagc aaaaccgtgg ctagagatca gtaaccctga ggtacgatct
 1561 ctttggtata gatacgtaaa ttctccgac atcttcgtta gaaaatgcaa aatcatgaac
 50 1621 tga

Amino Acid Sequence of Sequence #12: (SEQ ID NO: 24)

Genebank ID# NP_191438.2

Positions 1-540 of NP_191438.

5 1 mkfyisatgi kkvtisnpgv gigkgsggca aaaaalaarr fssrtllll llaivlpfi
 61 fvrfaflvle sasvcdspld cmglrlfrgg dtslkigeel tralveettd hqdvngrgtk
 121 gslesfddlv kemtlkrddi rafasvttkm llqmerkvs akhhelvywh lashgipksl
 181 hclslrtee ysvnamarmr lpppesvsrl tdpsfhhlvl ltdnvlaasv visstvnqv
 241 npekfvfhiv tdkktytpmh awfainsass pvvevkgllh ydwpqevnfk vremldihrl
 10 301 iwrhryqnlk dsdfsvegt heqslqalnp sclallnlr iyipklfpdl nkivldddv
 361 vvqsdslslw etdlnkvvg avdswcgdn ccpgrkykdy fnfshpliss nlvqedcawl
 421 sgmnnvfdlka wrqtniteay stwrlsvrs glqlwqpgal pptllafkgl tqslepswhv
 481 aglgsrsvks pqeilksasv lhfsdpakpw leinpevrs lwryrvnssd ifvrckimn

15 Sequence #13 (SEQ ID NO: 25)

Gene name: At4g38270

GeneBank accession # for reference: NM_119989 GI: 30691874

Nucleotide sequence of Sequence #13

20 Positions 1-2043 of CDS of NM_119989.

 1 atgacgacgt tctctacatg cgccgccttt ttatcgctgg tagtagtgct acatgctgtt
 61 catgtcgtg gagccatttt agagtcacaa gcacccaca gagaacttaa agcttatcgt
 121 ccgctgcaag ataataatct acaggagggtg tatgcttctt cagctgctgc agtgactac
 25 181 gatccagatc tgaaagatgt gaacatagtt gcgacataca gtgaccatta cggcaatata
 241 cgccttggtg gggtgaaaat gggggatctt tcaccttctt gggtttgga gaatcctgcc
 301 tatcaagtta gccgcaaac aaaagggtcg cagctagtta taccacggga ttcatctcaa
 361 aatgatactg gaatgaaga taatgaagc cattctacaa ctaacagac tgatgaaagc
 421 gaaaatcagt ttccaaacgt ggattttgca agcccagcaa aactgaagcg gcagatttta
 30 481 cgtcaggaaa ggagagggtc acgaacttta gagctgatcc gacaagaaaa ggaaactgat
 541 gagcagatgc aagaagcagc cattcagaag tcaatgagct tgaaaactc agtcataggg
 601 aaatacagta tatggaggag agactatgag agcccaaagt ctgatgctat ctgaagcgt
 661 atgagagacc agatcataat ggcaaaagca tatgcaaata ttgcaaactc aaaaaatgta
 721 accaatctgt acgtttctt gatgcagcag tgtggagaaa ataaacgtgt tataggtaaa
 35 781 gcaacctctg atgctgacct tcttcaagc gctctgac aagcaaaagc catgggccat
 841 gcaactctc ttgcaaaaga cgagtatat gactgccatg aacttgcaaa aaagttccgg
 901 gccatcctc agtccactga acgcaaagta gatggactga agaaaaaggg aacctctta
 961 attcagctag ctgcaaaac atttccaag ccattgcatt gcctgagtct gcagctagcg
 1021 gcagactatt ttattctagg ttcaatgaa gaggatgcag tgaaagagga tgtcagtcaa
 40 1081 aagaagcttg aagatcctc gctctatcac tatgcgatct ttccgataa cgttctggct
 1141 acatcagtg tggtgaactc cactgtcttg aatgcaaagg aaccgcagag gcatgtgttc
 1201 catatagtaa ctgacaaact gaatttggg gcaatgaaga tgtggtttcg catcaatgct
 1261 cctgctgatg cgacgattca agttgaaaac ataaatgatt tcaagtggct gaactcctt
 1321 tactgctctg ttctacggca gctgaatct gcaaggctga aagaatacta ttcaaagca
 45 1381 aatcatcctt catcaatctc agctggcgca gataatctaa agtaccgcaa ccaaagtat
 1441 ctatcgatgc tgaatcatct cagattctac ctctctgagg ttatccgaa gctggagaag
 1501 attctgtttc tagacgatga cattgtggtg cagaaggacc tggcaccact atgggaaata
 1561 gacatgcaag gaaaagtga tggtgcggtg gagacgtgca aggagagctt ccacagattt
 1621 gacaagtacc tcaactctc aaatccaaag atttcagaga atttgacgc tgggtgctgt
 50 1681 ggggtggcat ttgggatgaa tatgtttgac ctgaaagagt ggaggaaacg gaacattaca

1741 gggatatatc actattggca agacttgaat gaagacagaa cactgtggaa gctgggatcg
 1801 ttgccaccgg ggctgataac attttacaac ctgacgtatg caatggatag gagctggcac
 1861 gtactagggc tgggatatga cccagcgcta aaccaaacag caatagagaa tgcagcggta
 1921 gtgcattaca atgggaacta caagccatgg ctgggttttag cattcgccaa gtacaaaccg
 5 1981 tactgggtcca agtacgttga gtacgacaac ccttatctcc gacgggtcga catcaatgaa
 2041 tga

Amino Acid Sequence of Sequence #13: (SEQ ID NO: 26)

Genebank ID# NP_195540.2

Positions 1-680 of NP_195540.

1 mttfstcaaf lslvvvlhav hvggalesq aphrelkayr plqdnnlqev yassaaavhy
 61 dpdlkdvniv atysdhygni rlgvrkmgdl spswvlenpa yqvsrktkgs qlviprdsfq
 15 121 ndtgmmednas hsttnqtdes enqfpnvdfa spaklkrqil rqerrgqrtl elirqeketd
 181 eqmqeaaaiqk smsfensvig kysiwrrdye spnadailkl mrdqjimaka yaniaksknv
 241 tnlyvflmqc cgenkrvigk atsdadlpss aldqakamgh alslakdely dchelakkfr
 301 ailqsterkv dglkkkgftl iqlaaktfpl phclslqla adyfilgfne edavkedvsg
 361 kkledpslyh yaifsdnvla tsvvvnstvl nakepqrhvf hivtdklnfg amkmwfrina
 20 421 padatiqven indfkwnlss ycsvlrqls arlkeyyfka nhpssisaga dnlkynpky
 481 lsmlnhlrly lpevyphlek ilfdddivv qkdlaplwei dmqgkvngav etckesfhrf
 541 dkylnfsnpk isenfdagac gwafgmnmfd lkewrkrnit giyhywqdl edrtlwlkls
 601 lppglitfyn ltyamdrwh vlglgydpal nqtaienaav vhyngnykpwl glafakykp
 661 ywskyveydn pylrrcdine

Sequence #14 (SEQ ID NO: 27)

Gene name: At5g15470

GeneBank accession # for reference: NM_121551 GI:30685368

Nucleotide sequence of Sequence #14:

Positions 1-1599 of CDS of NM_121551.

1 atgcagcttc acatatcgcc gagtatgaga agcattacga ttccgagcag caatgagttt
 61 attgacttga tgaagatcaa ggtcgcagct cgtcacatct cttaccgaac tctctccac
 35 121 accatcttaa tctcgcctt ctgtgtcct ttgttttca ttctaccgc tgtgttacc
 181 ctgaggggtg tcaacaaatg ctctccatt gattgttttag ggaggcggat aggtccacgt
 241 cttctggta gggtagatga ttacagagaga ctacgttagag acttttataa aattctaaac
 301 gaagtaagca ctcaagaaat tccagatggt ttgaagcttc caaattcttt tagtcaactt
 361 gtttccgata tgaagaataa ccactatgat gcaaaaacat ttgctctgt gctgcgagcc
 40 421 atgatggaga agttgaacg tgatatgagg gaatcgaaat ttgcagaact tatgaacaag
 481 cactttgcag caagttccat tccaaaggc attcattgtc tctctctaag actgacagat
 541 gaatattcct ccaatgctca tgctcgaaga cagcttcct caccagagtt tctccctgtt
 601 cttcagata atgcttacca ccactttatt ttgtccacgg acaatattt ggctgcctca
 661 gttgtggtct catccgctgt tcagtcatt tcaaaacccg agaaaattgt ctttcacatc
 45 721 attacagaca agaaaacctt tgcgggtaig cattcatggt ttgcgcttaa ttctgttga
 781 ccagcaattg ttgaggftaa aggtgttcat cagtttgact ggttgacgag agagaatggt
 841 ccggttttgg aagctgtgga aagccataat ggtgtcaggg actattatca tgggaatcat
 901 gtcgctgggg caaacctcac cgaaacaact cctcgaacat ttgcttcaaa attgcagtct
 961 agaagtccaa aatacatatc ttgtctcaac catcttagaa tatatatacc agagcttttc
 50 1021 ccgaacttgg acaaggtggt ttcttagac gatgatatag ttgtccaggg agacttaact

1081 ccactttggg atgttgacct cgggtggaag gtcaatgggg cagtagagac ttgcaggggt
 1141 gaagatgaat gggatgatgc aaagcgtta aggaactact tcaattctc tcaccgctc
 1201 atcgaaagc atttagatcc tgaagaatgt gcttgggcat atggtatgaa tatcttogat
 1261 ctacaagctt ggaggaaaac aaatatcaga gaaacgtatc actcttggct tagagagaat
 5 1321 ctaaagtcaa atctgacaat gtggaaactt ggaaccttgc ctctgtctct tatcgcgctc
 1381 aagggtcacg tacacataat agactcgtca tggcatatgc taggattagg ctaccagagc
 1441 aagaccaaca tagaaaatgt gaagaaagca gcagtgatcc actacaatgg gcagtcaaag
 1501 ccatggctgg agattgggtt cgagcatctg cggccattct ggaccaaata cgtaactac
 1561 tcaaatgatt tcatcaagaa ctgtcacata ttggagtag

Amino Acid Sequence of Sequence #14: (SEQ ID NO: 28)

Genebank ID# NP_197051

Positions 1-532 of NP_197051.

1 mqlhispsmr sitisssnef idlmkikvaa rhisyrtlfh tililafilp fviltavvt
 61 legvnkcassi dclgrigrpr llgrvddser lardfykiln evstqeipdg lklpnsfsql
 121 vsdmknnhyd aktfalvira mmekferdmr eskfaelmnk hfaassipkg ihclslrltd
 181 eyssnaharr qlpspeflpv lsdnayhhfi lstdnilaas vvvssavqss skpekivfhi
 20 241 itdkktyagm hswfalnsva paivevkgvh qfdwltrenv pveaveshn gvrddyhgnh
 301 vaganltett prtfasklqs rspkyislln hlriyipelf pnldkvvfid ddivvqgdlt
 361 plwdvdlggk vngavetcrq edewvmskrl rnyfnfshpl iakhldpeec awaygmniid
 421 lqawrktnir etyhswlren lksnltnwkl gtppaliaf kghvhiidss whmlglgyqs
 481 ktznienvkka avihyngqsk pwleigfehl rpfwtkyvny sndfiknchi le

Sequence #15 (SEQ ID NO: 29)

Gene name: At5g54690

GeneBank accession # for reference: NM_124850 GI:30696504

Nucleotide sequence of Sequence #15:

Positions 1-1608 of CDS of NM_124850.

1 atgcagttac atatatctcc gagcttgaga catgtgactg tggtcacagg gaaaggattg
 61 agagagttca taaaagttaa ggttgggtct agaagattct cttatcaaat ggtgttttac
 35 121 tcttactct tcttcaattt tcttctccga ttcgtcttg tcttctccac cgttgatact
 181 atcgacggcg atccctctcc ttgctctct ctgcttgct tggggaaaag actaaagcca
 241 aagcttttag gaagaagggt tgattctggg aatgttccag aagctatgta ccaagtttta
 301 gaacagcctt taagcgaaca agaactcaaa ggaagatcag atatactca aacacttcaa
 361 gatttcatgt ctgaagtcaa aagaagcaaa tcagacgcaa gagaatttgc taaaagcta
 40 421 aaagaaatgg tgacattgat ggaacagaga acaagaacgg ctaagattca agagtattta
 481 tatcgacatg tcgcatcaag cagcataccg aaacaacttc actgtttagc tcttaacta
 541 gccaacgaac actcgataaa cgcagcggcg cgtctccagc ttccagaagc tgagcttgc
 601 cctatgttgg tagacaacaa ctactttcac ttgtcttg cttcagacaa tattcttga
 661 gcttcgggtg tggctaagtc gttggttcaa aatgctttaa gacctcataa gatcgttctt
 45 721 cacatcataa cggataggaa aacttattc ccaatgcaag cttggttctc attgcatcct
 781 ctgtctccag caataattga ggtcaaggct ttgcatcatt tcgattgggt atcgaaaggt
 841 aaagtacccg ttttgaagc tatggagaaa gatcagagag tgagggttca attcagaggt
 901 ggatcatcgg ttattgtggc taataacaaa gagaaccggg ttgtgttgc tgctaagtta
 961 caagctctca gccctaaata caactcctg atgaatcaca tccgtattca tctaccagag
 50 1021 ttgtttccaa gcttaacaaa ggttgtgtt ctgacgatg acattgtgat ccaaactgat

1081 ctttcacctc ttgggacat tgacatgaat ggaaaagtaa atggagcagt ggaacatgt
 1141 agaggagaag acaagttgt gatgtcaaag aagtcaaga gttacctcaa cttctcgaat
 1201 ccgacaattg ccaaaaactt caatccagag gaatgtgcat gggcttatgg aatgaatgt
 1261 ttcgacctag cggcttgag gaggactaac ataagctcca ctactatca ttggcttgac
 5 1321 gagaacttaa aatcagacct gagttgtgg cagctgggaa cttgcctcc tgggctgatt
 1381 gcttccacg gtcattgcca aaccatagat cgttctggc atatgctgg tctcggatac
 1441 caagagacca cgagctatgc cgatgctgaa agtgccgctg ttgtcattt caatggaaga
 1501 gctaagcctt ggctggatat agcatttctt catctacgtc ctctctgggc taagtatctt
 1561 gattcttctg acagatttat caagagctgt cacattagag catcatga

Amino Acid Sequence of Sequence #15: (SEQ ID NO: 30)

Genebank ID# NP_200280

Positions 1-535 of NM_200280.

1 mqlhispslr hvtvvtgkgl refikvkvg rfsyqmvfy slifftflr fvfvlstvd
 61 idgdpsscsl lclgkrllp klgrrvdsg nvpeamyqvl eqplseqelk grsdipqlq
 121 dfmsevkrsk sdarefaql kemvtlmeqr trtakieyl yrhvasssip kqlhclalkl
 181 anehsinaaa rlqlpeaelv pmlvdnnyfh fvlasdnla asvvakslvq nalrphkivl
 241 hiidrkytq pmqawfslhp lspaieevka lhfddwlskg kvpvleamek dqrvrsqfrg
 20 301 gssvivannk enpvvvaakl qalspkynsl mnhirihlpe lfpslnkvvf ldddiviqtd
 361 lslplwdidmn gkvngavetc rgedkfvmks kfkyslnfsn ptiaknfnpe ecawaygmnv
 421 fdlaawrrtn isstyhwld enlksdlsiw qlgtlppgli afhghvqtid pfwhmlglgy
 481 qettsyadae saavvhfng akpwldiafp hlrlpwakyl dssdrfiksc hiras

The nucleotide and amino acid sequences of the ten *GALAT-LIKE* gene family members are shown as follows.

Sequence #16 (SEQ ID NO:31)

Gene name: At1g02720

GeneBank accession # for reference: NM_100152, GI: 30678358

Nucleotide sequence of Sequence #16:

Positions 1-1086 of CDS of NM_100152.

1 atgcattgga ttacgagatt ctctgcttc ttctccgccc cattagccat gattctcct
 61 tctccttcgc tccaatcctt ttctccggcg gcagctatcc gatcatctca cccctacgcc
 121 gacgaattca aaccccaaca aaactccgat tactctctct tcagagaatc tccaatgttc
 181 cgtaacgccc aacaatgcag atcttccggc gaagattccg gcgtctgtaa ccctaatttc
 40 241 gtccacgtag ccatcactct cgacatcgat tacctccgtg gctcaatcgc agccgtcaat
 301 tcatctctcc agcactcaat gtgccctcaa agcgtcttct tccacttctt cgtctcctcc
 361 gagtctcaaa acctagaatc tctgattcgt tctactttcc ccaaatgac gaattcaaa
 421 atttactatt ttgccctga gaccgtacag tcttgattt catcttccgt gagacaagcc
 481 ctagagcaac cgttgaatta cgccagaaat tacttgccgg atctgctcga gccttgccgt
 45 541 aagcgagtca tctacttga ttccgatctc gtcgtcgtcg atgatatcgt caagctttgg
 601 aaaacgggtt taggccagag aacaatcgga gctccggagt attgtcacgc gaatttcacg
 661 aaatacttca ccggagggtt ttggtcagat aagagggtta acgggacgtt caaagggagg
 721 aacccttggt actcaatac tgggtaatg gtgattgatt tgaagaagt gagacaattt

781 aggttcacga aacgaattga gaaatggatg gagattcaga agatagagag gatttatgag
 841 ctgtgtctc ttctccgtt tctctgga ttgctggc atgtagctcc gattcacat
 901 cggtggaatc aacatgggct tgggtgat aatgtagag gtagtgccg tgattgcat
 961 tctggtctg tgagttgct tctgtgta gtagtgga agccatggt aagactgat
 5 1021 tccaagctc catgtcctt agacacattg tggcacctt atgattgta taaacactcc
 1081 cattga

10 Amino Acid Sequence of Sequence #16: (SEQ ID NO: 32)
 Genebank ID# NP_171772
 Positions 1-361.

15 1 mhwtrfsaf fsaalamill spslqsfspa aairsshpya defkpqqnsd yssfrespmf
 61 rnaeqcrssg edsgvcnpln hvaitldid ylrsgiaavn silqshmcpq svffhflvss
 121 esqnleslir stfpkltnlk iyyfapetvq slisssvrqa leqplnyarn yladllepcv
 181 krviyldsl vvvddivklw ktglgqrtig apeychanft kyftggfwsd krngtfgkr
 241 npcyfntgvm vidlkkwrqf rtkriekwm eiqlierie lslppfliv faghvapish
 20 301 rwnqhlggd nvrsgcdlh sgpsvllhws gsgkpwlrd sklpcpldtl wapydlykhs
 361 h

Sequence #17 (SEQ ID NO:33)

Gene name: At1g13250

25 GeneBank accession # for reference: NM_101196, GI:30683194

Nucleotide sequence of Sequence #17:

Positions 1-1038 of CDS of NM_101196.

30 1 atgtctctc tgcgttgcg ttatgtctt ctctactct tacctatcac aattagctgc
 61 gtcacagtca ctctactga cctccccgcg ttctgtaag ctccggcgtt tcgaaacggc
 121 agagaatgct ccaaaacgac atggatacct tcggatcacg aacacaaccc atcaatcatc
 181 cacatcgcta tgactctga cgcaattac ctccgtggct cagtcgccgg cgtcttctcc
 241 gtctccaac acgctcttg tctgaaaac atcgtttcc acttcatcgc cactcacgt
 35 301 cgcagcgccg atctccgcg cataatctcc tcaacattcc catacctaac ctaccacatt
 361 taccatttg accctaacct cgtccgcgcg aaaatatctt cctctattcg tcgtgcttta
 421 gaccaaccgt taaactacgc tcggatctac ctgcgcgac tcctcccaat cgccgtccgc
 481 cgcgtaatct acttcgactc cgatctcgta gtcgtgatg acgtggctaa actctggaga
 541 atcgatctac gtcggcacgt cgtcggagct cgggagtact gtcacgcgaa ttactaac
 40 601 tacttactt caagattctg gtcgagtcaa ggttaciaat cggcgttgaa agataggaaa
 661 ccgtgttatt tcaacaccgg agtgatggtg attgatctcg gaaaatggag agaaaggaga
 721 gtcacggtga agtagagac atggatgagg attcaaaaac gacatcgat ttacgaattg
 781 ggatcttgc ctccgttct gctcgtttc gccggagatg ttgagccggt ggagcatagg
 841 tggaatcagc atggcttgg tggtagaac ttggaaggac ttgccggaa ttgcatcca
 45 901 ggtccggtga gttgttgca ttgagcggg aaagggaac catggctaag gcttgactcg
 961 agacgaccgt gtccgttga ttcgttatg gtccttatg attgtttcg ttattaccg
 1021 ttgatctctg atagctga

Amino Acid Sequence of Sequence #17: (SEQ ID NO: 34)
 Genebank ID# NP_563925
 Positions 1-345.

```

5      1 msslrllcl lllpitisc vvtltldlpa freapafng recskttwip sdhehnpsii
      61 hiamtldaiy lrgsvagvfs vlqhascpen ivfhfiathr rsadlrriis stfpyltyhi
      121 yhfdpnlvrs kisssirral dqplnyariy ladllpiavr rviyfdsdlv vvddvakiwr
      181 idlrhvvga peychanftn yftrfwssq gyksalkdrk pcyfntgvmv idlgkwerrr
      241 vtvkletwmr iqkrhriyel gslppflivf agdvepvehr wnqhglggdn leglcrnlhp
10     301 gpvslhwsq kgkpwlrlds rrcpdlslw apydlfrysp lisd
  
```

Sequence #18 (SEQ ID NO:35)

Gene name: At1g19300

GeneBank accession # for reference: NM_101787, GI:30686302

15 Nucleotide sequence of Sequence #18:
 Positions 1-1056 of CDS of NM_101787.

```

      1 atgtcccaac atcttcttct tctcattctc ctctcgctac ttcttctca taaacccatt
      61 tccgccacta caattattca aaaattcaaa gaagccccac agttttacaa ttctgcagat
20     121 tgccccttaa tcgatgactc cgagtcggac gatgacgtgg tcgccaacc aatcttctgc
      181 tcacgtcgag ctgtccacgt ggcgatgaca ctgcacgccg cctacattcg tggctcagtc
      241 gccgtgttc tctccgtcct ccaacactct tctgtctcg aaaacattgt ttccacttc
      301 gtcgcctctg ctccgccga cgcttcttcc ttacgagcca ccatatcttc ctcttccct
      361 taccttgatt tcaccgtcta cgtcttcaac gtctcctccg tctctgcct tatctctcc
25     421 tctatccgct cgcactaga ctgtccttta aactacgcaa gaagctacct cgccgatctc
      481 ctccctccct gcgtccgccg cgctgtctac ctgactccg atctgatcct cgtcgacgac
      541 atagcaaaac tcgccccac agatctcggc cgtgattcag tctcggccg gccggaatac
      601 tgcaacgcca attcacttc atactcaca tcaaccttct ggtctaatcc gactctctt
      661 ttaaccttcg ccgatcggaa agcatgctac ttaacactg gagtcatggg gatcgatctt
30     721 tcccggtggc gcaaggcgc gtacacgtca cgcacgaag agtggatggc gatgcaaaag
      781 agaatgagaa ttacgagct tggtcgtta ccaccgttt tattggttt tggcggttg
      841 attaaaccgg ttaatcatcg gtggaaccaa cacggttag gaggtgataa ttacagagga
      901 ctgtgtagag atctccatcc tggtcgggtg agtctgttc attggagtgg gaaaggtaag
      961 ccatgggcta ggcttgatgc tggtcggcct tgccttag acgcgcttg ggctccgtat
35     1021 gatctcttc aaacgccgtt cgcgttgat tcttga
  
```

Amino Acid Sequence of Sequence #18: (SEQ ID NO: 36)
 Genebank ID# NP_564077
 Positions 1-351.

```

40     1 msqhlllll lllllhkpi sattiiqkfk eapqfynsad cpliddsed ddvvakpifc
      61 srravhvamt ldaayirgsv aavlsvlqhs scpenivfhf vasasadass lratissfp
      121 yldftvyvfn vssvrliss sirsaldcpl nyarsyladi lppcvrrvy ldsdliivdd
      181 iaklaatdlg rdsvlaapey cnanfisyft stfwsnptls ltfadrkacy fntgvmvidl
45     241 srwregayts rieewmamqk rmriyelgsl ppflvfaql ikpvnhrwnq hlggdnfrg
      301 lcrdlhpgpv slhwsqgkqk pwarldagrp cpldalwapy dllqtpfald s
  
```

Sequence #19 (SEQ ID NO:37)

Gene name: At1g24170

GeneBank accession # for reference: NM_102263, GI:30688765

5 Nucleotide sequence of Sequence #19:

Positions 1-1182 of CDS of NM_102263.

```

1 atgtcgtcgc gttttcttt gacggtgggtg tgttgattg ctctgttacc gtttgtgtt
61 ggtatacggg tgattccggc gaggatcacg agtgtcgggt atggcggcgg cggaggagggt
10 121 aataatgggt ttagtaaact tggccggtt atggaagctc cggagtatag aaacggcaag
181 gagtgtgtat ctcatcagt gaacagagag aacttcgtgt cgtctcttc tagttcta
241 gatccttcgc ttgtcacat cgctatgact ttgactcag agtatctccg tggatcaatc
301 gcagccgttc attctgttct tcgccacggt tctgtccag agaacgtctt ctccatttc
361 atcgctgctg agtttgactc tgcgagtcct cgtgttctga gtcaactcgt gaggtcgact
15 421 ttccttcgt tgaactttaa agtctacatt ttagggaag atacggtgat caatctcata
481 tcttctcga ttagactagc ttggagaat ccgtgaact atgctcggaa ctatctcgga
541 gatattcttg atcgaagtgt tgaacgagtc atttatcttg actcggatgt tataactgtg
601 gatgatatca caaagctttg gaacacgggt ttgaccgggt cacgagtcac cggagctccg
661 gagtattgtc acgcgaactt cactcagtat ttcactccg ggttctggtc agacccggct
20 721 ttaccgggtc taatctcggg tcaaaagcct tgctatttca acacaggagt gatggtgatg
781 gatcttgta gatggagaga agggaattac agagagaagt tagagcaatg gatgcaattg
841 cagaagaaga tgagaatcta cgatcttga tcattaccac cgttctttt ggtgtttgcg
901 ggtaatgttg aagctattga tcatagatgg aaccaacatg gtttaggagg agacaatata
961 cgaggaagtt gtcggctcatt gcatactggt cctgtgagct tgttgacatt gagtggtaaa
25 1021 ggtaagccat gggtagact tgatgagaag aggccttgct cgttgatca tcttgggag
1081 ccatatgatt tgtataagca taagattgag agagctaaag atcagtctct gcttgggtt
1141 gcttctctgt cggagttgac tgatgattca agcttctgt ga

```

30 Amino Acid Sequence of Sequence #19: (SEQ ID NO: 38)

Genebank ID# NP_173827

Positions 1-393.

```

1 mssrfsltvv cliallpfv giriparit svgdgggggg nngfsklgpf meapeyrngk
35 61 ecvsssvnre nfvsssssn dpslvhiamt ldseylrksi aavhsvlrha scpenvffhf
121 iaaefdsasp rvlsqlrst fpslnfkvyi fredtvinli sssirlalen plnyarnylg
181 dildrsverv iyldsdvitv dditklwntv ltgsrvigap eychanftqy ftsgfwsdpa
241 lpglisgqkp cyfntgvmvm dlvrwregny rekleqwmql qkkmriydlg slppflvfa
301 gnveaidhrw nqhlggdni rgscsrshpg pvsllhwsbk gkpwwrldk rcppldhlwe
40 361 pydlykhkie rakdqslgf aslseltds sfl

```


Sequence #20 (SEQ ID NO:39)

Gene name: At1g70090

GeneBank accession # for reference: NM_105677, GI:30697975

5 Nucleotide sequence of Sequence #20:

Positions 1-1173 of CDS of NM_105677.

```

1 atgcggttgc gtttccgat gaaatctgcc gtttagcgt ttgctatctt tctggtgttt
61 attccactgt ttccgctcg tatacggatg attccgggaa gactaccgc cgtatccgcc
10 121 accgctggaa atggccttga tctggggtcg ttcgtggaag ctccggagta cagaaacggc
181 aaggagtgcg tgtctcaatc gttgaacaga gaaaacttcg tgcgtcttg cgacgcttcg
241 ttagtcatg tagctatgac gcttgactcg gactacttac gtggctcaat cgcagccgta
301 cattcaatgc tccgccacgc gtcgtgtcca gaaaacgtct tcttccatct catcgctgca
361 gagtttgacc cggcgagtcg acgcgtctg agtcaactcg tccgatctac ttcccgctcg
15 421 ctaaacttca aagtctacat ttccgggaa gatacgggtga tcaaccttat ctcttctca
481 atcagacaag cttagagaa tccattgaac tatgctcgga actacctcg agatattctt
541 gatcatgctg tagacagagt cattaccta gactcggaca tcatcgctcg cgtgacata
601 acaaagcttt ggaacacgag ttgacaggg tcaagaatca tcggagctcc ggagtattgt
661 cagcctaact tcacaaagta ctacttca ggtttctggt ccgacccggc ttaccgggt
20 721 ttcttctcgg gtcgaaagcc ttgtatttc aacacgggtg tgatggtgat ggatctagtt
781 agatggagag aaggaaacta cagagaaaag ctgaaactt ggatgcagat acagaagaag
841 aagagaatct acgattggg ttcttgcct cgtttcttc ttgtctcgc agggaacgtt
901 gaagcaattg atcataggtg gaaccaacat ggtttaggag gagacaatgt acgaggaagt
961 ttaggtctt tgcataaagg accagtgagt ttgttcatt ggagtggtaa aggtaagcca
25 1021 tgggtgagac ttgatgagaa gagaccgtgt cgttggatc atttatggga accgtatgat
1081 ttatatgagc ataagattga aagagctaaa gatcagcttt tttcgggtt ctctctttg
1141 tctgagttaa cagaagattc aagcttttc tga

```

30

Amino Acid Sequence of Sequence #20: (SEQ ID NO: 40)

Genebank ID# NP_564983

Positions 1-390.

35

```

1 mrlrfpmksa vlaifaiflv iplfsvgirm ipgrltavsa tvngfdlgs fveapeyrng
61 kecvsqslnr enfvsscdas lvhvamtlds eylrgsiaav hsmrlhascp envffhliaa
121 efdpasprvl sqlvrstfps lnfkvyifre dtvinliss irqalenpln yarnylgdil
181 dpcvdrviyl dsdiivddi tklwntsltg sriigapeyc hanftkyfts gfwsdpalpg
40 241 ffsgrkpcyf ntgvmvmdlv rwregnyrek letwmqiqkk kriydlgslp pflvfagnv
301 eaidhrwnqh glgdnvrgs crslhkgpvs llhwsqgkpk wvrldkrpc pldhlwepyd
361 lyehkierak dqlfgfssl seltedssff

```

Sequence #21 (SEQ ID NO:41)

Gene name: At3g06260

GeneBank accession # for reference: NM_111501, GI:18397517

5 Nucleotide sequence of Sequence #21:

Positions 1-1056 of CDS of NM_111501.

```

1 atggcctcaa ggagcctctc ctatacaca ctcctaggcc tctgtcctt tatactcctc
61 ttgtcacaa ccaccactat ggcggttcgt gttggagtca ttctcataa gccttctgct
10 121 ccaactcttc ctgtttcag agaagccccg gctttcgaa acggtgatca atgcgggact
181 cgtgaggctg atcagattca tatcgccatg actctcgaca caaactacct ccgtggcaca
241 atggctgccg tttgtctct cttcaacat tccattgcc ctgaaaacct ctctttcat
301 ttctgtccc ttctcattt cgaaaacgac ctttcacca gcatcaaata aaccttcct
361 tacctaaact tcaagattta tcagttgat ccaaacctcg tccgcagcaa gatatcgaaa
15 421 tccatcaggc aagcccttga tcagcctctt aactacgcaa gaatctacct cgcgataatc
481 atccctagca gcgttgacag gatcatctac ttgactcag acctcgtgtt gtagacgac
541 atagagaagc tgtggcatgt ggagatggaa ggtaaagtgg tggctgctcc cgagtactgc
601 cagcaaaact tcaccatta ttccacaaga actttctggt cagaccggt attggtcaaa
661 gttctgaag gaaaacgtcc gtgtatttc aacacagggg tgatggtgt ggatgtaaac
20 721 aaatggagga aaggaatgta tacacagaag gtagaagagt ggatgacaat tcagaagcag
781 aagaggatat accattggg atcattacct ccgttctgc tgatattcgc cggatgata
841 aaagcgggta atcatagggt gaaccagcat ggtctaggag gtgataattt cgaaggaaga
901 ttagaagcgt tgcattcggg accgataagt cttcttact ggagtggaaa aggaagcca
961 tggtaagac tagattcaag gaagcctgt atcgtgatc atctatggc accgtatgat
25 1021 ctgtaccgtt catcaagaca ttcatagaa gagtag

```

Amino Acid Sequence of Sequence #21: (SEQ ID NO: 42)

30 Genebank ID# NP_187277

Positions 1-351.

```

1 masrslsyty lllsfill lvtttmavr vgvilhkpsa ptlpvfreap afrngdqcg
61 readqihiam tldtnylrgt maavlsllqh stcpnlshf flslphfend lftsikstfp
35 121 ylnfkiyqfd pnlvrskisk sirqaldqpl nyariyladi ipssvdriiy ldsdlvvdd
181 ieklwhveme gkvvaapeyc hanfthyftr tfwsdpvlvk vlegkrpcyf ntgvmmvvdn
241 kwrkgmytqk veewmtiqkq kriyhlslp pflifagdi kavnhwnqh glggdnfegr
301 crtlhpgpis llhwsgkgkp wrldsrkpc ivdhlwapyd lyrssrhsl e

```

Sequence #22 (SEQ ID NO:43)

Gene name: At3g28340

GeneBank accession # for reference: NM_113753, GI:30689155

5 Nucleotide sequence of Sequence #22:

Positions 1-1098 of CDS of NM_113753.

1 atgatgtctg gttcaagatt agcctctaga ctaataataa tcttctcaat aatctccaca
 61 tcttcttca ccgttgaatc gattcgacta ttccctgatt cattcgacga tgcatttca
 10 121 gatttaatgg aagctccagc atatcaaaac ggtcttgatt gctctgttt agccaaaaac
 181 agactcttgt tagcttgta tccatcagct gtcatatag ctatgactct agatccagct
 241 tacttgctg gcacggatc tgcagtacat tccatctca aacacacttc ttgccctgaa
 301 aacatcttct tccacttcat tgctcgggt acaagtcagg gttccctcgc caagacccta
 361 tctctgttt ttccttctt gagtttcaaa gtctatacct ttgaagaaac cacgggtcaag
 15 421 aatctaattct ctcttctat aagacaagct ctgtagatc cttgaatta cgcaagaagc
 481 tacttatccg agattcttc ttcgtgtgtt agtcgagtgga ttatctcga ttcggatgtg
 541 attgtggtcg atgatattca gaaactatgg aagatttctt tatccgggtc aagaacaatc
 601 ggtgcaccag agtattgcca cgcaaatttc accaaatact tcacagatag ttctgggtcc
 661 gatcaaaaac tctcgagtg ctctgattcc aagactcctt gttatttcaa cacaggagtg
 20 721 atggttatcg atttagagcg atggagagaa ggagattaca cgagaaagat cgaaaactgg
 781 atgaagattc agaaagaaga taagagaatc tacgaattgg gttcttacc accgttctt
 841 ctagtgttg gtggtgatat tgaagctatt gatcatcaat ggaaccaaca cgggtctcgt
 901 ggagacaaca ttgtgagtag tttagatct ttgcatcctg gtccggtag ttgatacat
 961 tggagtggta aagggaagcc atgggttagg ctgatgatg gtaagccttg tccaattgat
 25 1021 tatcttggg ctcttatga tcttcacaag tcacagaggc agtatcttca atacaatcaa
 1081 gagtagaaa ttcttga

30 Amino Acid Sequence of Sequence #22: (SEQ ID NO: 44)

Genebank ID# NP_189474

Positions 1-365.

35 1 mmsgsrslasr liifsiist sfftvesirl fpdsfddass dlmeapayqn glcdsvlakn
 61 rllacdpsa vhamtldpa ylrvtv savh silkhtscep niffhfiasg tsqgslaktl
 121 ssvfplsfsk vytfeetvk nliissirqa ldspinyars ylseilsscv srviyldsdv
 181 ivvddiqklw kislsgrti gapeychanf tkyftdsfws dqklssvfdk ktpcyfntgv
 241 mvidlerwre gdytrkienw mkiqkedkri yelgslppfl lvfggdieai dhqwnqhglg
 40 301 gdnivsscrs lhpgrpvslih wsgkgkpwvr lddgkpcpid ylwapydlhk sqrqylqynq
 361 eleil

Sequence #23 (SEQ ID NO:45)

45 Gene name: At3g50760

GeneBank accession # for reference: NM_114936, GI:18409176

Nucleotide sequence of Sequence #23:

Positions 1-1026 of CDS of NM_114936.

50 1 atgcactcga agtttatatt atatctcagc atcctcgccg tattcaccgt ctctttcgcc

61 ggcggcgaga gattcaaaga agctccaaag ttcttcaact ccccgagtg tctaaccatc
 121 gaaaacgatg aagatttcgt ttgtcagac aaagccatcc acgtggcaat gaccttagac
 181 acagcttacc tccgtggctc aatggccgtg attctctccg tctccaaca ctctctgt
 241 cctcaaaaca ttgtttcca ctctgtact taaaacaaa gccaccgact ccaaaactac
 5 301 gtcgtgctt ctttcccta ctgaaattc cgaatttacc ctacgacgt agccgccatc
 361 tccggcctca tctaacctc catccgctcc gcgctagact ctccgctaaa ctacgcaaga
 421 aactacctcg ccgacattct tcccacgtgc ctctcacgtg tcgtatacct agactcagat
 481 ctcatactcg tcgatgacat ctccaagctc ttctccactc acatccctac cgacgtcgtt
 541 ttagccgcgc ctgagtactg caacgcaaac ttcacgactt actttactcc gacgttttg
 10 601 tcaaaccctt ctcttccat cacactatcc ctcaaccgcc gtgctacacc gtgttacttc
 661 aacaccggag tgatggatc cgagttaaag aaatggcgag aaggagatta caccaggaag
 721 atcatagagt ggatggagtt acaaaaacgg ataagaatct acgagtagg ctctttacca
 781 ccgtttttac ttgtctcgc cggaacata gtcccgtag atcaccggtg gaaccaacac
 841 ggtttaggag gagataatt tagaggactg tgcgagatt tgcattcagg tccagttagt
 15 901 ttgttcatt ggagtgggaa aggaagcca tgggtaagg tagatgatg tcgacctgc
 961 ccgcttgatg cacttgggt tccatgatg ttgttagagt caccggtcga cttatcgag
 1021 agttaa

20 Amino Acid Sequence of Sequence #23: (SEQ ID NO: 46)
 Genebank ID# NP_190645
 Positions 1-341.

1 mhskfilyls ilavftvsfa ggerfkeapk ffnspclti endedfvcsd kaihvamtlid
 25 61 taylrsmav ilsvlqhssc pqnivfhvt skqshrlqny vvasfpylkf riypydvaa
 121 sglitsirs aldsplyar nyladilptc lsrvyldsd liivddiskl fsthiptdv
 181 laapeynan ftyftptfw snpslsitls lnratpcyf ntgvmmielk kwregdytrk
 241 iiewmelqkr iriyelgslp pflvfagni apvdhrwnqh glgdnfrgl crdlhpgpvs
 301 llhwsgkgkp wvrlddgrpc pldalwvpyd llesrfdlie s

Sequence #24 (SEQ ID NO:47)

Gene name: At3g62660

GeneBank accession # for reference: NM_116131, GI:30695642

35 Nucleotide sequence of Sequence #24:
 Positions 1-1086 of CDS of NM_116131.

1 atgctttgga tcatgagatt ctccggttta ttctccgccg ctttggttat catcgtctc
 40 61 tctccttct tcaatcgtt tctccagct gaagctatca gatcctctca tctcgacgt
 121 tacctccgtt tcccctctc cgatccaccg ccgcatagat tctcctcag aaaagctcct
 181 gtttccgca atgccgccga ttgcgccgcc gcagatatcg attccggcgt ctgtaaccct
 241 tcttggtcc acgtcgcgat tactctcgat ttgagtagc tgcgtggctc aatcgccgcc
 301 gttattcga ttctcaagca ctgctcgtgt cccgagagcg tcttcttcca ttctctgctc
 45 361 tccgagactg acctagaatc ctgattcgt tcgactttc ccgaattgaa attaaaggt
 421 tactacttcg atccggagat tctacggacg ctgatctcaa cctccgtgag acaagcgctc
 481 gagcagccgt tgaattacgc tagaaattac ctgctgacc ttctcgagcc ttgcgtgcgt
 541 cgctgatct acctagattc cgatctaata gtcgtcgacg acatcgcaaa gctctggatg
 601 acgaaactgg gatcgaaaac gatcggagct cccgagtact gtcacgcgaa cttcacaag
 50 661 tatttcacac cggcggtctg gtccgacgag aggttctccg gagcttctc cgggaggaaa

721 ccgtgctact tcaacacggg agtgatggtg atggatctag agagatggag gcgcgtaggg
 781 tacacggagg tgatagagaa atggatggag attcagaaga gtgataggat ttacgagctg
 841 ggatcattgc cgccgttctt gttgggttc gccggagaag tagctccgat agagcatcgg
 901 tggaaaccagc atgggcttgg tggagataac gtgagaggaa gctgtagaga ttacatccc
 5 961 ggtccggtta gcttgctca ttgggtccgt agtggtaaac cgtggtttcg gttagattcg
 1021 agacggcctt gtccactga tactcttgg gcacctatg attgtatgg acactactct
 1081 cgctga

10 Amino Acid Sequence of Sequence #24: (SEQ ID NO: 48)
 Genebank ID# NP_191825
 Positions 1-361.

1 mlwimrfsgl fsaalviivl spslqsfppa eairsshlda ylrpssdpp phrfsfrkap
 15 61 vfrnaadcaa adidsgvcnp slvhvaitld feylrgsiaa vhsilkhssc pesvffhflv
 121 setdleslir stfpelklkv yyfdpeivrt listsvrqal eqplnyarny ladllepcvr
 181 rviyldsdl vddiaklwm tklgsktiga peychanftk yftpafwsde rfsgafsgrk
 241 pcyfntgvmv mdlerwrrvg yteviekwme iqksdriyel gslppflvf agevapiehr
 301 wnqhlggdn vrgscrdlhp gpvslhwsg sgkpwfrlds rrpcpldtlw apydlyghys
 20 361 r

Sequence #25 (SEQ ID NO:49)

Gene name: At4g02130

25 GeneBank accession # for reference: NM_116445, GI:18411845
 Nucleotide sequence of Sequence #25:
 Positions 1-1041 of CDS of NM_116445.

1 atgctttgga taacgagatt tgctggatta ttctccgccg cgatggcagt gatcgtgta
 30 61 tctccgtcgc ttcagtcatt tctccggcg gcggcaatcc gttctctcc atcaccgac
 121 ttcagaaaag ctccagcggg gttcaacaac ggcgacgaat gtctctcctc cggcggcgtc
 181 tgcaatccgt cgttggtcca cgtggcgatc acgttagacg tagagtacct gcgtggctca
 241 atcgagccg ttaactcgat ccttcagcac tcggtgtgtc cagagagcgt cttctccac
 301 ttcacgccg tctccgagga acaaacctg ttggagtcgc tggtagatc ggtttccc
 35 361 agactgaaat tcaatattta cgattttgcc cctgagacag ttcgtgggtt gatttctct
 421 tccgtgagac aagctctcga gcagcctctg aactacgcta gaagctactt agcggatctg
 481 ctggagcctt gtgtaaccg tgcatatac ttggattcgg atctgtcgt cgtcgatgac
 541 atcgctaagc ttggaaaac tagcctaggc tcgaggataa tcggagctcc ggagtattgt
 601 cagcgaatt tcacgaaata cttaccgga ggattctggt cggaggagag attctccggt
 40 661 accttagag ggaggaagcc atgttacttc aacacagggt tgatggtgat agatcttaag
 721 aaatggagaa gaggtggtta cacgaaacgt atcgagaaat ggatggagat tcagagaaga
 781 gagaggattt acgaactagg ctgcctcca cgtttcttc tagtttctc cgtcacgtg
 841 gctcccatct ctaccggtg gaaccagcat ggactgggtg gtgacaatgt tagaggtagc
 901 tgtcgtgatt tgcattcctg tctgtgagt ttgctgcatt ggtctggtg tggcaagccc
 45 961 tggataagac tcgattccaa acggccttgt cccttagacg cattatggac gccttacgac
 1021 ttgtatcgac attcgattg a

Amino Acid Sequence of Sequence #25: (SEQ ID NO: 50)
 Genebank ID# NP_192122
 Positions 1-346.

```

5      1 mlwitrfaql fsaamavivl spslqsfppa aairsspspi frkapavfnn gdeclssggv
      61 cnpslvhvai tldveylrgs iaavnsilqh svcpesvffh fiavseetnl leslvrsvfp
      121 rlkfniydfa petvrgliss svrqaleqpl nyarsyladi lepcvnrvii ldsdlvvvdd
      181 iaklwktslg sriigapeyc hanftkyftg gfwseerfsg tfrgrkpcyf ntgvnmvidlk
      241 kwrrggytkr iekwmeiqrr eriyelgslp pflivfsghv apishrwnqh glggdnvrgs
10     301 crdlhpgpvs llhwsgsgkp wirlskrpc pldalwtpyd lyrhsh
  
```

Those skilled in the art will appreciate that the invention described herein is
 15 susceptible to variations and modifications other than those specifically described.
 It is to be understood that the invention includes all such variations and
 modifications. The invention also includes all of the steps, features, compositions
 and compounds referred to or indicated in this specification, individually or
 collectively, and any and all combinations of any two or more of said steps or
 20 features.

The amino acids which occur in the various amino acid sequences referred
 to in the specification have their usual three- and one-letter abbreviations routinely
 used in the art: A, Ala, Alanine; C, Cys, Cysteine; D, Asp, Aspartic Acid; E, Glu,
 25 Glutamic Acid; F, Phe, Phenylalanine; G, Gly, Glycine; H, His, Histidine; I, Ile,
 Isoleucine; K, Lys, Lysine; L, Leu, Leucine; M, Met, Methionine; N, Asn,
 Asparagine; P, Pro, Proline; Q, Gln, Glutamine; R, Arg, Arginine; S, Ser, Serine; T,
 Thr, Threonine; V, Val, Valine; W, Try, Tryptophan; Y, Tyr, Tyrosine.

30 A protein is considered an isolated protein if it is a protein isolated from the
 plant, or from a host cell in which it is recombinantly produced. It can be purified or
 it can simply be free of other proteins and biological materials with which it is
 associated in nature.

35 An isolated nucleic acid is a nucleic acid the structure of which is not
 identical to that of any naturally occurring nucleic acid or to that of any fragment of
 a naturally occurring genomic nucleic acid spanning more than three separate
 genes. The term therefore covers, for example, (a) a DNA which has the sequence

of part of a naturally occurring genomic DNA molecule but is not flanked by both of the coding or noncoding sequences that flank that part of the molecule in the genome of the organism in which it naturally occurs; (b) a nucleic acid incorporated into a vector or into the genomic DNA of a prokaryote or eukaryote in a manner
5 such that the resulting molecule is not identical to any naturally occurring vector or genomic DNA; (c) a separate molecule such as a cDNA, a genomic fragment, a fragment produced by polymerase chain reaction (PCR), or a restriction fragment; and (d) a recombinant nucleotide sequence that is part of a hybrid gene, i.e., a gene encoding a fusion protein. Specifically excluded from this definition are
10 nucleic acids present in mixtures of (i) DNA molecules, (ii) transformed or transfected cells, and (iii) cell clones, e.g., as these occur in a DNA library such as a cDNA or genomic DNA library.

As used herein expression directed by a particular sequence is the
15 transcription of an associated downstream sequence. If appropriate and desired for the associated sequence, there the term expression also encompasses translation (protein synthesis) of the transcribed RNA. When expression of a sequence of interest is "up-regulated," the expression is increased. With reference to up-regulation of expression of a sequence of interest operably linked to a
20 transcription regulatory sequence, expression is increased.

In the present context, a promoter is a DNA region which includes sequences sufficient to cause transcription of an associated (downstream) sequence. The promoter may be regulated, i.e., not constitutively acting to cause
25 transcription of the associated sequence. If inducible, there are sequences present which mediate regulation of expression so that the associated sequence is transcribed only when an inducer molecule is present in the medium in or on which the organism is cultivated. In the present context, a transcription regulatory sequence includes a promoter sequence and can further include cis-active
30 sequences for regulated expression of an associated sequence in response to environmental signals.

One DNA portion or sequence is downstream of second DNA portion or sequence when it is located 3' of the second sequence. One DNA portion or

sequence is upstream of a second DNA portion or sequence when it is located 5' of that sequence.

One DNA molecule or sequence and another are heterologous to another if the two are not derived from the same ultimate natural source. The sequences may be natural sequences, or at least one sequence can be designed by man, as in the case of a multiple cloning site region. The two sequences can be derived from two different species or one sequence can be produced by chemical synthesis provided that the nucleotide sequence of the synthesized portion was not derived from the same organism as the other sequence.

An isolated or substantially pure nucleic acid molecule or polynucleotide is a polynucleotide which is substantially separated from other polynucleotide sequences which naturally accompany a native transcription regulatory sequence. The term embraces a polynucleotide sequence which has been removed from its naturally occurring environment, and includes recombinant or cloned DNA isolates, chemically synthesized analogues and analogues biologically synthesized by heterologous systems.

A polynucleotide is said to encode a polypeptide if, in its native state or when manipulated by methods known to those skilled in the art, it can be transcribed and/or translated to produce the polypeptide or a fragment thereof. The anti-sense strand of such a polynucleotide is also said to encode the sequence.

A nucleotide sequence is operably linked when it is placed into a functional relationship with another nucleotide sequence. For instance, a promoter is operably linked to a coding sequence if the promoter effects its transcription or expression. Generally, operably linked means that the sequences being linked are contiguous and, where necessary to join two protein coding regions, contiguous and in reading frame. However, it is well known that certain genetic elements, such as enhancers, may be operably linked even at a distance, i.e., even if not contiguous.

The term recombinant polynucleotide refers to a polynucleotide which is made by the combination of two otherwise separated segments of sequence accomplished by the artificial manipulation of isolated segments of polynucleotides by genetic engineering techniques or by chemical synthesis. In so doing one may join together polynucleotide segments of desired functions to generate a desired combination of functions.

Polynucleotide probes include an isolated polynucleotide attached to a label or reporter molecule and may be used to identify and isolate other sequences, for example, those from other species or other strains. Probes comprising synthetic oligonucleotides or other polynucleotides may be derived from naturally occurring or recombinant single or double stranded nucleic acids or be chemically synthesized. Polynucleotide probes may be labeled by any of the methods known in the art, e.g., random hexamer labeling, nick translation, or the Klenow fill-in reaction.

Large amounts of the polynucleotides may be produced by replication in a suitable host cell. Natural or synthetic DNA fragments coding for a protein of interest are incorporated into recombinant polynucleotide constructs, typically DNA constructs, capable of introduction into and replication in a prokaryotic or eukaryotic cell. Usually the construct is suitable for replication in a unicellular host, such as *A. pullulans* or a bacterium, but a multicellular eukaryotic host may also be appropriate, with or without integration within the genome of the host cell. Commonly used prokaryotic hosts include strains of *Escherichia coli*, although other prokaryotes, such as *Bacillus subtilis* or a pseudomonad, may also be used. Eukaryotic host cells include yeast, filamentous fungi, plant, insect, amphibian, mammalian and avian species. Such factors as ease of manipulation, ability to appropriately glycosylate expressed proteins, degree and control of protein expression, ease of purification of expressed proteins away from cellular contaminants or other factors influence the choice of the host cell.

The polynucleotides may also be produced by chemical synthesis, e.g., by the phosphoramidite method described by Beaucage and Caruthers (1981) *Tetra. Letts.*, 22: 1859-1862 or the triester method according to Matteuci *et al.* (1981) *J.*

Am. Chem. Soc., 103:3185, and may be performed on commercial automated oligonucleotide synthesizers. A double-stranded fragment may be obtained from the single stranded product of chemical synthesis either by synthesizing the complementary strand and annealing the strand together under appropriate conditions or by adding the complementary strand using DNA polymerase with an appropriate primer sequence.

DNA constructs prepared for introduction into a prokaryotic or eukaryotic host will typically comprise a replication system (i.e. vector) recognized by the host, including the intended DNA fragment encoding the desired polypeptide, and will preferably also include transcription and translational initiation regulatory sequences operably linked to the polypeptide-encoding segment. Expression systems (expression vectors) may include, for example, an origin of replication or autonomously replicating sequence (ARS) and expression control sequences, a promoter, an enhancer and necessary processing information sites, such as ribosome-binding sites, RNA splice sites, polyadenylation sites, transcriptional terminator sequences, and mRNA stabilizing sequences. Signal peptides may also be included where appropriate from secreted polypeptides of the same or related species, which allow the protein to cross and/or lodge in cell membranes or be secreted from the cell.

An appropriate promoter and other necessary vector sequences will be selected so as to be functional in the host. Examples of workable combinations of cell lines and expression vectors are described in Sambrook *et al.* (1989) *vide infra*; Ausubel *et al.* (Eds.) (1995) *Current Protocols in Molecular Biology*, Greene Publishing and Wiley Interscience, New York; and Metzger *et al.* (1988) *Nature*, **334**: 31-36. Many useful vectors for expression in bacteria, yeast, fungal, mammalian, insect, plant or other cells are well known in the art and may be obtained such vendors as Stratagene, New England Biolabs, Promega Biotech, and others. In addition, the construct may be joined to an amplifiable gene (e.g., DHFR) so that multiple copies of the gene may be made. For appropriate enhancer and other expression control sequences, see also *Enhancers and Eukaryotic Gene Expression*, Cold Spring Harbor Press, N.Y. (1983). While such expression vectors

may replicate autonomously, they may less preferably replicate by being inserted into the genome of the host cell.

Expression and cloning vectors will likely contain a selectable marker, that is, a gene encoding a protein necessary for the survival or growth of a host cell transformed with the vector. Although such a marker gene may be carried on another polynucleotide sequence co-introduced into the host cell, it is most often contained on the cloning vector. Only those host cells into which the marker gene has been introduced will survive and/or grow under selective conditions. Typical selection genes encode proteins that (a) confer resistance to antibiotics or other toxic substances, e.g., ampicillin, neomycin, methotrexate, etc.; (b) complement auxotrophic deficiencies; or (c) supply critical nutrients not available from complex media. The choice of the proper selectable marker will depend on the host cell; appropriate markers for different hosts are known in the art.

Recombinant host cells, in the present context, are those which have been genetically modified to contain an isolated DNA molecule of the instant invention. The DNA can be introduced by any means known to the art which is appropriate for the particular type of cell, including without limitation, transformation, lipofection or electroporation.

It is recognized by those skilled in the art that the DNA sequences may vary due to the degeneracy of the genetic code and codon usage. All DNA sequences which code for the polypeptide or protein of interest are included in this invention.

Additionally, it will be recognized by those skilled in the art that allelic variations may occur in the DNA sequences which will not significantly change activity of the amino acid sequences of the peptides which the DNA sequences encode. All such equivalent DNA sequences are included within the scope of this invention and the definition of the regulated promoter region. The skilled artisan will understand that the sequence of the exemplified sequence can be used to identify and isolate additional, nonexemplified nucleotide sequences which are functionally equivalent to the sequences given.

Mutational, insertional, and deletional variants of the disclosed nucleotide sequences can be readily prepared by methods which are well known to those skilled in the art. These variants can be used in the same manner as the exemplified primer sequences so long as the variants have substantial sequence homology with the original sequence. As used herein, substantial sequence homology refers to homology which is sufficient to enable the variant polynucleotide to function in the same capacity as the polynucleotide from which the probe was derived. Preferably, this homology is greater than 80%, more preferably, this homology is greater than 85%, even more preferably this homology is greater than 90%, and most preferably, this homology is greater than 95%. The degree of homology or identity needed for the variant to function in its intended capacity depends upon the intended use of the sequence. It is well within the skill of a person trained in this art to make mutational, insertional, and deletional mutations which are equivalent in function or are designed to improve the function of the sequence or otherwise provide a methodological advantage.

Polymerase Chain Reaction (PCR) is a repetitive, enzymatic, primed synthesis of a nucleic acid sequence. This procedure is well known and commonly used by those skilled in this art [see Mullis, U.S. Patent Nos. 4,683,195, 4,683,202, and 4,800,159; Saiki *et al.* (1985) *Science* 230:1350-1354]. PCR is based on the enzymatic amplification of a DNA fragment of interest that is flanked by two oligonucleotide primers that hybridize to opposite strands of the target sequence. The primers are oriented with the 3' ends pointing towards each other. Repeated cycles of heat denaturation of the template, annealing of the primers to their complementary sequences, and extension of the annealed primers with a DNA polymerase result in the amplification of the segment defined by the 5' ends of the PCR primers. Since the extension product of each primer can serve as a template for the other primer, each cycle essentially doubles the amount of DNA template produced in the previous cycle. This results in the exponential accumulation of the specific target fragment, up to several million-fold in a few hours. By using a thermostable DNA polymerase such as the *Taq* polymerase, which is isolated from the thermophilic bacterium *Thermus aquaticus*, the amplification process can be completely automated. Other enzymes which can be used are known to those skilled in the art.

It is well known in the art that the polynucleotide sequences of the present invention can be truncated and/or mutated such that certain of the resulting fragments and/or mutants of the original full-length sequence can retain the desired characteristics of the full-length sequence. A wide variety of restriction enzymes which are suitable for generating fragments from larger nucleic acid molecules are well known. In addition, it is well known that *Bal*31 exonuclease can be conveniently used for time-controlled limited digestion of DNA. See, for example, Maniatis (1982) *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory, New York, pages 135-139, incorporated herein by reference. See also Wei *et al.* (1983 *J. Biol. Chem.* **258**:13006-13512. By use of *Bal*31 exonuclease (commonly referred to as "erase-a-base" procedures), the ordinarily skilled artisan can remove nucleotides from either or both ends of the subject nucleic acids to generate a wide spectrum of fragments which are functionally equivalent to the subject nucleotide sequences. One of ordinary skill in the art can, in this manner, generate hundreds of fragments of controlled, varying lengths from locations all along the original molecule. The ordinarily skilled artisan can routinely test or screen the generated fragments for their characteristics and determine the utility of the fragments as taught herein. It is also well known that the mutant sequences of the full length sequence, or fragments thereof, can be easily produced with site directed mutagenesis. See, for example, Larionov, O.A. and Nikiforov, V.G. (1982) *Genetika* **18**(3):349-59; Shortle, D, DiMaio, D., and Nathans, D. (1981) *Annu. Rev. Genet.* **15**:265-94; both incorporated herein by reference. The skilled artisan can routinely produce deletion-, insertion-, or substitution-type mutations and identify those resulting mutants which contain the desired characteristics of the full length wild-type sequence, or fragments thereof, i.e., those which retain promoter activity and also provide transcription of downstream sequence.

Following the teachings herein and using knowledge and techniques well known in the art, the skilled worker will be able to make a large number of operative embodiments having equivalent DNA sequences to those listed herein without the expense of undue experimentation.

As used herein percent sequence identity of two nucleic acids is determined using the algorithm of Karlin and Altschul (1990) *Proc. Natl. Acad. Sci. USA*

87:2264-2268, modified as in Karlin and Altschul (1993) *Proc. Natl. Acad. Sci. USA* 90:5873-5877. Such an algorithm is incorporated into the NBLAST and XBLAST programs of Altschul *et al.* (1990) *J. Mol. Biol.* 215:402-410. BLAST nucleotide searches are performed with the NBLAST program, score = 100, wordlength = 12, to obtain nucleotide sequences with the desired percent sequence identity. To obtain gapped alignments for comparison purposes, Gapped BLAST is used as described in Altschul *et al.* (1997) *Nucl. Acids. Res.* 25:3389-3402. When utilizing BLAST and Gapped BLAST programs, the default parameters of the respective programs (NBLAST and XBLAST) are used. See, for example, the National Center for Biotechnology Information website on the internet.

Techniques and agents for introducing and selecting for the presence of heterologous DNA in plant cells and/or tissue are well-known. Genetic markers allowing for the selection of heterologous DNA in plant cells are well-known, e.g., genes carrying resistance to an antibiotic such as kanamycin, hygromycin, gentamicin, or bleomycin. The marker allows for selection of successfully transformed plant cells growing in the medium containing the appropriate antibiotic because they will carry the corresponding resistance gene. In most cases the heterologous DNA which is inserted into plant cells contains a gene which encodes a selectable marker such as an antibiotic resistance marker, but this is not mandatory. An exemplary drug resistance marker is the gene whose expression results in kanamycin resistance, i.e., the chimeric gene containing nopaline synthetase promoter, Tn5 neomycin phosphotransferase II and nopaline synthetase 3' non-translated region described by Rogers *et al.*, *Methods for Plant Molecular Biology*, A. Weissbach and H. Weissbach, eds., Academic Press, Inc., San Diego, CA (1988).

Techniques for genetically engineering plant cells and/or tissue with an expression cassette comprising an inducible promoter or chimeric promoter fused to a heterologous coding sequence, including possibly an antisense DNA construct and/or a DNA construct designed to elicit double-stranded RNA-mediated gene silencing, followed by a transcription termination sequence are to be introduced into the plant cell or tissue by *Agrobacterium*-mediated transformation, electroporation, microinjection, particle bombardment or other techniques known to the art. The

expression cassette advantageously further contains a marker allowing selection of the heterologous DNA in the plant cell, e.g., a gene carrying resistance to an antibiotic such as kanamycin, hygromycin, gentamicin, or bleomycin.

5 A DNA construct carrying a plant-expressible gene or other DNA of interest can be inserted into the genome of a plant by any suitable method. Such methods may involve, for example, the use of liposomes, electroporation, diffusion, particle bombardment, microinjection, gene gun, chemicals that increase free DNA uptake, e.g., calcium phosphate coprecipitation, viral vectors, and other techniques
10 practiced in the art. Suitable plant transformation vectors include those derived from a Ti plasmid of *Agrobacterium tumefaciens*, such as those disclosed by Herrera-Estrella (1983), Bevan (1983), Klee (1985) and EPO publication 120,516 (Schilperoort *et al.*). In addition to plant transformation vectors derived from the Ti or root-inducing (Ri) plasmids of *Agrobacterium*, alternative methods can be used
15 to insert the DNA constructs of this invention into plant cells.

 The choice of vector in which the DNA of interest is operatively linked depends directly, as is well known in the art, on the functional properties desired, e.g., replication, protein expression, and the host cell to be transformed, these
20 being limitations inherent in the art of constructing recombinant DNA molecules. The vector desirably includes a prokaryotic replicon, i.e., a DNA sequence having the ability to direct autonomous replication and maintenance of the recombinant DNA molecule extra-chromosomally when introduced into a prokaryotic host cell, such as a bacterial host cell. Such replicons are well known in the art. In addition,
25 preferred embodiments that include a prokaryotic replicon also include a gene whose expression confers a selective advantage, such as a drug resistance, to the bacterial host cell when introduced into those transformed cells.

 Typical bacterial drug resistance genes are those that confer resistance to
30 ampicillin or tetracycline, among other selective agents. The neomycin phosphotransferase gene has the advantage that it is expressed in eukaryotic as well as prokaryotic cells.

Those vectors that include a prokaryotic replicon also typically include convenient restriction sites for insertion of a recombinant DNA molecule of the present invention. Typical of such vector plasmids are pUC8, pUC9, pBR322, and pBR329 available from BioRad Laboratories (Richmond, CA) and pPL, pK and K223 available from Pharmacia (Piscataway, NJ), and pBLUESCRIPT and pBS available from Stratagene (La Jolla, CA). A vector of the present invention may also be a Lambda phage vector including those Lambda vectors described in Molecular Cloning: A Laboratory Manual, Second Edition, Maniatis *et al.*, eds., Cold Spring Harbor Press (1989) and the Lambda ZAP vectors available from Stratagene (La Jolla, CA). Other exemplary vectors include pCMU [Nilsson *et al.* (1989) *Cell* 58:707]. Other appropriate vectors may also be synthesized, according to known methods; for example, vectors pCMU/Kb and pCMUII used in various applications herein are modifications of pCMUIV [Nilsson, (1989) *supra*].

Typical expression vectors capable of expressing a recombinant nucleic acid sequence in plant cells and capable of directing stable integration within the host plant cell include vectors derived from the tumor-inducing (Ti) plasmid of *Agrobacterium tumefaciens* described by Rogers *et al.* (1987) *Meth. in Enzymol.* 153:253-277, and several other expression vector systems known to function in plants. See for example, Verma *et al.*, No. WO87/00551; Cocking and Davey (1987) *Science* 236:1259-1262.

A transgenic plant can be produced by any means known to the art, including but not limited to *Agrobacterium tumefaciens*-mediated DNA transfer, preferably with a disarmed T-DNA vector, electroporation, direct DNA transfer, and particle bombardment [See Davey *et al.* (1989) *Plant Mol. Biol.* 13:275; Walden and Schell (1990) *Eur. J. Biochem.* 192:563; Joersbo and Burnstedt (1991) *Physiol. Plant.* 81:256; Potrykus (1991) *Annu. Rev. Plant Physiol. Plant Mol. Biol.* 42:205; Gasser and Fraley (1989) *Science* 244:1293; Leemans (1993) *Bio/Technology* 11:522; Beck *et al.* (1993) *Bio/Technology* 11:1524; Koziel *et al.* (1993) *Bio/Technology* 11:194; Vasil *et al.* (1993) *Bio/Technology* 11:1533 and Gelvin, S.B. (1999) *Curr. Opin. Biotech.* 9:227-232]. Techniques are well-known to the art for the introduction of DNA into monocots as well as dicots, as are the techniques for culturing such plant tissues and regenerating those tissues.

Standard techniques for cloning, DNA isolation, amplification and purification, for enzymatic reactions involving DNA ligase, DNA polymerase, restriction endonucleases and the like, and various separation techniques are those known and commonly employed by those skilled in the art. A number of standard techniques are described in Sambrook *et al.* (1989) *Molecular Cloning*, Second Edition, Cold Spring Harbor Laboratory, Plainview, New York; Maniatis *et al.* (1982) *Molecular Cloning*, Cold Spring Harbor Laboratory, Plainview, New York; Wu (ed.) (1993) *Meth. Enzymol.* **218**, Part I; Wu (ed.) (1979) *Meth. Enzymol.* **68**; Wu *et al.* (eds.) (1983) *Meth. Enzymol.* 100 and 101; Grossman and Moldave (eds.) *Meth. Enzymol.* **65**; Miller (ed.) (1972) *Experiments in Molecular Genetics*, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York; Old and Primrose (1981) *Principles of Gene Manipulation*, University of California Press, Berkley; Schleif and Wensink (1982) *Practical Methods in Molecular Biology*; Glover (ed.) (1985) *DNA Cloning* Vol. I and II, IRL Press, Oxford, UK; Hames and Higgins (eds.) (1985) *Nucleic Acid Hybridization*, IRL Press, Oxford, UK; Setlow and Hollaender (1979) *Genetic Engineering: Principles and Methods*, Vols. 1-4, Plenum Press, New York; and Ausubel *et al.* (1992) *Current Protocols in Molecular Biology*, Greene/Wiley, New York, NY. Abbreviations and nomenclature, where employed, are deemed standard in the field and commonly used in professional journals such as those cited herein.

All references cited in the present application are incorporated in their entirety herein by reference to the extent not inconsistent herewith.

References

1. Liljebjelke, K. et al., Enzymatic synthesis and purification of uridine diphosphate [¹⁴C]galacturonic acid: a substrate for pectin biosynthesis, *Anal. Biochem.* **225**:296-304 (1995).
2. Doong, R.L. et al., Cell free synthesis of pectin: identification and partial characterization of polygalacturonate 4- α -galacturonosyltransferase and its products from membrane preparations of tobacco (*Nicotiana tabacum* L. cv samsun) cell suspension cultures, *Plant Physiol.* **109**:141-152 (1995).
3. Doong, R.L. et al. Solubilization and characterization of a galacturonosyltransferase that synthesizes the pectic polysaccharide homogalacturonan, *The Plant Journal* **13**:363-374 (1998).
4. Scheller, H.V. et al., Pectin biosynthesis: a solubilized galacturonosyltransferase from tobacco catalyzes the transfer of galacturonic acid from UDP-galacturonic acid onto the non-reducing end of homogalacturonan, *Planta* **207**:512-517 (1999).
5. Mohnen, D. et al., A multi-enzyme approach to study pectin biosynthesis, *Annual Meeting of the American Society of Plant Physiology, July 24-July 28* Abst. No. **203**:65(1999).(Abstract)
6. Mohnen, D., Biosynthesis of pectins and galactomannans, in: "Comprehensive Natural Products Chemistry, Vol. 3, Carbohydrates and Their Derivatives including Tannins, Cellulose, and Related Lignins", B.M. Pinto., ed., *Elsevier*, Oxford, pp. 497-527 (1999).
7. Sterling, J. et al., The catalytic site of the pectin biosynthetic enzyme α -1,4-galacturonosyltransferase (GalAT) is located in the lumen of the Golgi, *Plant Physiol.* **127**:360-371 (2001).
8. Ridley, B.L. et al., Pectins: structure, biosynthesis, and oligogalacturonide-related signaling, *Phytochemistry* **57**:929-967 (2001).
9. Mohnen, D., Biosynthesis of pectins, in: "Pectins and their Manipulation", G.B. Seymour et al., Blackwell Publishing and CRC Press, Oxford, pp. 52-98 (2002).
10. Villemez, C.L. et al., Properties of a polygalacturonic acid-synthesizing enzyme system from *Phaseolus aureus* seedlings. *Arch. Biochem. Biophys.* **116**:446-452 (1966).
11. Kauss, H. et al., Cooperation of enzymes responsible for polymerization and methylation in pectin biosynthesis. *Z. Naturforsch.* **24**:28-33 (1969).
12. Lin, T.-Y. et al., Substrate specificity in pectin synthesis. *Biochem. Biophys. Res. Commun.* **22**:650-657 (1966).

13. Bolwell, G. P, *et al.*, Decrease of polygalacturonic acid synthase during xylem differentiation in sycamore. *Phytochemistry* **24**:699-702 (1985).
14. Takeuchi, Y. *et al.*, In vitro biosynthesis of homogalacturonan by a membrane-bound galacturonosyltransferase from epicotyls of azuki bean, *Biosci. Biotech. Biochem.* **65**:1519-1527 (2001).
15. Akita, K. *et al.*, Successive glycosyltransfer activity and enzymatic characterization of pectic polygalacturonate 4- α -galacturonosyltransferase solubilized from pollen tubes of *Petunia axillaris* using pyridylaminated oligogalacturonates as substrates, *Plant Physiol.* **130**:374-379 (2002).
16. Reithmeier, R.A.F. *et al.*, Intrinsic membrane protein structure: principles and prediction, in: "The Structure of Biological Membranes", P. Yeagle., ed., CRC Press, Boca Raton, pp. 337-393 (1992).
17. Northcote, D.H., The Golgi apparatus. *Endeavor* **30**:26-33 (1971).
18. Northcote, D.H. *et al.*, A function of the Golgi Apparatus in polysaccharide synthesis and transport in the root-cap cells of wheat, *Biochem. J.* **98**:159-167 (1966).
19. Harrism, P.J. *et al.*, Polysaccharide formation in plant golgi bodies. *Biochim. Biophys. Acta* **237**:56-64 (1971).
20. Stoddart, R.W. *et al.*, Metabolic relationships of the isolated fractions of the pectic substances of actively growing sycamore cells. *Biochem. J.* **105**:45-59 (1967).
21. Moore, P.J. *et al.*, Spatial organization of the assembly pathways of glycoproteins and complex polysaccharides in the golgi apparatus of plants. *J. Cell Biol.* **112**:589-602 (1991).
22. Staehelin, L.A. *et al.*, The plant Golgi apparatus: structure, functional organization and trafficking mechanisms, *Annu. Rev. Plant Physiol. Plant Mol. Biol.* **46**:261-288 (1995).
23. Willats, W.G.T. *et al.*, Making and using antibody probes to study plant cell walls, *Plant Physiol. Biochem.* **38**:27-36 (2000).
24. Goubet, F. *et al.*, Subcellular localization and topology of homogalacturonan methyltransferase in suspension-cultured *Nicotiano tabacum* cells, *Planta* **209**:112-117 (1999).
25. Vannier, M.P. *et al.*, Localization of methyltransferase activities throughout the endomembrane complex system of flax (*Linum usitatissimum* L) hypocotyls, *Biochem. J.* **286**:863-868 (1992).
26. Bourlard, T. *et al.*, Various pectin methyltransferase activities with affinity for low and highly methylated pectins, *Plant Cell Physiol.* **38**:259-267 (1997).

27. O'Neill, M. *et al.*, The pectic polysaccharides of primary cell walls, in: "Methods in Plant Biochemistry, Volume 2", P.M. Dey., ed., Academic Press, London, pp. 415-441 (1990).
28. Lau, J.M., *et al.*, Structure of the backbone of rhamnogalacturonan I, a pectic polysaccharide in the primary cell walls of plants, *Carbohydr. Res.* **137**:111-125 (1985).
29. Eda, S. *et al.*, A pectic polysaccharide from cell walls of tobacco (*Nicotiana tabacum*) mesophyll, *Carbohydr. Res.* **158**:205-216 (1986).
30. Carpita, N.C. *et al.*, Structural models of primary cell walls in flowering plants: consistency of molecular structure with the physical properties of the walls during growth, *Plant J.* **3**:1-30 (1993).
31. O'Neill, M.A. *et al.*, Rhamnogalacturonan-II, a pectic polysaccharide in the walls of growing plant cell, forms a dimer that is covalently cross-linked by a borate ester - in vitro conditions for the formation and hydrolysis of the dimer, *J. Biol. Chem.* **272**:3869(1997).
32. Schols, H.A. *et al.*, A xylogalacturonan subunit present in the modified hairy regions of apple pectin, *Carbohydr. Res.* **279**:265-279 (1995).
33. Kikuchi, A. *et al.*, A xylogalacturonan whose level is dependent on the size of cell clusters is present in the pectin from cultured carrot cells, *Planta* **200**:369-372 (1996).
34. Yu, L. *et al.*, Partial characterization of xylogalacturonans from cell walls of ripe watermelon fruit: Inhibition of endopolygalacturonase activity by xylosylation, in: "Pectins and Pectinases", J. Visser *et al.*, Elsevier, Amsterdam, pp. 79-88 (1996).
35. Aspinall, G.O., Chemistry of cell wall polysaccharides. in: "The Biochemistry of Plants, Vol.3.", J. Preiss., ed., Academic Press, New York, pp. 473-500 (1980).
36. Watson, R.R. *et al.*, Chemistry and biochemistry of apiose, *Adv. Carbohydr. Chem. Biochem.* **31**:135-184 (1975).
37. Hart, D.A. *et al.*, Isolation and partial characterization of apiogalacturonans from the cell wall of *Lemna minor*, *Biochem. J.* **116**:569-579 (1970).
38. Schols, H.A. *et al.*, Structural features of hairy regions of pectins isolated from apple juice produced by the liquefaction process, *Carbohydr. Res.* **206**:117-129 (1990).
39. Mohnen, D. *et al.*, Cell free synthesis of the pectic polysaccharide homogalacturonan, in: "Pectins and Pectinases", J. Visser *et al.*, Elsevier Science B.V. Amsterdam, pp. 109-126 (1996).

40. Willats, W.G.T. *et al.*, Pectin: cell biology and prospects for functional analysis, *Plant Mol. Biol.* **47**:9-27 (2001).
41. An, J. *et al.*, Isolation and structural characterization of alpha-D-glucosyluronic acid and 4-O-methyl alpha-D-glucosyluronic acid-containing oligosaccharides from the cell-wall pectic polysaccharide, rhamnogalacturonan I, *Carbohydr. Res.* **252**:235-243 (1994).
42. An, J. *et al.*, Isolation and structural characterization of endo-rhamnogalacturonase-generated fragments of the backbone of rhamnogalacturonan I, *Carbohydr. Res.* **264**:83-96 (1994).
43. O'Neill, M.A. *et al.*, Requirement of borate cross-linking of cell wall rhamnogalacturonan II for *Arabidopsis* growth, *Science* **294**:846-849 (2001).
44. Atkinson, R.G. *et al.*, Overexpression of polygalacturonase in transgenic apple trees leads to a range of novel phenotypes involving changes in cell adhesion, *Plant Physiol.* **129**:122-133 (2002).
45. Mohnen, D. *et al.*, Cell wall carbohydrates as signals in plants, *Sem. Cell Biol.* **4**:93-102 (1993).
46. Côté, F. *et al.*, Oligosaccharide elicitors in host-pathogen interactions generation, perception, and signal transduction, in: "Plant-Microbe Interactions", B.B. Biswas *et al.*, Plenum Press, New York, pp. 385-432 (1998).
47. Mollet, J.-C. *et al.*, A lily stylar pectin is necessary for pollen tube adhesion to an in vitro stylar matrix, *Plant Cell* **12**:1737-1749 (2000).
48. Western, T.L. *et al.*, Isolation and characterization of mutants defective in seed coat mucilage secretory cell development in *Arabidopsis*, *Plant Physiol.* **127**:998-1011 (2001).
49. Willats, W.G.T. *et al.*, In-situ analysis of pectic polysaccharides in seed mucilage and at the root surface of *Arabidopsis thaliana*, *Planta* **213**:37-44 (2001).
50. González-Carranza, Z.H. *et al.*, Temporal and spatial expression of a polygalacturonase during leaf and flower abscission in oilseed rape and *Arabidopsis*, *Plant Physiol.* **128**:534-543 (2002).
51. Brown, K., Xylem may direct water where it's needed, *Science* **291**:571-572 (2001).
52. Fry, S. *et al.*, Oligosaccharides as Signals and Substrates in the Plant Cell Wall, *Plant Physiol.* **103**:1-5 (1993).
53. Shibuya, N. *et al.*, Oligosaccharide signalling for defence responses in plant, *Physiol. Mol. Plant Pathol.* **59**:223-233 (2001).

54. Skjot, M. *et al.*, Direct interference with rhamnogalacturonan I biosynthesis in Golgi vesicles, *Plant Physiol.* **129**:95-102 (2002).
55. Bouton, S. *et al.*, QUASIMODO1 encodes a putative membrane-bound glycosyltransferase required for normal pectin synthesis and cell adhesion in *Arabidopsis*, *Plant Cell* **14**:2577-2590 (2002).
56. Edwards, M.E. *et al.*, Molecular characterisation of a membrane-bound galactosyltransferase of plant cell wall matrix polysaccharide biosynthesis, *Plant J.* **19**:691-697 (1999).
57. Perrin, R.M. *et al.*, Xyloglucan fucosyltransferase, an enzyme involved in plant cell wall biosynthesis, *Science* **284**:1976-1979 (1999).
58. Faik, A. *et al.*, An *Arabidopsis* gene encoding an alpha-xylosyltransferase involved in xyloglucan biosynthesis, *Proc. Natl. Acad. Sci. USA* **99**:7797-7802 (2002).
59. Delmer, D.P., A hot mutant for cellulose synthesis, *Trends in Plant Science* **3**:164 (1998).
60. Orellana, A. *et al.*, Enzymatic synthesis and purification of [³H] uridine diphosphate galacturonic acid for use in studying Golgi-localized transporters, *Analytical Biochemistry* **272**:224-231 (1999).
61. Crombie, H.J. *et al.*, A homogalacturonan synthase from mung bean hypocotyls, Cell Wall '01 - 9th International Cell Wall Meeting, September 2-7, 2001 Toulouse, France 131(2001).(Abstract)
62. Cumming, C.M. *et al.*, A galacturonyltransferase involved in pectin biosynthesis. in: "Cell Walls '86. Proceedings of the Fourth Cell Wall Meeting. Paris - September 10-12, 1986", B. Vian *et al.*, Université Pierre et Marie Curie - Ecole Normale Supérieure. Paris, pp. 360-363 (1986).
63. Sterling, J.D. *et al.*, Development of a filter assay for measuring homogalacturonan:alpha1,4-galacturonosyltransferase activity, (in preparation)
64. Williams, N., Rain forest fragments fare poorly, *Science* **278**:1016(1997).
65. Pagès, S. *et al.*, Changing a single amino acid residue switches processive and non-processive behavior of *Aspergillus niger* endopolygalacturonase I and II, *J. Biol. Chem.* **276**:33652-33656 (2001).
66. Campbell, J.A. *et al.*, A classification of nucleotide-diphospho-sugar glycosyltransferases based on amino acid sequence similarities, *Biochem. J.* **326**:929-942 (1997).
67. Henrissat, B. *et al.*, Glycoside hydrolases and glycosyltransferases. Families, modules, and implications for genomics. *Plant Physiol* **124**:1515-1519 (2000).

68. Jones, D.T., GenTHREADER: An Efficient and Reliable Protein Fold Recognition Method for Genomic Sequences, *J. Mol. Biol.* **287**:797-815 (1999).
69. McGuffin, L.J. *et al.*, The PSIPRED protein structure prediction server, *Bioinform. Applic. Note.* **16**:404-405 (2000).
70. Persson, K. *et al.*, Crystal structure of the retaining galactosyltransferase LgtC from *Neisseria meningitidis* in complex with donor and acceptor sugar analogs, *Nature Structural Biology* **8**:166-175 (2001).
71. Price, N.J. *et al.*, Plant glycosyltransferases, *Curr. Opin. Plant Biol.* **2001**:219-224 (2001).
72. Charnock, S.J. *et al.*, Three-dimensional structures of UDP-sugar glycosyltransferases illuminate the biosynthesis of plant polysaccharides, *Plant Physiol.* **125**:527-531 (2001).
73. Ünlügil, U.M. *et al.*, Glycosyltransferase structure and mechanism, *Current Opinion in Structural Biology* **10**:510-517 (2000).
74. Boix, E. *et al.*, Structural basis of ordered binding of donor and acceptor substrates to the retaining glycosyltransferase, alpha-1,3-galactosyltransferase, *J. Biol. Chem.* **277**:28310-28318 (2002).
75. Cabral, C.M. *et al.*, Organizational diversity among distinct glycoprotein endoplasmic reticulum-associated degradation programs, *Mol. Biol. Cell* **13**:2639-2650 (2002).
76. Mallisard, M. *et al.*, Expression of functional soluble forms of human alpha-1,4-galactosyltransferase I, alpha-2,6-sialyltransferase, and alpha-2,6-sialyltransferase, and alpha-1,3-fucosyltransferase VI in the methylotrophic yeast *Pichia pastoris*, *Biochem. Biophys. Res. Commun.* **267**:169-173 (2000).
77. Romero, P.A. *et al.*, KTR1P is an alpha-1,2-mannosyltransferase of *Saccharomyces cerevisiae* comparison of the enzymatic properties of soluble recombinant KTR1P and KRE2P/MNT1P produced in *Pichia pastoris*, *Biochemical Journal* **321**:289-295 (1997).
78. Hochstrasser, U. *et al.*, Expression of a functional barley sucrose-fructan 6-fructosyltransferase in the methylotrophic yeast *Pichia pastoris*, *Febs Letters* **440**:356-360 (1998).
79. Gallet, P.F. *et al.*, Heterologous expression of an engineered truncated form of human Lewis fucosyltransferase (Fuc-TIII) by the methylotrophic yeast *Pichia pastoris*, *Glycobiology* **8**:919-925 (1998).
80. Moreman, K.W. *et al.*, Topology of mannosidase II in rat liver membrane and release of the catalytic domain by selective proteolysis, *Jr Biol. Chem* **23**:10945-10951 (1986).

81. Merkle, R.K. *et al.*, Cloning, expression, purification, and characterization of the murine lysosomal acid alpha-mannosidase, *Biochim. Biophys. Acta* **1336**:132-146 (1997).
82. Liao, Y.F. *et al.*, Cloning, expression, purification, and characterization of the human broad-specificity lysosomal acid alpha-mannosidase, *J. Biol. Chem.* **271**:28348-28358 (1996).
83. Bar-Peled, M. *et al.*, UDP-rhamnose:flavanone-7-O-glucoside-2"-O-rhamnosyltransferase. Purification and characterization of an enzyme catalyzing the production of bitter compounds in citrus, *J. Biol. Chem.* **266**:20953-20959 (1991).
84. Basu, S.S. *et al.*, A facile enzymatic synthesis of uridine diphospho-[14C]galacturonic acid, *Anal. Biochem.* **280**:173-177 (2000).
85. Quigley, H.F. *et al.*, A non-radioactive gel electrophoresis assay for homogalacturonan alpha-1,4-galacturonosyltransferase, (in preparation).
86. Bao, M. *et al.*, Bovine UDP-N-acetylglucosamine:lysosomal-enzyme N-acetylglucosamine-1-phosphotransferase. I. Purification and subunit structure, *J. Biol. Chem.* **271**:31437-31445 (1996).
87. Briand, J.P. *et al.*, Application and limitations of the multiple antigen peptide (MAP) system in the production and evaluation of anti-peptide and anti-protein antibodies, *J. Immunol. Methods* **156**:255-265 (1992).
88. Ziehl, V. *et al.*, Polyclonal antibodies directed against synthetic N-terminus of fungal endopolygalacturonase recognizes the native protein and cross-reacts with endopolygalacturonase of a different fungal species, Abstract, Pectins and Pectinases meeting, Wageningen, Netherlands, (1995)
89. Harlow, E. *et al.*, Antibodies: A laboratory manual, Cold Spring Harbor Press, Cold Spring Harbor, NY, (1988).
90. Mohnen, D. *et al.*, Hormonal regulation of alpha1,3-glucanase messenger RNA levels in cultured tobacco tissues. *EMBO J.* **4**:1631-1635 (1985).
91. Zhang G.F. *et al.*, Functional compartmentation of the golgi apparatus of plant cells; Immunocytochemical analysis of high-pressure frozen- and freeze-substituted sycamore maple suspension culture cells, *Plant Physiol.* **99**:1070-1083 (1992).
92. Colley, K.J., Golgi localization of glycosyltransferases: more questions than answers, *Glycobiology* **7**:1-13 (1997).
93. Opat, A.S. *et al.*, Trafficking and localization of resident Golgi glycosylation enzymes, *Biochimie* **83**:763-773 (2001).

94. Dirnberger, D. *et al.*, The Golgi localization of *Arabidopsis thaliana* B1,2-xylosyltransferase in plant cells is dependent on its cytoplasmic and transmembrane sequences, *Plant Mol. Biol.* **50**:273-281 (2002).
95. Munro, S., An investigation of the role of transmembrane domains in golgi protein retention, *The EMBO Journal* **14**:4695-4704 (1995).
96. Nilsson, T. *et al.*, Kin recognition. A model for the retention of Golgi enzymes. *FEBS Lett.* **330**:1-4 (1993).
97. Freshour, G. *et al.*, Developmental and tissue-specific structural alterations of the cell-wall polysaccharides of *Arabidopsis thaliana* Roots, *Plant Physiol.* **110**:1413-1429 (1996).
98. Samuels, A.L. *et al.*, Cytokinesis in tobacco BY-2 and root tip cells: a new model of cell plate formation in higher plants, *J. Cell Biol.* **130**:(1995).
99. Lam, B.C.-H. *et al.*, Role of SH3 Domain-Containing Proteins in Clathrin-Mediated Vesicle Trafficking in *Arabidopsis*, *Plant Cell* **13**:2499-2512 (2001).
100. Chuang, C.-F. *et al.*, Specific and heritable genetic interference by double-stranded RNA in *arabidopsis thaliana*, *Proc. Natl. Acad. Sci. USA* **97**:4985-4990 (2000).
101. Bent, A.F. *et al.*, *RPS2* of *Arabidopsis thaliana*: A Leucine-Rich Repeat Class of Plant Disease Resistance Genes, *Science* **265**:1856-1860 (1994).
102. Bieberich, E. *et al.*, Regulation of Ganglioside Biosynthesis by Enzyme Complex Formation of Glycosyltransferases, *Biochem.* **41**:11479-11487 (2002).
103. Ridley, B.L. *et al.*, A method for biotin labeling of biologically active oligogalacturonides using a chemically stable hydrazide linkage, *Anal. Biochem.* **249**:10-19 (1997).
104. Guillaumie, F. *et al.*, Solid-phase biosynthesis and MALDI-TOF mass spectrometry analysis of pectic oligogalacturonides: a new tool to monitor the extension of a homogalacturonan chain, *Carbohydr. Res.* (2002).
105. Yamada, H. *et al.*, Structural Characterization and Antitumor Activity of a Pectic Polysaccharide from the Roots of *Angelica acutiloba*. *planta medica* **56**:182-186, (1990).
106. Olano-Martin, E. *et al.*, Pectin and pectic-oligosaccharides induce apoptosis in *in vitro* human colonic adenocarcinoma cells. *Anticancer research* **23**:341-346, (2003.).
107. Avivi-Green, C. *et al.*, Pectin-enriched diet affects distribution and expression of apoptosis-cascade proteins in colonic crypts of dimethylhydrazine-treated rats. *Int J Mol Med* **6**:689-698 (2000a).

108. Avivi-Green, C. *et al.*, Apoptosis cascade proteins are regulated in vivo by high intracolonic butyrate concentration: correlation with colon cancer inhibition. *Oncol Res* **12**:83-95 (2000b).
109. Ohno, K. *et al.*, Inhibitory effect of apple pectin and culture condensate of *Bifidobacterium longum* on colorectal tumors induced by 1,2-dimethylhydrazine in transgenic mice harboring human prototype c-Ha-ras genes. *Exp Anim* **49**:305-307 (2000).
110. Davidson, L.A., *et al.*, Morphodensitometric analysis of protein kinase C β expression in rat colon: modulation by diet and relation to in situ cell proliferation and apoptosis. *Carcinogenesis* **21**:1513-1519 (2000).
111. Fernandez, M.L., Citrus pectin and cholesterol interact to regulate hepatic cholesterol homeostasis and lipoprotein metabolism: a dose-response study in guinea pigs. *Am J Clin Nutr* **59**: 869-878 (1994).
112. Behall, K. *et al.*, In: ML Fishman and JJ Jen, eds, Chemistry and Function of Pectins, American Chemical Society, Washington, D.C. pp 248-265 (1986).
113. Levitt, N.S. *et al.*, The effect of dietary fiber on glucose and hormone responses to a mixed meal in normal subjects and in diabetic subjects with and without autonomic neuropathy. *Diabetes Care* **3**: 505-519 (1980).
114. Hayashi, A. *et al.*, Effects of daily oral administration of quercetin chalcone and modified citrus pectin on implanted colon-25 tumor growth in bulb-c mice. *Altern Med Rev* **5**: S-546-552 (2000).
115. Inohara, H. *et al.*, Effects of natural complex carbohydrates (citrus pectin) on murine melanoma cell properties related to galectin-3 functions. *Glycoconjugates Journal* **11**: 527-532 (1994).
116. Dongowski, G. *et al.*, In: J Visser and AGJ Voragen, eds, Pectins and Pectinases, Elsevier Science B.V. Amsterdam, pp 659-666 (1996).
117. Honjo, Y. *et al.*, Expression of Cytoplasmic Galectin-3 as a Prognostic Marker in Tongue Carcinoma. *Clinical Cancer Research*. **6**(12):4635-40, (2000).
118. Honjo, Y. *et al.*, Down-Regulation of Galectin-3 Suppresses Tumorigenicity of Human Breast Carcinoma Cells. *Clinical Cancer Research*. **7**(3):661-8, (2001).
119. Yoshii, T. *et al.*, Galectin-3 maintains the transformed phenotype of thyroid papillary carcinoma cells. *Int. J. Oncol.* **18**(4):787-92, (2001).
120. Naik, H. *et al.*, Inhibition of *in vitro* tumor cell endothelial adhesion by modified citrus pectin: a pH modified natural complex carbohydrate (Meeting abstract) *Proc Annul Meet Am Assoc Cancer Res.*; **36**: 377 (1995).
121. Platt, D. *et al.*, Modulation of the lung colonization of B16-F1 melanoma cells by citrus pectin. *J Natl Cancer Inst.*; **84**(6):438-442 (1992).

122. Strum, S. *et al.*, International Conference on Diet and Prevention of Cancer (Finland). May (1999).
123. Liu, C. *et al.*, Citrus pectin: characterization and inhibitory effect on fibroblast growth factor-receptor interaction. *J Agric Food Chem* **49**: 3051-3057 (2001).
124. Rolin, C. Pectin. In: RL Whistler and JN BeMiller, eds, Industrial Gums - Polysaccharides and Their Derivatives, Third Ed. Academic Press, San Diego, pp 257-293 (1993).
125. Nangia-Makker, P. *et al.* Inhibition of human cancer cell growth and metastasis in nude mice by oral intake of modified citrus pectin. *J. Natl. Cancer Inst.* **94**: 1854-1862 (2002).
126. Dongowski, G *et al.*, Degradation of pectins with different degrees of esterification by *Bacteroides thetaiotaomicron* isolated from human gut flora. *Appl Environ Microbiol* **66**: 1321-1327 (2000).
127. Pienta, K.J. *et al.*, Inhibition of spontaneous metastasis in a rat prostate cancer model by oral administration of modified citrus pectin, *J. Natl. Cancer Inst.* **87**:348-353 (1995).
128. Zwieniecki, M.A. *et al.*, Hydrogel control of xylem hydraulic resistance in plants, *Science* **291**:1059-1062 (2001).
129. Skjot, M. *et al.*, Direct interference with rhamnogalacturonan I biosynthesis in Golgi vesicles, *Plant Physiol.* **129**:95-102 (2002).
130. Iwai, H., A pectin glucuronyltransferase gene is essential for intercellular attachment in the plant meristem, *Proc. Natl. Acad. Sci. USA* **99**:16319-16324 (2002).
131. York, W.S. *et al.*, Isolation and characterization of plant cell walls and cell wall components. *Methods Enzymol.* **118**:3-40 (1985).
132. Vidal, S. *et al.*, Structural characterization of the pectic polysaccharide rhamnogalacturonan II: evidence for the backbone location of the aceric acid-containing oligoglycosyl side chain, *Carbohydr. Res.* **326**:277-294 (2000).
133. Whitcombe, A.J. *et al.*, Structural characterization of the pectic polysacchride, Rhamnogalacturonan-II, *Carbohydr. Res.* **271**:15-29 (1995).
134. Boyes, D.C. *et al.*, Growth stage-based phenotypic analysis of arabidopsis: a model for high throughput functional genomics in plants, *Plant Cell* **13**:1499-1510 (2001).
135. Zablackis, E. *et al.*, Characterization of the cell-wall polysaccharides of *Arabidopsis thaliana* leaves, *Plant Physiol.* **107**:1129-1138 (1995).

136. Madson, M. *et al.*, The MUR3 gene of Arabidopsis encodes a xyloglucan galactosyltransferase that is evolutionarily related to animal exostosins, *Plant Cell* **15**:1662-1670 (2003).

CLAIMS

We claim:

1. An isolated nucleic acid encoding a polypeptide or a fragment thereof having galacturonosyltransferase (GalAT) activity.
2. The nucleic acid of claim 1 wherein the polypeptide or the fragment has approximately 50% amino acid sequence similarity with the corresponding sequence as set forth in SEQ ID NO: 2.
3. The nucleic acid of claim 2 wherein the amino acid molecule is selected from the group consisting of the sequences as set forth in SEQ ID NOs: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, and 50.
4. The nucleic acid of claim 3 wherein the polypeptide comprises the amino acid sequence as set forth in SEQ ID NO: 2.
5. The nucleic acid of claim 4 wherein the polypeptide is encoded by the nucleic acid sequence as set forth in SEQ ID NO: 1.
6. An isolated polypeptide or a fragment thereof having galacturonosyltransferase GalAT activity wherein the polypeptide or the fragment has approximately 50% amino acid sequence similarity with the corresponding amino acid sequence as shown in SEQ ID NO: 2.
7. The polypeptide or the fragment of claim 6 which comprises the amino acid sequence selected from the group consisting of the sequences as set forth in SEQ ID NOs: 2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 34, 36, 38, 40, 42, 44, 46, 48, and 50, or the corresponding sequence thereto.
8. The polypeptide or the fragment of claim 7 which comprises the amino acid sequence as set forth in SEQ ID NO: 2 or the corresponding sequence

thereto.

9. The polypeptide or the fragment of claim 7 wherein the amino acid sequence is encoded by the nucleic acid as set forth in SEQ ID NO: 1.
10. An antibody which specifically recognizes the polypeptide or the fragment of claims 7 or 8.
11. An expression vector comprising in operable linkage the nucleic acid according to any one of claims 1, 2, 3 or 5 and a plant-expressible promoter.
12. The expression vector of claim 11 wherein said promoter is heterologous to said nucleic acid.
13. A transgenic plant which has been transformed with the expression vector of claims 11 or 12.
14. A transgenic plant having modified pectin.
15. A transgenic plant having altered GalAT activity wherein the altered activity is due to a mutation in the *GALAT* gene.
16. Progeny of the transgenic plant of claims 13, 14 or 15.
17. Modified pectin isolated from the transgenic plant of claims 14 or 15.
18. A product comprising the modified pectin of claim 17.
19. A method of generating a plant with altered GalAT activity by mutating the *GALAT* gene.

20. A method of preparing a polymer comprising a galacturonic acid and a polymer with a GALAT protein under conditions suitable to form at least one covalent linkage between the galacturonic acid and the polymer.
21. The method of claim 20 wherein said polymer is selected from the group consisting of homogalacturonan, rhamnogalacturonan I, rhamnogalacturonan II, xylogalacturonan, apiogalacturonan or other galacturonic containing polymer.
22. The method of claim 21, wherein said polymer is homogalacturonan.
23. The method of claims 20 or 21 wherein the GALAT protein comprises the amino acid sequence as set forth in SEQ ID NO: 2 or a fragment thereof having GalAT activity.

1/8




FIG. 1




FIG. 2


RG-II

FIG. 3




FIG. 4

4/8





FIG. 5

5/8



BEST AVAILABLE COPY

FIG. 6A




FIG. 6B




FIG. 7

7/8





FIG. 8

8/8

**FIG. 9**

14-03 WO.sequence listing.txt
SEQUENCE LISTING

<110> University of Georgia Research Foundation, Inc
Mohnen, Debra
Hahn, Michael G.
Kolli, Venkata S.K.
Doong, Ron L.
Sterling, Jason D.

<120> Galacturonosyltransferases, nucleic acids encoding same, and uses therefor

<130> 14-03 WO

<140> Not assigned

<141> 2004-02-05

<150> US 60/445,539

<151> 2003-02-06

<160> 50

<170> PatentIn version 3.2

<210> 1

<211> 2022

<212> DNA

<213> Arabidopsis thaliana

<400> 1
atggcgctaa agcgagggct atctggagtt aaccggatta gaggaagtgg tgggtggatct 60
cgatctgtgc ttgtgcttct catatcttct tgtgtttttg cacctctttg cttctttggt 120
ggccgaggag tgtatatcga ttcctcaaat gattattcaa ttgtttctgt gaagcagaat 180
cttgactgga gagaacgttt agcaatgcaa tctgttagat ctcttttctc gaaagagata 240
ctagatgtta tagcaaccag cacagctgat ttgggtcctc ttagccttga ttcttttaag 300
aaaaacaatt tgtctgcatc atggcgggga accggagtag acccctcctt tagacattct 360
gagaatccag caactcctga tgtcaaactt aataacctga atgaaaaacg tgacagcatt 420
tcaaaagata gtatccatca gaaagttgag acacctaca agattcacag aaggcaacta 480
agagagaaaa ggcgtgagat gcgggcaaat gagttagttc agcacaatga tgacacgatt 540
ttgaaactcg aaaatgctgc cattgaacgc tctaagtctg ttgattctgc agtccttggt 600
aaatacagta tttggagaag agaaaatgag aatgacaact ctgattcaaa tatacgcttg 660
atgcgggatc aagtaataat ggctagagtc tatagtggga ttgcaaaatt gaaaaacaag 720
aacgatttgt tacaagaact ccaggcccga cttaggaca gccaacgggt tttgggggaa 780
gcaacatctg atgctgatct tcctcggagt gcgcatgaga aactcagagc catgggtcaa 840
gtcttggtta aagctaagat gcagttatat gactgcaagc tggttactgg aaagctgaga 900
gcaatgcttc agactgccga cgaacaagtg aggagcttaa agaagcagag tacttttctg 960
gctcagttag cagcaaaaac cattccaaat cctatccatt gcctatcaat gcgcttgact 1020

14-03 WO.sequence listing.txt

```

atcgattact atcttctgtc tccggagaaa agaaaattcc ctcggagtga aaacctagaa 1080
aaccctaatac ttatcatta tgccctcttt tccgacaatg tattagctgc atcagtagtt 1140
gttaactcaa ccatcatgaa tgccaaggat ccttctaagc atgtttttca cttgtcacg 1200
gataaactca atttcggagc aatgaacatg tggttcctcc taaaccacc cggaaaggca 1260
accatacatg tggaaaacgt cgatgagttt aagtggctca attcatctta ctgtcctgtc 1320
cttcgtcagc ttgaatctgc agcaatgaga gagtactatt ttaaagcaga ccatccaact 1380
tcaggctctt cgaatctaaa atacagaaac ccaaagtatc tatccatgtt gaatcacttg 1440
agattctacc tccctgaggt ttatcccaag ctgaacaaaa tcctcttcct ggacgatgac 1500
atcattgttc agaaagactt gactccactc tgggaagtta acctgaacgg caaagtcaac 1560
ggtgcagtcg aaacctgtgg ggaaagtttc cacagattcg acaagtatct caacttttcg 1620
aatcctcaca ttgcgaggaa cttcaatcca aatgcttggt gatgggctta tggaatgaac 1680
atgttcgacc taaaggaatg gaagaagaga gacatcactg gtatatacca caagtggcaa 1740
aacatgaatg agaacaggac actatggaag ctagggacat tgccaccagg attaataaca 1800
ttctacggat taacacatcc cttaaacaag gcgtggcatg tgctgggact tggatataac 1860
ccgagtatcg acaagaagga cattgagaat gcagcagtggt ttactataa cgggaacatg 1920
aaaccatggt tggagttggc aatgtccaaa tatcggccgt attggacca gtacatcaag 1980
tttgatcacc catatcttcg tcgttgcaac cttcatgaat aa 2022

```

<210> 2
 <211> 673
 <212> PRT
 <213> Arabidopsis thaliana

<400> 2

Met Ala Leu Lys Arg Gly Leu Ser Gly Val Asn Arg Ile Arg Gly Ser
 1 5 10 15

Gly Gly Gly Ser Arg Ser Val Leu Val Leu Leu Ile Phe Phe Cys Val
 20 25 30

Phe Ala Pro Leu Cys Phe Phe Val Gly Arg Gly Val Tyr Ile Asp Ser
 35 40 45

Ser Asn Asp Tyr Ser Ile Val Ser Val Lys Gln Asn Leu Asp Trp Arg
 50 55 60

Glu Arg Leu Ala Met Gln Ser Val Arg Ser Leu Phe Ser Lys Glu Ile
 65 70 75 80

14-03 wo.sequence listing.txt

Leu Asp Val Ile Ala Thr Ser Thr Ala Asp Leu Gly Pro Leu Ser Leu
 85 90 95

Asp Ser Phe Lys Lys Asn Asn Leu Ser Ala Ser Trp Arg Gly Thr Gly
 100 105 110

Val Asp Pro Ser Phe Arg His Ser Glu Asn Pro Ala Thr Pro Asp Val
 115 120 125

Lys Ser Asn Asn Leu Asn Glu Lys Arg Asp Ser Ile Ser Lys Asp Ser
 130 135 140

Ile His Gln Lys Val Glu Thr Pro Thr Lys Ile His Arg Arg Gln Leu
 145 150 155 160

Arg Glu Lys Arg Arg Glu Met Arg Ala Asn Glu Leu Val Gln His Asn
 165 170 175

Asp Asp Thr Ile Leu Lys Leu Glu Asn Ala Ala Ile Glu Arg Ser Lys
 180 185 190

Ser Val Asp Ser Ala Val Leu Gly Lys Tyr Ser Ile Trp Arg Arg Glu
 195 200 205

Asn Glu Asn Asp Asn Ser Asp Ser Asn Ile Arg Leu Met Arg Asp Gln
 210 215 220

Val Ile Met Ala Arg Val Tyr Ser Gly Ile Ala Lys Leu Lys Asn Lys
 225 230 235 240

Asn Asp Leu Leu Gln Glu Leu Gln Ala Arg Leu Lys Asp Ser Gln Arg
 245 250 255

Val Leu Gly Glu Ala Thr Ser Asp Ala Asp Leu Pro Arg Ser Ala His
 260 265 270

Glu Lys Leu Arg Ala Met Gly Gln Val Leu Ala Lys Ala Lys Met Gln
 275 280 285

Leu Tyr Asp Cys Lys Leu Val Thr Gly Lys Leu Arg Ala Met Leu Gln
 290 295 300

Thr Ala Asp Glu Gln Val Arg Ser Leu Lys Lys Gln Ser Thr Phe Leu
 305 310 315 320

Ala Gln Leu Ala Ala Lys Thr Ile Pro Asn Pro Ile His Cys Leu Ser
 325 330 335

14-03 WO.sequence listing.txt

Met Arg Leu Thr Ile Asp Tyr Tyr Leu Leu Ser Pro Glu Lys Arg Lys
 340 345 350

Phe Pro Arg Ser Glu Asn Leu Glu Asn Pro Asn Leu Tyr His Tyr Ala
 355 360 365

Leu Phe Ser Asp Asn Val Leu Ala Ala Ser Val Val Val Asn Ser Thr
 370 375 380

Ile Met Asn Ala Lys Asp Pro Ser Lys His Val Phe His Leu Val Thr
 385 390 395 400

Asp Lys Leu Asn Phe Gly Ala Met Asn Met Trp Phe Leu Leu Asn Pro
 405 410 415

Pro Gly Lys Ala Thr Ile His Val Glu Asn Val Asp Glu Phe Lys Trp
 420 425 430

Leu Asn Ser Ser Tyr Cys Pro Val Leu Arg Gln Leu Glu Ser Ala Ala
 435 440 445

Met Arg Glu Tyr Tyr Phe Lys Ala Asp His Pro Thr Ser Gly Ser Ser
 450 455 460

Asn Leu Lys Tyr Arg Asn Pro Lys Tyr Leu Ser Met Leu Asn His Leu
 465 470 475 480

Arg Phe Tyr Leu Pro Glu Val Tyr Pro Lys Leu Asn Lys Ile Leu Phe
 485 490 495

Leu Asp Asp Asp Ile Ile Val Gln Lys Asp Leu Thr Pro Leu Trp Glu
 500 505 510

Val Asn Leu Asn Gly Lys Val Asn Gly Ala Val Glu Thr Cys Gly Glu
 515 520 525

Ser Phe His Arg Phe Asp Lys Tyr Leu Asn Phe Ser Asn Pro His Ile
 530 535 540

Ala Arg Asn Phe Asn Pro Asn Ala Cys Gly Trp Ala Tyr Gly Met Asn
 545 550 555 560

Met Phe Asp Leu Lys Glu Trp Lys Lys Arg Asp Ile Thr Gly Ile Tyr
 565 570 575

His Lys Trp Gln Asn Met Asn Glu Asn Arg Thr Leu Trp Lys Leu Gly
 580 585 590

14-03 WO.sequence listing.txt

Thr Leu Pro Pro Gly Leu Ile Thr Phe Tyr Gly Leu Thr His Pro Leu
595 600 605

Asn Lys Ala Trp His Val Leu Gly Leu Gly Tyr Asn Pro Ser Ile Asp
610 615 620

Lys Lys Asp Ile Glu Asn Ala Ala Val Val His Tyr Asn Gly Asn Met
625 630 635 640

Lys Pro Trp Leu Glu Leu Ala Met Ser Lys Tyr Arg Pro Tyr Trp Thr
645 650 655

Lys Tyr Ile Lys Phe Asp His Pro Tyr Leu Arg Arg Cys Asn Leu His
660 665 670

Glu

<210> 3
<211> 1860
<212> DNA
<213> Arabidopsis thaliana

<400> 3
atgaaaggcg gaggcggtgg tggaggaggt ggtggcggag gaaaacgccg gtggaaagtt 60
ctggtgattg gagttttggt tcttggttatt ctttctatgc ttgttcctct tgctttctta 120
ctcgggtcttc acaatggctt tcaactctct ggatttgtca ctgttcaacc ggcttcttca 180
tttgagagct ttaccagaat caatgctact aagcatacac agagagatgt atccgaacgg 240
gtcgatgagg ttcttcaaaa aatcaatcca gttcttccca agaaaagcga cataaacgtg 300
ggttcagag atgtgaatgc aacaagcggc actgattcta aaaaaagagg attaccagtg 360
tccccaaactg ttgttgccaa tccaagccct gcaaataaaa caaatcgga agcctcatat 420
acaggtgttc agaggaaaat agtaagtggg gatgaaactt ggagaacttg tgaagtgaaa 480
tatgggagct actgcctctg gagggaggaa aataaggaa caatgaaaga tgccaagggtg 540
aagcaaatga aggaccagct gtttggtggct agagcatact atcccagtat tgctaaaatg 600
ccttctcaaa gcaagttgac tcgggatatg aaacagaata tccaagagtt tgagcgtatt 660
cttagtgaaa gttctcaaga tgctgacctt ccaccacagg ttgataaaaa gttgcagaag 720
atggaagctg taattgcaaa ggcaaagtct tttccagtcg actgtaacaa tgttgacaag 780
aaattgagac agatccttga tttgactgag gatgaagcta gtttccacat gaaacagagt 840
gtgttcctct accagcttgc agtacagaca atgcctaaga gtcttcattg cttgtcaatg 900
cgactaactg tggaacattt caagtcagat tcacttgagg atcccattag tgagaaattt 960

14-03 WO.sequence listing.txt

```

tcagatccct cattacttca ctttggtatc atctccgata atatactagc atcgtccggt 1020
gtgatcaact caacggttgt acatgcaagg gacagtaaaa actttgtttt ccatgtactg 1080
acagacgagc agaattactt tgcaatgaaa caatggttta ttaggaatcc ttgcaaacia 1140
tcaactgttc aagtattgaa cattgaaaaa ctcgagctgg acgattctga tatgaaactg 1200
tctttgtctg cggagttccg tgtttccttc cccagtgggtg accttttggc gtctcaacag 1260
aatagaacac actacttata ctttttctct caatctcact atcttcttcc caaattattt 1320
gacaaattgg agaaggttgt gattctggat gatgacgttg tagtccagcg agacttatct 1380
cccccttggg accttgatat ggaagggaaa gtgaatggcg ctgttaagtc gtgcactgtg 1440
agattgggtc agctaaggag tctcaagaga ggaatttttg ataccaatgc ttgtctctgg 1500
atgtctgggt tgaatgtcgt tgatcttgct agatggaggg cattgggtgt ttcagaaacc 1560
tatcaaaaat attataaaga gatgagtagt ggagatgagt cgagcgaagc aattgcattg 1620
caggcaagct tgctcacatt tcaagaccaa gtatatgctc ttgacgacaa atgggctcta 1680
tcagggtctg gttatgacta ctacatcaat gcacaagcca taaaaaacgc agccatattg 1740
cactataacg ggaacatgaa gccgtggctt gagctgggaa tcccaaatta caaaaactat 1800
tgagagaaggc atctgagtcg ggaagatcgg ttcttgagtg actgtaacgt gaatccttga 1860

```

<210> 4
 <211> 619
 <212> PRT
 <213> Arabidopsis thaliana

<400> 4

Met Lys Gly Gly Gly Gly Gly Gly Gly Gly Gly Gly Gly Lys Arg
 1 5 10 15

Arg Trp Lys Val Leu Val Ile Gly Val Leu Val Leu Val Ile Leu Ser
 20 25 30

Met Leu Val Pro Leu Ala Phe Leu Leu Gly Leu His Asn Gly Phe His
 35 40 45

Ser Pro Gly Phe Val Thr Val Gln Pro Ala Ser Ser Phe Glu Ser Phe
 50 55 60

Thr Arg Ile Asn Ala Thr Lys His Thr Gln Arg Asp Val Ser Glu Arg
 65 70 75 80

Val Asp Glu Val Leu Gln Lys Ile Asn Pro Val Leu Pro Lys Lys Ser
 85 90 95

14-03 WO.sequence listing.txt

Asp Ile Asn Val Gly Ser Arg Asp Val Asn Ala Thr Ser Gly Thr Asp
 100 105 110

Ser Lys Lys Arg Gly Leu Pro Val Ser Pro Thr Val Val Ala Asn Pro
 115 120 125

Ser Pro Ala Asn Lys Thr Lys Ser Glu Ala Ser Tyr Thr Gly Val Gln
 130 135 140

Arg Lys Ile Val Ser Gly Asp Glu Thr Trp Arg Thr Cys Glu Val Lys
 145 150 155 160

Tyr Gly Ser Tyr Cys Leu Trp Arg Glu Glu Asn Lys Glu Pro Met Lys
 165 170 175

Asp Ala Lys Val Lys Gln Met Lys Asp Gln Leu Phe Val Ala Arg Ala
 180 185 190

Tyr Tyr Pro Ser Ile Ala Lys Met Pro Ser Gln Ser Lys Leu Thr Arg
 195 200 205

Asp Met Lys Gln Asn Ile Gln Glu Phe Glu Arg Ile Leu Ser Glu Ser
 210 215 220

Ser Gln Asp Ala Asp Leu Pro Pro Gln Val Asp Lys Lys Leu Gln Lys
 225 230 235 240

Met Glu Ala Val Ile Ala Lys Ala Lys Ser Phe Pro Val Asp Cys Asn
 245 250 255

Asn Val Asp Lys Lys Leu Arg Gln Ile Leu Asp Leu Thr Glu Asp Glu
 260 265 270

Ala Ser Phe His Met Lys Gln Ser Val Phe Leu Tyr Gln Leu Ala Val
 275 280 285

Gln Thr Met Pro Lys Ser Leu His Cys Leu Ser Met Arg Leu Thr Val
 290 295 300

Glu His Phe Lys Ser Asp Ser Leu Glu Asp Pro Ile Ser Glu Lys Phe
 305 310 315 320

Ser Asp Pro Ser Leu Leu His Phe Val Ile Ile Ser Asp Asn Ile Leu
 325 330 335

Ala Ser Ser Val Val Ile Asn Ser Thr Val Val His Ala Arg Asp Ser
 340 345 350

14-03 WO.sequence listing.txt

Lys Asn Phe Val Phe His Val Leu Thr Asp Glu Gln Asn Tyr Phe Ala
 355 360 365
 Met Lys Gln Trp Phe Ile Arg Asn Pro Cys Lys Gln Ser Thr Val Gln
 370 375 380
 Val Leu Asn Ile Glu Lys Leu Glu Leu Asp Asp Ser Asp Met Lys Leu
 385 390 395 400
 Ser Leu Ser Ala Glu Phe Arg Val Ser Phe Pro Ser Gly Asp Leu Leu
 405 410 415
 Ala Ser Gln Gln Asn Arg Thr His Tyr Leu Ser Leu Phe Ser Gln Ser
 420 425 430
 His Tyr Leu Leu Pro Lys Leu Phe Asp Lys Leu Glu Lys Val Val Ile
 435 440 445
 Leu Asp Asp Asp Val Val Val Gln Arg Asp Leu Ser Pro Leu Trp Asp
 450 455 460
 Leu Asp Met Glu Gly Lys Val Asn Gly Ala Val Lys Ser Cys Thr Val
 465 470 475 480
 Arg Leu Gly Gln Leu Arg Ser Leu Lys Arg Gly Asn Phe Asp Thr Asn
 485 490 495
 Ala Cys Leu Trp Met Ser Gly Leu Asn Val Val Asp Leu Ala Arg Trp
 500 505 510
 Arg Ala Leu Gly Val Ser Glu Thr Tyr Gln Lys Tyr Tyr Lys Glu Met
 515 520 525
 Ser Ser Gly Asp Glu Ser Ser Glu Ala Ile Ala Leu Gln Ala Ser Leu
 530 535 540
 Leu Thr Phe Gln Asp Gln Val Tyr Ala Leu Asp Asp Lys Trp Ala Leu
 545 550 555 560
 Ser Gly Leu Gly Tyr Asp Tyr Tyr Ile Asn Ala Gln Ala Ile Lys Asn
 565 570 575
 Ala Ala Ile Leu His Tyr Asn Gly Asn Met Lys Pro Trp Leu Glu Leu
 580 585 590
 Gly Ile Pro Asn Tyr Lys Asn Tyr Trp Arg Arg His Leu Ser Arg Glu
 595 600 605

14-03 WO.sequence listing.txt

Asp Arg Phe Leu Ser Asp Cys Asn Val Asn Pro
 610 615

<210> 5
 <211> 1851
 <212> DNA
 <213> Arabidopsis thaliana

<400> 5
 atgatggtga agcttcgcaa tcttgttctt ttcttcacgc tcctcaccgt cgttgctcat 60
 atcctttctct acaccgatcc cgctgcctcc ttcaagaccc ctttttctaa acgcgatttc 120
 ctcgaggacg taaccgcctt gactttcaat tccgatgaga atcgtttgaa tcttcttcct 180
 cggaagtctc ccgctgtgct cagaggagga ctcgtcggcg ctgtctattc cgataagaat 240
 tcacggcggc tagaccaatt gtctgctcga gttctttccg ccaccgacga tgataactcac 300
 tcacatactg acattttccat caaacaagtc actcatgatg cagcctcaga ctcgcatatt 360
 aatagggaaa atatgcatgt tcaattgacc caacaaacct ctgaaaaagt tgatgagcaa 420
 ccagagccta atgcttttgg agctaagaaa gatactggaa acgtgttgat gcctgatgct 480
 caagtgaggc atcttaaaga tcagcttatt agggcaaagg tttatctttc ctttccatct 540
 gcaaaggcca atgctcattt tgtgagagag cttcgactcc gtattaaaga agttcaacgg 600
 gcacttgca g atgcctccaa ggattcggat ctgccaaaga ctgctataga aaagctaaaa 660
 gcaatggagc aaacactggc caaaggcaag cagatccaag atgactgttc tacagtggctc 720
 aagaagctac gtgctatgct ccactccgca gatgagcagc tacgggtcca taagaagcaa 780
 accatgtttt tgactcaatt gactgctaag accattccta aaggacttca ctgccttcct 840
 ctgcgcctca ctacagacta ttatgcttta aattcatctg aacaacaatt tccaaatcag 900
 gagaaactag aagatactca gctgtatcac tatgcccttt tctctgataa tgttttggct 960
 acgtcagttg ttgttaactc taccataacc aatgcaaagc atcccttaaa gcatgtcttc 1020
 cacatcgtca cagacagact caattatgcg gcaatgagga tgtggttcct ggacaatcca 1080
 cctggcaaag ccaccatcca ggttcagaat gttgaagaat ttacatggct gaattcaagc 1140
 tacagtcccg ttctcaaaca gcttagttct agatcgatga tagattatta cttcagagcc 1200
 caccatacaa attcagacac caacttgaag ttccggaatc caaaatactt atcgatcctt 1260
 aatcatcttc gtttttactt gcctgagatc tttcccaagc tcagcaaagt gctcttcttg 1320
 gatgatgata tagttgtgca gaaggacctt tctggctttt ggtcagttga tctgaaaggt 1380
 aatgttaacg gtgctgtaga gacgtgtggg gaaagctttc atcgctttga ccgttatctg 1440
 aacttctcaa atccactcat ttccaagaac ttgaccctc gagcttgtgg ttgggcgtat 1500
 ggtatgaatg tctttgatct ggatgaatgg aagaggcaaa acatcacaga agtttatcat 1560

14-03 WO.sequence listing.txt

cgatggcagg atctgaatca agaccgagaa ttgtggaagc tagggacgtt gccgcctggt 1620
 ctaatcacat tttggagacg aacatatccg ctagaccgga aatggcacat actagggctt 1680
 ggatacaacc cgagtgtgaa ccaaagggat attgagaggg cagccgtgat acactataat 1740
 ggcaacctca aaccatggct agagattggg attccaagat acagaggctt ctggtcaaag 1800
 catgtagact atgagcacgt ttatctcaga gaatgcaaca tcaatcctta g 1851

<210> 6
 <211> 616
 <212> PRT
 <213> Arabidopsis thaliana

<400> 6

Met Met Val Lys Leu Arg Asn Leu Val Leu Phe Phe Met Leu Leu Thr
 1 5 10 15
 Val Val Ala His Ile Leu Leu Tyr Thr Asp Pro Ala Ala Ser Phe Lys
 20 25 30
 Thr Pro Phe Ser Lys Arg Asp Phe Leu Glu Asp Val Thr Ala Leu Thr
 35 40 45
 Phe Asn Ser Asp Glu Asn Arg Leu Asn Leu Leu Pro Arg Glu Ser Pro
 50 55 60
 Ala Val Leu Arg Gly Gly Leu Val Gly Ala Val Tyr Ser Asp Lys Asn
 65 70 75 80
 Ser Arg Arg Leu Asp Gln Leu Ser Ala Arg Val Leu Ser Ala Thr Asp
 85 90 95
 Asp Asp Thr His Ser His Thr Asp Ile Ser Ile Lys Gln Val Thr His
 100 105 110
 Asp Ala Ala Ser Asp Ser His Ile Asn Arg Glu Asn Met His Val Gln
 115 120 125
 Leu Thr Gln Gln Thr Ser Glu Lys Val Asp Glu Gln Pro Glu Pro Asn
 130 135 140
 Ala Phe Gly Ala Lys Lys Asp Thr Gly Asn Val Leu Met Pro Asp Ala
 145 150 155 160
 Gln Val Arg His Leu Lys Asp Gln Leu Ile Arg Ala Lys Val Tyr Leu
 165 170 175

14-03 WO.sequence listing.txt

Ser Leu Pro Ser Ala Lys Ala Asn Ala His Phe Val Arg Glu Leu Arg
 180 185 190

Leu Arg Ile Lys Glu Val Gln Arg Ala Leu Ala Asp Ala Ser Lys Asp
 195 200 205

Ser Asp Leu Pro Lys Thr Ala Ile Glu Lys Leu Lys Ala Met Glu Gln
 210 215 220

Thr Leu Ala Lys Gly Lys Gln Ile Gln Asp Asp Cys Ser Thr Val Val
 225 230 235 240

Lys Lys Leu Arg Ala Met Leu His Ser Ala Asp Glu Gln Leu Arg Val
 245 250 255

His Lys Lys Gln Thr Met Phe Leu Thr Gln Leu Thr Ala Lys Thr Ile
 260 265 270

Pro Lys Gly Leu His Cys Leu Pro Leu Arg Leu Thr Thr Asp Tyr Tyr
 275 280 285

Ala Leu Asn Ser Ser Glu Gln Gln Phe Pro Asn Gln Glu Lys Leu Glu
 290 295 300

Asp Thr Gln Leu Tyr His Tyr Ala Leu Phe Ser Asp Asn Val Leu Ala
 305 310 315 320

Thr Ser Val Val Val Asn Ser Thr Ile Thr Asn Ala Lys His Pro Leu
 325 330 335

Lys His Val Phe His Ile Val Thr Asp Arg Leu Asn Tyr Ala Ala Met
 340 345 350

Arg Met Trp Phe Leu Asp Asn Pro Pro Gly Lys Ala Thr Ile Gln Val
 355 360 365

Gln Asn Val Glu Glu Phe Thr Trp Leu Asn Ser Ser Tyr Ser Pro Val
 370 375 380

Leu Lys Gln Leu Ser Ser Arg Ser Met Ile Asp Tyr Tyr Phe Arg Ala
 385 390 395 400

His His Thr Asn Ser Asp Thr Asn Leu Lys Phe Arg Asn Pro Lys Tyr
 405 410 415

Leu Ser Ile Leu Asn His Leu Arg Phe Tyr Leu Pro Glu Ile Phe Pro
 420 425 430

14-03 WO.sequence listing.txt

Lys Leu Ser Lys Val Leu Phe Leu Asp Asp Asp Ile Val Val Gln Lys
 435 440 445

Asp Leu Ser Gly Leu Trp Ser Val Asp Leu Lys Gly Asn Val Asn Gly
 450 455 460

Ala Val Glu Thr Cys Gly Glu Ser Phe His Arg Phe Asp Arg Tyr Leu
 465 470 475 480

Asn Phe Ser Asn Pro Leu Ile Ser Lys Asn Phe Asp Pro Arg Ala Cys
 485 490 495

Gly Trp Ala Tyr Gly Met Asn Val Phe Asp Leu Asp Glu Trp Lys Arg
 500 505 510

Gln Asn Ile Thr Glu Val Tyr His Arg Trp Gln Asp Leu Asn Gln Asp
 515 520 525

Arg Glu Leu Trp Lys Leu Gly Thr Leu Pro Pro Gly Leu Ile Thr Phe
 530 535 540

Trp Arg Arg Thr Tyr Pro Leu Asp Arg Lys Trp His Ile Leu Gly Leu
 545 550 555 560

Gly Tyr Asn Pro Ser Val Asn Gln Arg Asp Ile Glu Arg Ala Ala Val
 565 570 575

Ile His Tyr Asn Gly Asn Leu Lys Pro Trp Leu Glu Ile Gly Ile Pro
 580 585 590

Arg Tyr Arg Gly Phe Trp Ser Lys His Val Asp Tyr Glu His Val Tyr
 595 600 605

Leu Arg Glu Cys Asn Ile Asn Pro
 610 615

<210> 7

<211> 1770

<212> DNA

<213> Arabidopsis thaliana

<400> 7

atgaaacaaa ttcgtcgatg gcagaggatt ttgatcctcg ctctgctatc gatatcagta 60

ttcgtccgc ttattttcgt atcgaatcgg cttaaagaca tcactcccgt tggtcgtaga 120

gaatttattg aagagttatc caaaattaga ttcacgacaa atgaccttag acttagcgct 180

attgaacatg aggatggaga aggcttgaag gggccaaggc tcattctctt caaggatggg 240

14-03 WO.sequence listing.txt

```

gagtttaatt cgtctgctga aagtgatggt ggtaatactt acaaaaacag ggaagaacaa 300
gtgattgttt cacagaagat gacagttagc tctgatgaaa aggggtcaa tctaccaaca 360
gtcaaccaac ttgctaataa aacggatttc aagccccctt tatctaaggg tgaaaagaac 420
acaagggttc agcccgacag agcaacagat gtgaaaacga aggagatcag agacaaaatt 480
attcaagcta aagcctacct gaatttcgct ccacctggaa gtaactctca agttgtgaag 540
gagttgagag gtcggctgaa agagctggaa cggctctgtt gtgatgcaac aaaggacaag 600
gacttatcaa agggcgctct ccgcagggtg aagcccatgg aaaatgtgtt atataaggct 660
agtcgtgtct ttaacaattg ccctgccatc gctaccaaac tccgtgccat gaattataac 720
acagaagaac aagttcaggc gcagaaaaat caagcagcgt atctaatagca gcttgacgca 780
aggaccaccc caaaagggtc tctactgtct tcaatgcggc tgacatcaga atacttttca 840
ctggatcctg aaaaaaggca gatgcctaac cagcaaaatt attttgacgc taatttcaat 900
cattatgttg tcttctctga caatgttttg gcttcttcag tcgttgtaa ctctacgata 960
tcttcatcaa aggagccaga aagaatagtc ttccatgtcg tgactgattc acttaattac 1020
ccagcaatct caatgtgggt tctgctaaac attcaaagta aagctactat ccaaatacta 1080
aacattgatg atatggatgt cctgcctaga gattatgatc aattactgat gaagcaaac 1140
tctaatagacc caagattcat ttctacactc aatcacgcac gcttctatct cccggatata 1200
ttcccgggtt tgaacaagat ggtactcttg gaccatgatg tagttgttca aagagattta 1260
agtagactgt ggagcattga tatgaaagga aagggtggtg gagctgtaga gacttgtctt 1320
gaaggtgaat cttcatttcg atcaatgagc acatttatta atttctcaga cacatgggtc 1380
gctgggaaat ttagtcctag agcttgacac tgggctttcg ggatgaatct aattgatctc 1440
gaagaatgga gaatacggaa gttgacttct acatacataa aatacttcaa cctgggaaca 1500
aagagaccat tgtggaaagc tgggagctta ccaatagggt gggtgacttt ctataggcaa 1560
acattagcat tggacaagag atggcatgtg atgggggttag gtcgcgaatc aggagtcaaa 1620
gcggttgaca tcgaacaagc ggcagttata cactacgatg gggatcatgaa gccgtggttg 1680
gacattggaa aagagaatta caaacgttac tggaacatac acgtccctta ccatcacacc 1740
tacttgcaac agtgcaatct tcaagcttga 1770

```

```

<210> 8
<211> 589
<212> PRT
<213> Arabidospsis thaliana

```

```
<400> 8
```

```

Met Lys Gln Ile Arg Arg Trp Gln Arg Ile Leu Ile Leu Ala Leu Leu
1           5           10           15

```

14-03 WO.sequence listing.txt

Ser Ile Ser Val Phe Ala Pro Leu Ile Phe Val Ser Asn Arg Leu Lys
 20 25 30
 Ser Ile Thr Pro Val Gly Arg Arg Glu Phe Ile Glu Glu Leu Ser Lys
 35 40 45
 Ile Arg Phe Thr Thr Asn Asp Leu Arg Leu Ser Ala Ile Glu His Glu
 50 55 60
 Asp Gly Glu Gly Leu Lys Gly Pro Arg Leu Ile Leu Phe Lys Asp Gly
 65 70 75 80
 Glu Phe Asn Ser Ser Ala Glu Ser Asp Gly Gly Asn Thr Tyr Lys Asn
 85 90 95
 Arg Glu Glu Gln Val Ile Val Ser Gln Lys Met Thr Val Ser Ser Asp
 100 105 110
 Glu Lys Gly Gln Ile Leu Pro Thr Val Asn Gln Leu Ala Asn Lys Thr
 115 120 125
 Asp Phe Lys Pro Pro Leu Ser Lys Gly Glu Lys Asn Thr Arg Val Gln
 130 135 140
 Pro Asp Arg Ala Thr Asp Val Lys Thr Lys Glu Ile Arg Asp Lys Ile
 145 150 155 160
 Ile Gln Ala Lys Ala Tyr Leu Asn Phe Ala Pro Pro Gly Ser Asn Ser
 165 170 175
 Gln Val Val Lys Glu Leu Arg Gly Arg Leu Lys Glu Leu Glu Arg Ser
 180 185 190
 Val Gly Asp Ala Thr Lys Asp Lys Asp Leu Ser Lys Gly Ala Leu Arg
 195 200 205
 Arg Val Lys Pro Met Glu Asn Val Leu Tyr Lys Ala Ser Arg Val Phe
 210 215 220
 Asn Asn Cys Pro Ala Ile Ala Thr Lys Leu Arg Ala Met Asn Tyr Asn
 225 230 235 240
 Thr Glu Glu Gln Val Gln Ala Gln Lys Asn Gln Ala Ala Tyr Leu Met
 245 250 255
 Gln Leu Ala Ala Arg Thr Thr Pro Lys Gly Leu His Cys Leu Ser Met
 260 265 270

14-03 WO.sequence listing.txt

Arg Leu Thr Ser Glu Tyr Phe Ser Leu Asp Pro Glu Lys Arg Gln Met
 275 280 285
 Pro Asn Gln Gln Asn Tyr Phe Asp Ala Asn Phe Asn His Tyr Val Val
 290 295 300
 Phe Ser Asp Asn Val Leu Ala Ser Ser Val Val Val Asn Ser Thr Ile
 305 310 315 320
 Ser Ser Ser Lys Glu Pro Glu Arg Ile Val Phe His Val Val Thr Asp
 325 330 335
 Ser Leu Asn Tyr Pro Ala Ile Ser Met Trp Phe Leu Leu Asn Ile Gln
 340 345 350
 Ser Lys Ala Thr Ile Gln Ile Leu Asn Ile Asp Asp Met Asp Val Leu
 355 360 365
 Pro Arg Asp Tyr Asp Gln Leu Leu Met Lys Gln Asn Ser Asn Asp Pro
 370 375 380
 Arg Phe Ile Ser Thr Leu Asn His Ala Arg Phe Tyr Leu Pro Asp Ile
 385 390 395 400
 Phe Pro Gly Leu Asn Lys Met Val Leu Leu Asp His Asp Val Val Val
 405 410 415
 Gln Arg Asp Leu Ser Arg Leu Trp Ser Ile Asp Met Lys Gly Lys Val
 420 425 430
 Val Gly Ala Val Glu Thr Cys Leu Glu Gly Glu Ser Ser Phe Arg Ser
 435 440 445
 Met Ser Thr Phe Ile Asn Phe Ser Asp Thr Trp Val Ala Gly Lys Phe
 450 455 460
 Ser Pro Arg Ala Cys Thr Trp Ala Phe Gly Met Asn Leu Ile Asp Leu
 465 470 475 480
 Glu Glu Trp Arg Ile Arg Lys Leu Thr Ser Thr Tyr Ile Lys Tyr Phe
 485 490 495
 Asn Leu Gly Thr Lys Arg Pro Leu Trp Lys Ala Gly Ser Leu Pro Ile
 500 505 510
 Gly Trp Leu Thr Phe Tyr Arg Gln Thr Leu Ala Leu Asp Lys Arg Trp

14-03 WO.sequence listing.txt

515

520

525

His Val Met Gly Leu Gly Arg Glu Ser Gly Val Lys Ala Val Asp Ile
 530 535 540

Glu Gln Ala Ala Val Ile His Tyr Asp Gly Val Met Lys Pro Trp Leu
 545 550 555 560

Asp Ile Gly Lys Glu Asn Tyr Lys Arg Tyr Trp Asn Ile His Val Pro
 565 570 575

Tyr His His Thr Tyr Leu Gln Gln Cys Asn Leu Gln Ala
 580 585

<210> 9
 <211> 1614
 <212> DNA
 <213> Arabidopsis thaliana

<400> 9
 atgaggcggt ggccggtgga tcaccggcgg cgaggtagaa ggagattgtc gagttggata 60
 tggtttctcc ttggttcttt ctctgtcgtt ggtttagttc tcttcacgtc tcagcattat 120
 caccatcaac aagatccatc ccagctttta cttgagagag acacgagaac cgaaatggta 180
 tctcctcccc atttaaactt cacggaagag gtcacaagtg cttcctcctt ctctaggcag 240
 ttagcagagc aaatgacact tgccaaagct tatgtgttta tagctaaaga gcataataat 300
 cttcatttag cttgggaatt gagttctaag atcagaagtt gtcagctttt gctttccaaa 360
 gcagctatga gaggacaacc tatttcgttt gatgaggcta aaccgattat tactgggtcta 420
 tcagctctta tctacaaggc tcaagatgca cattatgata ttgccaccac tatgatgacc 480
 atgaaatctc acatccaagc acttgaagag cgtgcaaatg cagctactgt tcagaccaca 540
 atatttgggc aattgggtgc tgaggcatta ccaaagagcc tccactgttt gacgataaag 600
 ctcacatctg attgggtaac agagccatct cgccatgaac tggcagatga gaacagaaac 660
 tcacctagac ttgtcgacaa caacctctac cacttctgca tcttctcgga caacgtgatt 720
 gccacctcgg ttgttggtta ttcaactgtc tcgaatgctg atcatccaaa gcagcttggt 780
 ttccacatag tgacgaatcg agtgagctac aaagctatgc aggcttggtt tctaagtaat 840
 gacttcaagg gctcagcaat agagatcagg agcgtagagg agttttcttg gttgaatgct 900
 tcatattctc ctgttggtta gcaactgctg gacacagatg caagagctta ctatttcggg 960
 gaacagacaa gtcaagatac gatttccgag ccaaagtga ggaacccaaa gtacttggtca 1020
 ttactgaacc atctcagatt ctacattccg gagatctatc cacagctaga gaagattggt 1080
 ttcttagacg atgatgttgt tgttcagaaa gatttgactc cactcttctc cttggatctg 1140

14-03 WO.sequence listing.txt

```

catggaaacg tcaatggagc tgtggaaaca tgtcttgaag cctttcaccg atattacaag 1200
tatctaaatt tctcgaaccc actcatcagc tcaaagttcg acccacaagc atgtggatgg 1260
gcttttggtg tgaacgtttt tgatctgacg gcttggagga atgcaaacgt gactgctcgg 1320
taccattact ggcaagatca gaacagagaa cgaacgcttt ggaaactcgg gacactccct 1380
ccagggtctac tatcttttcta tgggtctcaca gagccactgg acagaagatg gcatgtcttg 1440
ggtttaggtt acgatgtgaa catcgataac cgtctgatcg aaacagcagc tgtgattcac 1500
tataatggta acatgaagcc ttggctaaag ctggctattg gtaggtataa acctttctgg 1560
ttaaagtttt tgaactcgag ccataccttat ttacaagatt gtgtcacagc ttaa 1614

```

<210> 10
 <211> 537
 <212> PRT
 <213> Arabidopsis thaliana

<400> 10

Met Arg Arg Trp Pro Val Asp His Arg Arg Arg Gly Arg Arg Arg Leu
 1 5 10 15

Ser Ser Trp Ile Trp Phe Leu Leu Gly Ser Phe Ser Val Ala Gly Leu
 20 25 30

Val Leu Phe Ile Val Gln His Tyr His His Gln Gln Asp Pro Ser Gln
 35 40 45

Leu Leu Leu Glu Arg Asp Thr Arg Thr Glu Met Val Ser Pro Pro His
 50 55 60

Leu Asn Phe Thr Glu Glu Val Thr Ser Ala Ser Ser Phe Ser Arg Gln
 65 70 75 80

Leu Ala Glu Gln Met Thr Leu Ala Lys Ala Tyr Val Phe Ile Ala Lys
 85 90 95

Glu His Asn Asn Leu His Leu Ala Trp Glu Leu Ser Ser Lys Ile Arg
 100 105 110

Ser Cys Gln Leu Leu Leu Ser Lys Ala Ala Met Arg Gly Gln Pro Ile
 115 120 125

Ser Phe Asp Glu Ala Lys Pro Ile Ile Thr Gly Leu Ser Ala Leu Ile
 130 135 140

Tyr Lys Ala Gln Asp Ala His Tyr Asp Ile Ala Thr Thr Met Met Thr
 145 150 155 160

14-03 WO.sequence listing.txt

Met Lys Ser His Ile Gln Ala Leu Glu Glu Arg Ala Asn Ala Ala Thr
 165 170 175
 Val Gln Thr Thr Ile Phe Gly Gln Leu Val Ala Glu Ala Leu Pro Lys
 180 185 190
 Ser Leu His Cys Leu Thr Ile Lys Leu Thr Ser Asp Trp Val Thr Glu
 195 200 205
 Pro Ser Arg His Glu Leu Ala Asp Glu Asn Arg Asn Ser Pro Arg Leu
 210 215 220
 Val Asp Asn Asn Leu Tyr His Phe Cys Ile Phe Ser Asp Asn Val Ile
 225 230 235 240
 Ala Thr Ser Val Val Val Asn Ser Thr Val Ser Asn Ala Asp His Pro
 245 250 255
 Lys Gln Leu Val Phe His Ile Val Thr Asn Arg Val Ser Tyr Lys Ala
 260 265 270
 Met Gln Ala Trp Phe Leu Ser Asn Asp Phe Lys Gly Ser Ala Ile Glu
 275 280 285
 Ile Arg Ser Val Glu Glu Phe Ser Trp Leu Asn Ala Ser Tyr Ser Pro
 290 295 300
 Val Val Lys Gln Leu Leu Asp Thr Asp Ala Arg Ala Tyr Tyr Phe Gly
 305 310 315 320
 Glu Gln Thr Ser Gln Asp Thr Ile Ser Glu Pro Lys Val Arg Asn Pro
 325 330 335
 Lys Tyr Leu Ser Leu Leu Asn His Leu Arg Phe Tyr Ile Pro Glu Ile
 340 345 350
 Tyr Pro Gln Leu Glu Lys Ile Val Phe Leu Asp Asp Asp Val Val Val
 355 360 365
 Gln Lys Asp Leu Thr Pro Leu Phe Ser Leu Asp Leu His Gly Asn Val
 370 375 380
 Asn Gly Ala Val Glu Thr Cys Leu Glu Ala Phe His Arg Tyr Tyr Lys
 385 390 395 400
 Tyr Leu Asn Phe Ser Asn Pro Leu Ile Ser Ser Lys Phe Asp Pro Gln
 405 410 415

14-03 WO.sequence listing.txt

Ala Cys Gly Trp Ala Phe Gly Met Asn Val Phe Asp Leu Ile Ala Trp
 420 425 430

Arg Asn Ala Asn Val Thr Ala Arg Tyr His Tyr Trp Gln Asp Gln Asn
 435 440 445

Arg Glu Arg Thr Leu Trp Lys Leu Gly Thr Leu Pro Pro Gly Leu Leu
 450 455 460

Ser Phe Tyr Gly Leu Thr Glu Pro Leu Asp Arg Arg Trp His Val Leu
 465 470 475 480

Gly Leu Gly Tyr Asp Val Asn Ile Asp Asn Arg Leu Ile Glu Thr Ala
 485 490 495

Ala Val Ile His Tyr Asn Gly Asn Met Lys Pro Trp Leu Lys Leu Ala
 500 505 510

Ile Gly Arg Tyr Lys Pro Phe Trp Leu Lys Phe Leu Asn Ser Ser His
 515 520 525

Pro Tyr Leu Gln Asp Cys Val Thr Ala
 530 535

<210> 11
 <211> 1611
 <212> DNA
 <213> Arabidopsis thaliana

<400> 11
 atgagaagga gaggagggga tagtttccgg agagctggac ggaggaagat ctcgaatgtg 60
 gtatggtggg ttctctctgg tattgccctc ctgctcttct ttctcattct ctccaaagct 120
 ggtcatattg aacctagacc ctctattcct aagcgacggt accgtaatga caaatttgta 180
 gagggtatga atatgactga ggaaatgttg agtcctactt ccgttgctcg tcaagttaat 240
 gatcagattg ctcttgctaa agcttttggt gtcattgcta aagaaagtaa gaatcttcag 300
 ttgcttggg acttaagtgc tcagatccgt aactctcagt tgcttttatc gagtgctgct 360
 actaggagaa gtcccttgac tgtcttgga tctgagtcta ctattcgtga catggctggt 420
 ttgttatatc aagctcagca gcttcactat gatagtgcta ctatgattat gaggcttaag 480
 gcctcgattc aggctcttga agaacaaatg agttccgta gcgagaagag ttccaagtat 540
 ggacagattg ctgctgagga agtgcctaag agtctttact gtcttggtgt tcgtctcact 600
 accgaatggt ttcagaattt agacttacag agaactctta aggaaaggag tcgtgttgat 660
 tcgaaactca cggataacag tctctaccat ttctgtgtgt tttccgataa cattattgct 720

14-03 WO.sequence listing.txt

```

acttctgttg tggtaattc tactgctctc aattccaagg cccctgagaa agttgtgttt 780
catcttgtga ctaatgagat caactatgct gcaatgaagg ctgggttcgc cattaatatg 840
gacaacctca gaggagtcac tgtggagggt cagaagttcg aggatttctc atggctgaat 900
gcttcctatg ttccggtcct caagcagctg caagactctg atacgcaaag ctattatttc 960
tctggacaca acgatgatgg gcgcactcca atcaaattca ggaaccccaa gtatctttcc 1020
atgctcaacc atcttaggtt ctacatccct gaagtgtttc ctgcgctgaa gaagggtggtc 1080
tttcttgatg atgatgttgt agttcagaag gatctttcat ctctcttttc gatcgattta 1140
aacaaaaatg tgaacggggc tgttgagacc tgcattggaga ccttcaccg ctaccacaag 1200
tacttgaact attctcatcc tctcatcgc tcccactttg atccagatgc gtgtgggtgg 1260
gcgtttggaa tgaacgtcct tgatttagtt gaggaggaga agagaaatgt gaccggcata 1320
taccactact ggcaagaaaa aaacgtggac cggaccttat ggaaactggg aacactacct 1380
ccaggacttc tgacatttta cgggttaaca gaggcactag aggcgtcctg gcataatcctg 1440
ggattgggat acacgaatgt ggatgctcgt gtgatagaga aaggagctgt tcttcacttc 1500
aatgggaact taaagccatg gttgaagatc gggatagaga agtacaacc tttgtgggag 1560
agatacgttg attacacttc tccttttatg caacaatgca attttcattg a 1611

```

<210> 12
 <211> 536
 <212> PRT
 <213> Arabidopsis thaliana

<400> 12

Met Arg Arg Arg Gly Gly Asp Ser Phe Arg Arg Ala Gly Arg Arg Lys
 1 5 10 15

Ile Ser Asn Val Val Trp Trp Val Leu Ser Gly Ile Ala Leu Leu Leu
 20 25 30

Phe Phe Leu Ile Leu Ser Lys Ala Gly His Ile Glu Pro Arg Pro Ser
 35 40 45

Ile Pro Lys Arg Arg Tyr Arg Asn Asp Lys Phe Val Glu Gly Met Asn
 50 55 60

Met Thr Glu Glu Met Leu Ser Pro Thr Ser Val Ala Arg Gln Val Asn
 65 70 75 80

Asp Gln Ile Ala Leu Ala Lys Ala Phe Val Val Ile Ala Lys Glu Ser
 85 90 95

14-03 WO.sequence listing.txt

Lys Asn Leu Gln Phe Ala Trp Asp Leu Ser Ala Gln Ile Arg Asn Ser
 100 105 110

Gln Leu Leu Leu Ser Ser Ala Ala Thr Arg Arg Ser Pro Leu Thr Val
 115 120 125

Leu Glu Ser Glu Ser Thr Ile Arg Asp Met Ala Val Leu Leu Tyr Gln
 130 135 140

Ala Gln Gln Leu His Tyr Asp Ser Ala Thr Met Ile Met Arg Leu Lys
 145 150 155 160

Ala Ser Ile Gln Ala Leu Glu Glu Gln Met Ser Ser Val Ser Glu Lys
 165 170 175

Ser Ser Lys Tyr Gly Gln Ile Ala Ala Glu Glu Val Pro Lys Ser Leu
 180 185 190

Tyr Cys Leu Gly Val Arg Leu Thr Thr Glu Trp Phe Gln Asn Leu Asp
 195 200 205

Leu Gln Arg Thr Leu Lys Glu Arg Ser Arg Val Asp Ser Lys Leu Thr
 210 215 220

Asp Asn Ser Leu Tyr His Phe Cys Val Phe Ser Asp Asn Ile Ile Ala
 225 230 235 240

Thr Ser Val Val Val Asn Ser Thr Ala Leu Asn Ser Lys Ala Pro Glu
 245 250 255

Lys Val Val Phe His Leu Val Thr Asn Glu Ile Asn Tyr Ala Ala Met
 260 265 270

Lys Ala Trp Phe Ala Ile Asn Met Asp Asn Leu Arg Gly Val Thr Val
 275 280 285

Glu Val Gln Lys Phe Glu Asp Phe Ser Trp Leu Asn Ala Ser Tyr Val
 290 295 300

Pro Val Leu Lys Gln Leu Gln Asp Ser Asp Thr Gln Ser Tyr Tyr Phe
 305 310 315 320

Ser Gly His Asn Asp Asp Gly Arg Thr Pro Ile Lys Phe Arg Asn Pro
 325 330 335

Lys Tyr Leu Ser Met Leu Asn His Leu Arg Phe Tyr Ile Pro Glu Val
 340 345 350

14-03 WO.sequence listing.txt

Phe Pro Ala Leu Lys Lys Val Val Phe Leu Asp Asp Asp Val Val Val
 355 360 365

Gln Lys Asp Leu Ser Ser Leu Phe Ser Ile Asp Leu Asn Lys Asn Val
 370 375 380

Asn Gly Ala Val Glu Thr Cys Met Glu Thr Phe His Arg Tyr His Lys
 385 390 395 400

Tyr Leu Asn Tyr Ser His Pro Leu Ile Arg Ser His Phe Asp Pro Asp
 405 410 415

Ala Cys Gly Trp Ala Phe Gly Met Asn Val Phe Asp Leu Val Glu Trp
 420 425 430

Arg Lys Arg Asn Val Thr Gly Ile Tyr His Tyr Trp Gln Glu Lys Asn
 435 440 445

Val Asp Arg Thr Leu Trp Lys Leu Gly Thr Leu Pro Pro Gly Leu Leu
 450 455 460

Thr Phe Tyr Gly Leu Thr Glu Ala Leu Glu Ala Ser Trp His Ile Leu
 465 470 475 480

Gly Leu Gly Tyr Thr Asn Val Asp Ala Arg Val Ile Glu Lys Gly Ala
 485 490 495

Val Leu His Phe Asn Gly Asn Leu Lys Pro Trp Leu Lys Ile Gly Ile
 500 505 510

Glu Lys Tyr Lys Pro Leu Trp Glu Arg Tyr Val Asp Tyr Thr Ser Pro
 515 520 525

Phe Met Gln Gln Cys Asn Phe His
 530 535

<210> 13

<211> 1833

<212> DNA

<213> Arabidopsis thaliana

<400> 13

atgaatcaag ttcgtcgttg gcagaggatt ctgatcctct cgctgctatt gttatctgtt 60

ttagctccga ttgttttcgt ttcgaatcgg ctcaagagca tcacttccgt cgatagagga 120

gaattcattg aagaattatc cgacattaca gataagaccg aggatgaact tagacttact 180

gctattgaac aggacgaaga aggcttgaag gagcctaaac gtattctgca ggatcgagat 240

14-03 wo.sequence listing.txt

```

ttaattctg tggttttgtc aaattcctct gataaaagta atgatactgt gcagtctaataat 300
gaggagagacc aaaaaaactt tctctcagaa gttgataagg gaaataatca caaaccaaag 360
gaggaacaag cagtttcaca gaaaaccaca gtaagctcga atgcggaggt gaaaatttca 420
gcaagagata ttcaacttaa tcataaaacg gaattccgac ccccttcaag taagagtga 480
aagaatacaa gggttcaact tgaaagagca acagatgaga gggtaaagga gatcagagac 540
aaaattatcc aagcgaaagc ctatctgaat ttggccctac ctgggaataa ctcccaaatac 600
gtaaaggagt tgagagttcg aacgaaagag ctggaacggg ctactggtga tactaccaag 660
gataaatatt tgccaaagag ctctcctaac agattgaagg ccatggaagt tgcgttatac 720
aaggtcagcc gtgcctttca caactgccct gccattgcta ccaaactcca agccatgact 780
tataaaaccg aagaacaagc tcgggcgcag aagaaacaag cagcatattt aatgcagctt 840
gcagcaagga ctaccccaaa agggcttcat tgtctctcaa tgcggttgac aacagaatat 900
tttaccctgg atcacgaaaa aaggcagctt ttgcaacaaa gttataatga tcctgatctc 960
taccattacg tagtcttctc tgacaatggt ttggcctctt cggttggtgt taactctaca 1020
atctcctcat caaaggaacc ggataaaata gtattccatg tggtgacaga ttactcaat 1080
taccagcaa tctcaatgtg gtttttacta aaccaagtg gcagagcttc aatccaaatc 1140
ctaaacattg atgaaatgaa tgtcctgcc ttgtaccatg ctgaattgct gatgaagcaa 1200
aattcaagtg acccaagaat catttcagcg ctcaaccatg cacgcttcta tctcccagat 1260
atcttcccag gtctaaacaa gatcgactc ttcgatcatg atgtagtagt gcaaagggat 1320
ctaactagac tgtggagcct tgatatgacg gggaaagttg ttggagctgt agagacttgt 1380
cttgaagggt atccttcata tcgttcgatg gactcattca ttaatttctc agatgcatgg 1440
gtttctcaga aatttgatcc caaggcttgc acttgggcat tcgggatgaa tctatttgat 1500
ctcgaagaat ggagaagaca ggagttgact tctgtatacc tgaaatactt cgacctggga 1560
gtaaaaggac atctgtggaa agcaggggga ttgccagtag gttggttgac ttttttcggg 1620
caaacgtttc cgttggaaaa gagatggaac gtgggtgggt taggtcacga atcaggactc 1680
agggcaagcg acatcgaaca agcagcggtt atacactacg acgggatcat gaaaccatgg 1740
ctggacatcg gtatagacaa gtacaagcgc tactggaaca tacatgtacc ttaccatcac 1800
cctcacttac aacggtgcaa cattcacgat tga 1833

```

<210> 14
 <211> 610
 <212> PRT
 <213> Arabidopsis thaliana

<400> 14

Met Asn Gln Val Arg Arg Trp Gln Arg Ile Leu Ile Leu Ser Leu Leu
 Page 23

14-03 wo.sequence listing.txt

```

1              5              10              15
Leu Leu Ser Val Leu Ala Pro Ile Val Phe Val Ser Asn Arg Leu Lys
20              25              30
Ser Ile Thr Ser Val Asp Arg Gly Glu Phe Ile Glu Glu Leu Ser Asp
35              40              45
Ile Thr Asp Lys Thr Glu Asp Glu Leu Arg Leu Thr Ala Ile Glu Gln
50              55              60
Asp Glu Glu Gly Leu Lys Glu Pro Lys Arg Ile Leu Gln Asp Arg Asp
65              70              75              80
Phe Asn Ser Val Val Leu Ser Asn Ser Ser Asp Lys Ser Asn Asp Thr
85              90              95
Val Gln Ser Asn Glu Gly Asp Gln Lys Asn Phe Leu Ser Glu Val Asp
100             105             110
Lys Gly Asn Asn His Lys Pro Lys Glu Glu Gln Ala Val Ser Gln Lys
115             120             125
Thr Thr Val Ser Ser Asn Ala Glu Val Lys Ile Ser Ala Arg Asp Ile
130             135             140
Gln Leu Asn His Lys Thr Glu Phe Arg Pro Pro Ser Ser Lys Ser Glu
145             150             155             160
Lys Asn Thr Arg Val Gln Leu Glu Arg Ala Thr Asp Glu Arg Val Lys
165             170             175
Glu Ile Arg Asp Lys Ile Ile Gln Ala Lys Ala Tyr Leu Asn Leu Ala
180             185             190
Leu Pro Gly Asn Asn Ser Gln Ile Val Lys Glu Leu Arg Val Arg Thr
195             200             205
Lys Glu Leu Glu Arg Ala Thr Gly Asp Thr Thr Lys Asp Lys Tyr Leu
210             215             220
Pro Lys Ser Ser Pro Asn Arg Leu Lys Ala Met Glu Val Ala Leu Tyr
225             230             235             240
Lys Val Ser Arg Ala Phe His Asn Cys Pro Ala Ile Ala Thr Lys Leu
245             250             255

```

14-03 WO.sequence listing.txt

Gln Ala Met Thr Tyr Lys Thr Glu Glu Gln Ala Arg Ala Gln Lys Lys
 260 265 270

Gln Ala Ala Tyr Leu Met Gln Leu Ala Ala Arg Thr Thr Pro Lys Gly
 275 280 285

Leu His Cys Leu Ser Met Arg Leu Thr Thr Glu Tyr Phe Thr Leu Asp
 290 295 300

His Glu Lys Arg Gln Leu Leu Gln Gln Ser Tyr Asn Asp Pro Asp Leu
 305 310 315 320

Tyr His Tyr Val Val Phe Ser Asp Asn Val Leu Ala Ser Ser Val Val
 325 330 335

Val Asn Ser Thr Ile Ser Ser Ser Lys Glu Pro Asp Lys Ile Val Phe
 340 345 350

His Val Val Thr Asp Ser Leu Asn Tyr Pro Ala Ile Ser Met Trp Phe
 355 360 365

Leu Leu Asn Pro Ser Gly Arg Ala Ser Ile Gln Ile Leu Asn Ile Asp
 370 375 380

Glu Met Asn Val Leu Pro Leu Tyr His Ala Glu Leu Leu Met Lys Gln
 385 390 395 400

Asn Ser Ser Asp Pro Arg Ile Ile Ser Ala Leu Asn His Ala Arg Phe
 405 410 415

Tyr Leu Pro Asp Ile Phe Pro Gly Leu Asn Lys Ile Val Leu Phe Asp
 420 425 430

His Asp Val Val Val Gln Arg Asp Leu Thr Arg Leu Trp Ser Leu Asp
 435 440 445

Met Thr Gly Lys Val Val Gly Ala Val Glu Thr Cys Leu Glu Gly Asp
 450 455 460

Pro Ser Tyr Arg Ser Met Asp Ser Phe Ile Asn Phe Ser Asp Ala Trp
 465 470 475 480

Val Ser Gln Lys Phe Asp Pro Lys Ala Cys Thr Trp Ala Phe Gly Met
 485 490 495

Asn Leu Phe Asp Leu Glu Glu Trp Arg Arg Gln Glu Leu Thr Ser Val
 500 505 510

14-03 WO.sequence listing.txt

Tyr Leu Lys Tyr Phe Asp Leu Gly Val Lys Gly His Leu Trp Lys Ala
 515 520 525

Gly Gly Leu Pro Val Gly Trp Leu Thr Phe Phe Gly Gln Thr Phe Pro
 530 535 540

Leu Glu Lys Arg Trp Asn Val Gly Gly Leu Gly His Glu Ser Gly Leu
 545 550 555 560

Arg Ala Ser Asp Ile Glu Gln Ala Ala Val Ile His Tyr Asp Gly Ile
 565 570 575

Met Lys Pro Trp Leu Asp Ile Gly Ile Asp Lys Tyr Lys Arg Tyr Trp
 580 585 590

Asn Ile His Val Pro Tyr His His Pro His Leu Gln Arg Cys Asn Ile
 595 600 605

His Asp
 610

<210> 15
 <211> 1587
 <212> DNA
 <213> Arabidopsis thaliana

<400> 15
 atgactgatg cttgttggtt gaagggaaac gaggacaaaa tggttcctcg ttttggtcat 60
 ggaacctgga taggaaaagc atttaatgat acaccagaga tggtgcatga aaggagtctg 120
 agacaggaaa aaagattgga aagggctaag gagctgatga atgatgatag tctgcaaaaag 180
 cttgagacgg cagccatggc acgttccaga tctgtcgatt ctgcaccact aggaaactac 240
 accatttgga aaaatgaata ccggagggggc aagagttttg aagatatgtt acgtttgatg 300
 caagatcaaa tcatcatggc acgagtttac agtggacttg caaagtttac aaacaatctc 360
 gccttgcacc aagagataga aacacaacta atgaaactag cttgggagga agaacttact 420
 gatattgatc aggagcagag agtacttgac agtataagag acatgggaca aatactggct 480
 agagcacacg agcagctata tgaatgcaag ttggtgacaa ataagttgag agcaatgcta 540
 caaacagttg aagatgaact cgaaaacgag cagacttata taacgttctt gactcagcta 600
 gcttccaagg cactaccaga tgctatccac tgcttgacca tgcgcttgaa tctagagtat 660
 catctcctgc ctttaccgat gagaaatttt ccaaggaggg agaatttgga gaatccaaaa 720
 ctttaccact acgctctctt ctctgataat gtactggctg catcagttgt tgtcaactcc 780
 acagtcatga atgcacagga tccttcaagg catgttttcc accttgtagc tgataagctc 840

14-03 WO.sequence listing.txt

```

aactttggag caatgagtat gtggtttctg ttgaaccctc ctggagaagc gaccatccat   900
gtccaaaggt ttgaagattt tacttggctc aactcatctt actctccagt tttgagtcag   960
ctcgagtcag cagctatgaa gaagttctac ttcaagacag cgaggtctga atcagttgaa  1020
tcaggctcag aaaacctcaa gtaccggtac ccgaaatata tgtcaatgct taaccacctg  1080
aggttctaca tccctaggat cttcccaaag ttggagaaaa tcttgtttgt tgacgatgat  1140
gtggttggtc agaaggattt aactccccta tgggtccattg atcttaaagg gaaagtgaat  1200
gaaaactttg atcccaagtt ctgcggtagg gcttatggga tgaacatctt cgacctgaaa  1260
gaatggaaga agaacaacat tacagaaact taccactttt ggcaaaacct gaacgaaaac  1320
cggactctat ggaaactagg aacattgcca ccagggtctc taacgttcta caatctgaca  1380
caaccacttc agagaaaatg gcacttactt ggactggggt atgataaagg aatcgatgtc  1440
aagaagattg aaagatcagc tggtatacat tacaatggac acatgaaacc atggacagag  1500
atggggataa gcaagtatca gccatattgg acgaagtaca ccaattttga ccatccttac  1560
atctttactt gcaggctggt tgagtga                                     1587

```

<210> 16
 <211> 528
 <212> PRT
 <213> Arabidopsis thaliana

<400> 16

Met Thr Asp Ala Cys Cys Leu Lys Gly Asn Glu Asp Lys Met Val Pro
 1 5 10 15

Arg Phe Gly His Gly Thr Trp Ile Gly Lys Ala Phe Asn Asp Thr Pro
 20 25 30

Glu Met Leu His Glu Arg Ser Leu Arg Gln Glu Lys Arg Leu Glu Arg
 35 40 45

Ala Asn Glu Leu Met Asn Asp Asp Ser Leu Gln Lys Leu Glu Thr Ala
 50 55 60

Ala Met Ala Arg Ser Arg Ser Val Asp Ser Ala Pro Leu Gly Asn Tyr
 65 70 75 80

Thr Ile Trp Lys Asn Glu Tyr Arg Arg Gly Lys Ser Phe Glu Asp Met
 85 90 95

Leu Arg Leu Met Gln Asp Gln Ile Ile Met Ala Arg Val Tyr Ser Gly
 100 105 110

Leu Ala Lys Phe Thr Asn Asn Leu Ala Leu His Gln Glu Ile Glu Thr

14-03 WO.sequence listing.txt

115

120

125

Gln Leu Met Lys Leu Ala Trp Glu Glu Glu Ser Thr Asp Ile Asp Gln
 130 135 140

Glu Gln Arg Val Leu Asp Ser Ile Arg Asp Met Gly Gln Ile Leu Ala
 145 150 155 160

Arg Ala His Glu Gln Leu Tyr Glu Cys Lys Leu Val Thr Asn Lys Leu
 165 170 175

Arg Ala Met Leu Gln Thr Val Glu Asp Glu Leu Glu Asn Glu Gln Thr
 180 185 190

Tyr Ile Thr Phe Leu Thr Gln Leu Ala Ser Lys Ala Leu Pro Asp Ala
 195 200 205

Ile His Cys Leu Thr Met Arg Leu Asn Leu Glu Tyr His Leu Leu Pro
 210 215 220

Leu Pro Met Arg Asn Phe Pro Arg Arg Glu Asn Leu Glu Asn Pro Lys
 225 230 235 240

Leu Tyr His Tyr Ala Leu Phe Ser Asp Asn Val Leu Ala Ala Ser Val
 245 250 255

Val Val Asn Ser Thr Val Met Asn Ala Gln Asp Pro Ser Arg His Val
 260 265 270

Phe His Leu Val Thr Asp Lys Leu Asn Phe Gly Ala Met Ser Met Trp
 275 280 285

Phe Leu Leu Asn Pro Pro Gly Glu Ala Thr Ile His Val Gln Arg Phe
 290 295 300

Glu Asp Phe Thr Trp Leu Asn Ser Ser Tyr Ser Pro Val Leu Ser Gln
 305 310 315 320

Leu Glu Ser Ala Ala Met Lys Lys Phe Tyr Phe Lys Thr Ala Arg Ser
 325 330 335

Glu Ser Val Glu Ser Gly Ser Glu Asn Leu Lys Tyr Arg Tyr Pro Lys
 340 345 350

Tyr Met Ser Met Leu Asn His Leu Arg Phe Tyr Ile Pro Arg Ile Phe
 355 360 365

14-03 WO.sequence listing.txt

Pro Lys Leu Glu Lys Ile Leu Phe Val Asp Asp Val Val Val Gln
 370 375 380

Lys Asp Leu Thr Pro Leu Trp Ser Ile Asp Leu Lys Gly Lys Val Asn
 385 390 395 400

Glu Asn Phe Asp Pro Lys Phe Cys Gly Trp Ala Tyr Gly Met Asn Ile
 405 410 415

Phe Asp Leu Lys Glu Trp Lys Lys Asn Asn Ile Thr Glu Thr Tyr His
 420 425 430

Phe Trp Gln Asn Leu Asn Glu Asn Arg Thr Leu Trp Lys Leu Gly Thr
 435 440 445

Leu Pro Pro Gly Leu Ile Thr Phe Tyr Asn Leu Thr Gln Pro Leu Gln
 450 455 460

Arg Lys Trp His Leu Leu Gly Leu Gly Tyr Asp Lys Gly Ile Asp Val
 465 470 475 480

Lys Lys Ile Glu Arg Ser Ala Val Ile His Tyr Asn Gly His Met Lys
 485 490 495

Pro Trp Thr Glu Met Gly Ile Ser Lys Tyr Gln Pro Tyr Trp Thr Lys
 500 505 510

Tyr Thr Asn Phe Asp His Pro Tyr Ile Phe Thr Cys Arg Leu Phe Glu
 515 520 525

<210> 17
 <211> 1602
 <212> DNA
 <213> Arabidopsis thaliana

<400> 17
 atgcagcttc acatatcgcc tagcatgaga agcattacga tatcgagcag caatgagttt 60
 attgatttga tgaagatcaa agtcgcagct cgtcacatct cttaccgaac tctcttccac 120
 actatcttaa tcctcgcttt cttgttacct tttgttttca tcctaaccgc tgttgttacc 180
 cttgaaggtg tcaacaagtg ctctctttt gattgtttcg ggaggcggct aggaccacgt 240
 cttcttggtg gtagataga ttcagagcag agactagtta gagattttta caaaattcta 300
 aatgaagtaa gcactcaaga aattccagat ggtttaaagc ttccagagtc ttttagtcaa 360
 ctggtttcgg atatgaagaa caaccactat gatgctaaaa ctttgcctt cgtatttcga 420
 gctatggtag agaagtttga aagggattta aggaatcca aatttgcaga actcatgaac 480
 aagcactttg ctgcaagttc aattccaaaa ggaattcact gtctctcttt aagactaacc 540

14-03 WO.sequence listing.txt

```

gatgaatatt cctccaatgc tcatgcccgg agacagcttc cttccccgga gcttctccct 600
gttctctcag acaatgctta ccaccatttt gttctagcta cagataatat cttagctgca 660
tcggttggtg tctcatctgc tgttcaatca tcttcaaac ccgagaaaat tgtcttccat 720
gttatcacag acaagaaaac ctatgcgggg atgcattctt ggtttgact caattctgtt 780
gctcctgcga ttgttgaagt gaaaagcgtt catcagtttg attggttaac aagagagaat 840
gttccagttc ttgaagctgt ggaaagccat aacagtatca gaaattatta ccatgggaat 900
catattgctg gtgcaaacct cagcgaaaca acccctcgaa catttgcttc gaaactgcag 960
tcaagaagtc ccaaatacat atctttgctc aaccatctta gaatatatct accagagctt 1020
tttccgaact tagacaagggt agtgttctta gatgatgata tagtgataca gaaagattta 1080
tctccgcttt gggatattga ccttaacggg aagggttaatg gagctgtgga gacttgtcga 1140
ggagaagacg tatgggttat gtcaaagcgt cttaggaact acttcaattt ttctcaccg 1200
ctcatcgcaa agcatttaga tcccgaagaa tgtgcttggg cttatggaat gaatatcttt 1260
gatctacgga cttggaggaa gacaaatatc agagaaacgt atcattcttg gcttaaagag 1320
aatctgaagt cgaatctaac aatgtggaaa cttggaacat tgcctcctgc tctaatagca 1380
tttaaaggtc atgttcagcc aatagattcc tcttggcata tgcttggaatt aggttatcag 1440
agcaagacca acttagaaaa tgcgaagaaa gctgcagtga ttcattacaa tggccaatca 1500
aagccgtggc ttgagatagg tttcgagcat ctcagaccat tctggacaaa atatgttaac 1560
tactccaatg atttcattaa gaattgtcat atcttgggaat ag 1602

```

<210> 18
 <211> 533
 <212> PRT
 <213> Arabidopsis thaliana

<400> 18

Met Gln Leu His Ile Ser Pro Ser Met Arg Ser Ile Thr Ile Ser Ser
 1 5 10 15

Ser Asn Glu Phe Ile Asp Leu Met Lys Ile Lys Val Ala Ala Arg His
 20 25 30

Ile Ser Tyr Arg Thr Leu Phe His Thr Ile Leu Ile Leu Ala Phe Leu
 35 40 45

Leu Pro Phe Val Phe Ile Leu Thr Ala Val Val Thr Leu Glu Gly Val
 50 55 60

Asn Lys Cys Ser Ser Phe Asp Cys Phe Gly Arg Arg Leu Gly Pro Arg
 65 70 75 80

14-03 WO.sequence listing.txt

Leu Leu Gly Arg Ile Asp Asp Ser Glu Gln Arg Leu Val Arg Asp Phe
 85 90 95

Tyr Lys Ile Leu Asn Glu Val Ser Thr Gln Glu Ile Pro Asp Gly Leu
 100 105 110

Lys Leu Pro Glu Ser Phe Ser Gln Leu Val Ser Asp Met Lys Asn Asn
 115 120 125

His Tyr Asp Ala Lys Thr Phe Ala Leu Val Phe Arg Ala Met Val Glu
 130 135 140

Lys Phe Glu Arg Asp Leu Arg Glu Ser Lys Phe Ala Glu Leu Met Asn
 145 150 155 160

Lys His Phe Ala Ala Ser Ser Ile Pro Lys Gly Ile His Cys Leu Ser
 165 170 175

Leu Arg Leu Thr Asp Glu Tyr Ser Ser Asn Ala His Ala Arg Arg Gln
 180 185 190

Leu Pro Ser Pro Glu Leu Leu Pro Val Leu Ser Asp Asn Ala Tyr His
 195 200 205

His Phe Val Leu Ala Thr Asp Asn Ile Leu Ala Ala Ser Val Val Val
 210 215 220

Ser Ser Ala Val Gln Ser Ser Ser Lys Pro Glu Lys Ile Val Phe His
 225 230 235 240

Val Ile Thr Asp Lys Lys Thr Tyr Ala Gly Met His Ser Trp Phe Ala
 245 250 255

Leu Asn Ser Val Ala Pro Ala Ile Val Glu Val Lys Ser Val His Gln
 260 265 270

Phe Asp Trp Leu Thr Arg Glu Asn Val Pro Val Leu Glu Ala Val Glu
 275 280 285

Ser His Asn Ser Ile Arg Asn Tyr Tyr His Gly Asn His Ile Ala Gly
 290 295 300

Ala Asn Leu Ser Glu Thr Thr Pro Arg Thr Phe Ala Ser Lys Leu Gln
 305 310 315 320

Ser Arg Ser Pro Lys Tyr Ile Ser Leu Leu Asn His Leu Arg Ile Tyr
 Page 31

14-03 wo.sequence listing.txt

325

330

335

Leu Pro Glu Leu Phe Pro Asn Leu Asp Lys Val Val Phe Leu Asp Asp
 340 345 350

Asp Ile Val Ile Gln Lys Asp Leu Ser Pro Leu Trp Asp Ile Asp Leu
 355 360 365

Asn Gly Lys Val Asn Gly Ala Val Glu Thr Cys Arg Gly Glu Asp Val
 370 375 380

Trp Val Met Ser Lys Arg Leu Arg Asn Tyr Phe Asn Phe Ser His Pro
 385 390 395 400

Leu Ile Ala Lys His Leu Asp Pro Glu Glu Cys Ala Trp Ala Tyr Gly
 405 410 415

Met Asn Ile Phe Asp Leu Arg Thr Trp Arg Lys Thr Asn Ile Arg Glu
 420 425 430

Thr Tyr His Ser Trp Leu Lys Glu Asn Leu Lys Ser Asn Leu Thr Met
 435 440 445

Trp Lys Leu Gly Thr Leu Pro Pro Ala Leu Ile Ala Phe Lys Gly His
 450 455 460

Val Gln Pro Ile Asp Ser Ser Trp His Met Leu Gly Leu Gly Tyr Gln
 465 470 475 480

Ser Lys Thr Asn Leu Glu Asn Ala Lys Lys Ala Ala Val Ile His Tyr
 485 490 495

Asn Gly Gln Ser Lys Pro Trp Leu Glu Ile Gly Phe Glu His Leu Arg
 500 505 510

Pro Phe Trp Thr Lys Tyr Val Asn Tyr Ser Asn Asp Phe Ile Lys Asn
 515 520 525

Cys His Ile Leu Glu
 530

<210> 19
 <211> 1686
 <212> DNA
 <213> Arabidopsis thaliana

<400> 19
 atggcggtgg ccttccgtgg aggccgggga ggcgtcggat ccggccaatc taccggactt 60

14-03 WO.sequence listing.txt

```

cgtagtttct tctcctaccg gatctttatc tccgctttgt tctcttttct cttcctcgcc 120
actttctccg tcgttcttaa ctctctcgt catcagcctc atcaggatca tacattgccg 180
agtatgggca acgcatatat gcagaggacg tttttggctt tgcaatcgga tccattgaaa 240
actaggttgg atctgataca caagcaagcc attgatcatt tgacactggg gaatgcgtat 300
gctgcttacg ctaggaagct aaagcttgat gcttctaagc agcttaagct cttcgaagat 360
ttggctatca acttctcgga ttgacgtcg aaacctgggt tgaaatctgc tgtgtctgat 420
aatggtaatg ctcttgagga ggattcgttt aggcagcttg agaaagaagt gaaggataag 480
gtgaagacag cgaggatgat gatcgttgag tctaaagaga gttatgatac acagcttaaa 540
atccagaagt tgaaagatac aatctttgct gtccaagaac agttgacaaa ggctaagaaa 600
aacggtgcgg ttgctagctt gatttcagcc aagtcggttc ctaaaagtct tcattgtttg 660
gccatgaggc ttgtaggaga gaggatctct aatcttgaga agtacaagga tgctccacct 720
gacccagccg cagaggatcc aactctttac cactatgcga ttttctctga taatgtcatt 780
gctgtgtctg ttgtggtgag atcggttgtg atgaacgctg aggagccatg gaagcatgtc 840
ttccatgtgg tgacagatcg gatgaatctc gcagccatga aggtgtgggt taagatgcgt 900
cctttggacc gtggtgcca tggtgagatt aaatccgtgg aggatttcaa gttcttaaac 960
tcttcctatg cgccggtctt gaggcagctt gagtctgcca agttgcagaa gttttacttt 1020
gagaatcaag ctgagaacgc aactaaagat tcacataacc tcaagttcaa gaacccaag 1080
tatctctcga tgttgaacca tctcagattt tacttaccag agatgtatcc gaagctgaat 1140
aagattttgt tcttggacga tgatgttggt gtgcagaaag acgtgactgg tttatggaaa 1200
atcaacttgg atggcaaggt gaatggagcc gttgagacat gttttgggttc ttttcatcga 1260
tatggtcaat acttaaacct ctctatcct ttgatcaaag agaactttaa cccagtgcc 1320
tgtgcttggg cctttggaat gaacatattc gatctcaatg cctggagacg cgagaagtgc 1380
accgatcaat accattactg gcagaacctg aatgaagaca gaactctctg gaaattggga 1440
actctacctc cgggattgat cacattctat tcaaagacga aatcattgga caaatcatgg 1500
catgtacttg ggtaggcta taaccggga gtgagcatgg acgaaatcag aaatgcagga 1560
gtgattcatt acaatggaaa catgaaaccg tggctagaca ttgcgatgaa ccaatacaag 1620
tctctctgga ctaaaatgtg tgataacgaa atggagtttg tgcagatgtg caattttggt 1680
ctctaa 1686

```

```

<210> 20
<211> 561
<212> PRT
<213> Arabidopsis thaliana
<400> 20

```


14-03 WO.sequence listing.txt

Met Ala Val Ala Phe Arg Gly Gly Arg Gly Gly Val Gly Ser Gly Gln
 1 5 10 15
 Ser Thr Gly Leu Arg Ser Phe Phe Ser Tyr Arg Ile Phe Ile Ser Ala
 20 25 30
 Leu Phe Ser Phe Leu Phe Leu Ala Thr Phe Ser Val Val Leu Asn Ser
 35 40 45
 Ser Arg His Gln Pro His Gln Asp His Thr Leu Pro Ser Met Gly Asn
 50 55 60
 Ala Tyr Met Gln Arg Thr Phe Leu Ala Leu Gln Ser Asp Pro Leu Lys
 65 70 75 80
 Thr Arg Leu Asp Leu Ile His Lys Gln Ala Ile Asp His Leu Thr Leu
 85 90 95
 Val Asn Ala Tyr Ala Ala Tyr Ala Arg Lys Leu Lys Leu Asp Ala Ser
 100 105 110
 Lys Gln Leu Lys Leu Phe Glu Asp Leu Ala Ile Asn Phe Ser Asp Leu
 115 120 125
 Gln Ser Lys Pro Gly Leu Lys Ser Ala Val Ser Asp Asn Gly Asn Ala
 130 135 140
 Leu Glu Glu Asp Ser Phe Arg Gln Leu Glu Lys Glu Val Lys Asp Lys
 145 150 155 160
 Val Lys Thr Ala Arg Met Met Ile Val Glu Ser Lys Glu Ser Tyr Asp
 165 170 175
 Thr Gln Leu Lys Ile Gln Lys Leu Lys Asp Thr Ile Phe Ala Val Gln
 180 185 190
 Glu Gln Leu Thr Lys Ala Lys Lys Asn Gly Ala Val Ala Ser Leu Ile
 195 200 205
 Ser Ala Lys Ser Val Pro Lys Ser Leu His Cys Leu Ala Met Arg Leu
 210 215 220
 Val Gly Glu Arg Ile Ser Asn Pro Glu Lys Tyr Lys Asp Ala Pro Pro
 225 230 235 240
 Asp Pro Ala Ala Glu Asp Pro Thr Leu Tyr His Tyr Ala Ile Phe Ser
 245 250 255

14-03 WO.sequence listing.txt

Asp Asn Val Ile Ala Val Ser Val Val Val Arg Ser Val Val Met Asn
 260 265 270
 Ala Glu Glu Pro Trp Lys His Val Phe His Val Val Thr Asp Arg Met
 275 280 285
 Asn Leu Ala Ala Met Lys Val Trp Phe Lys Met Arg Pro Leu Asp Arg
 290 295 300
 Gly Ala His Val Glu Ile Lys Ser Val Glu Asp Phe Lys Phe Leu Asn
 305 310 315 320
 Ser Ser Tyr Ala Pro Val Leu Arg Gln Leu Glu Ser Ala Lys Leu Gln
 325 330 335
 Lys Phe Tyr Phe Glu Asn Gln Ala Glu Asn Ala Thr Lys Asp Ser His
 340 345 350
 Asn Leu Lys Phe Lys Asn Pro Lys Tyr Leu Ser Met Leu Asn His Leu
 355 360 365
 Arg Phe Tyr Leu Pro Glu Met Tyr Pro Lys Leu Asn Lys Ile Leu Phe
 370 375 380
 Leu Asp Asp Asp Val Val Val Gln Lys Asp Val Thr Gly Leu Trp Lys
 385 390 395 400
 Ile Asn Leu Asp Gly Lys Val Asn Gly Ala Val Glu Thr Cys Phe Gly
 405 410 415
 Ser Phe His Arg Tyr Gly Gln Tyr Leu Asn Phe Ser His Pro Leu Ile
 420 425 430
 Lys Glu Asn Phe Asn Pro Ser Ala Cys Ala Trp Ala Phe Gly Met Asn
 435 440 445
 Ile Phe Asp Leu Asn Ala Trp Arg Arg Glu Lys Cys Thr Asp Gln Tyr
 450 455 460
 His Tyr Trp Gln Asn Leu Asn Glu Asp Arg Thr Leu Trp Lys Leu Gly
 465 470 475 480
 Thr Leu Pro Pro Gly Leu Ile Thr Phe Tyr Ser Lys Thr Lys Ser Leu
 485 490 495
 Asp Lys Ser Trp His Val Leu Gly Leu Gly Tyr Asn Pro Gly Val Ser
 Page 35

14-03 wo.sequence listing.txt

500

505

510

Met Asp Glu Ile Arg Asn Ala Gly Val Ile His Tyr Asn Gly Asn Met
 515 520 525

Lys Pro Trp Leu Asp Ile Ala Met Asn Gln Tyr Lys Ser Leu Trp Thr
 530 535 540

Lys Tyr Val Asp Asn Glu Met Glu Phe Val Gln Met Cys Asn Phe Gly
 545 550 555 560

Leu

<210> 21
 <211> 1680
 <212> DNA
 <213> Arabidopsis thaliana

<400> 21
 atggctaatac accaccgact ttacgcggc ggcggatctc cggccataat cgggtggcaga 60
 atcacactca cagctttcgc ttccactatc gcactcttcc tcttcactct ctctttcttc 120
 ttcgcttcag attctaacga ttctcctgat ctctttcttc ccggtgttga gtactctaata 180
 ggagtcggat ctagaagatc catgttggat atcaaatcgg atccgcttaa gccacggttg 240
 attcagatcc ggaaacaagc tgatgatcat cggtcattag cattagctta tgcttcttac 300
 gcgagaaagc ttaagctcga gaattcgaaa ctctgcagga tcttcgctga tctttcgagg 360
 aattacacgg atctgattaa caaacgcagc tatcgagctt tgtatgattc tgatggagcc 420
 tcgattgaag aatctgtgct taggcaattt gagaaagaag ttaaggaacg gattaaaatg 480
 actcgtcaag tgattgctga agctaaagag tcttttgata atcagttgaa gattcagaag 540
 ctgaaagata cgattttcgc tgtaaacgaa cagttaacta atgctaagaa gcaagggtgcg 600
 ttttcgagtt tgatcgctgc gaaatcgatt ccgaaaggat tgcattgtct tgctatgagg 660
 ctgatggaag agaggattgc tcaccctgag aagtatactg atgaagggaa agatagaccg 720
 cgggagctcg aggatccgaa tctttaccat tacgctatat tttcggataa tgtgattgag 780
 gcttcggtgg ttgtgaactc tgctgtgaag aatgctaagg agccgtggaa gcatgttttt 840
 cacgttgatga ctgataagat gaatcttgga gctatgcagg ttatgtttta actgaaggag 900
 tataaaggag ctcatgtaga agttaagct gttgaggatt atacgttttt gaactcttcg 960
 tatgtgcctg tggtgaagca gttagaatct gcgaatcttc agaagtttta tttcgagaat 1020
 aagctcgaga atgcgacgaa agataccacg aatatgaagt tcaggaaccc caagtattta 1080
 tctatattga atcacttgag gttttattta cccgagatgt acccgaaact acataggata 1140

14-03 WO.sequence listing.txt

```

ctgttttttg acgatgatgt ggttggtgcag aaggatttaa cgggtctgtg ggagattgat 1200
atggatggga aagtgaatgg agctgtagag acttgttttg ggtcgtttca tcggtacgct 1260
caatacatga atttctcaca tcctttgatc aaagagaagt ttaatcccaa agcatgtgcg 1320
tgggcgtatg gaatgaactt ctttgatctt gatgcttgga gaagagagaa gtgcacagaa 1380
gaatatcact actggcaaaa tctgaacgag aacagggctc tatggaaact ggggacgtta 1440
ccaccgggac tgatcacctt ttactcaacc acaaagccgc tggacaaatc atggcatgtg 1500
cttgggctgg gttacaatcc gagcattagc atggatgaga tccgcaacgc tgcagtggta 1560
cacttcaacg gtaacatgaa gccatggctt gacatagcta tgaaccagtt tcgaccactt 1620
tggaacaaac acgtcgacta tgacctcgag tttgttcagg cttgcaattt tggcctctga 1680

```

<210> 22
 <211> 559
 <212> PRT
 <213> Arabidopsis thaliana

<400> 22

Met Ala Asn His His Arg Leu Leu Arg Gly Gly Ser Pro Ala Ile
 1 5 10 15

Ile Gly Gly Arg Ile Thr Leu Thr Ala Phe Ala Ser Thr Ile Ala Leu
 20 25 30

Phe Leu Phe Thr Leu Ser Phe Phe Phe Ala Ser Asp Ser Asn Asp Ser
 35 40 45

Pro Asp Leu Leu Leu Pro Gly Val Glu Tyr Ser Asn Gly Val Gly Ser
 50 55 60

Arg Arg Ser Met Leu Asp Ile Lys Ser Asp Pro Leu Lys Pro Arg Leu
 65 70 75 80

Ile Gln Ile Arg Lys Gln Ala Asp Asp His Arg Ser Leu Ala Leu Ala
 85 90 95

Tyr Ala Ser Tyr Ala Arg Lys Leu Lys Leu Glu Asn Ser Lys Leu Val
 100 105 110

Arg Ile Phe Ala Asp Leu Ser Arg Asn Tyr Thr Asp Leu Ile Asn Lys
 115 120 125

Pro Thr Tyr Arg Ala Leu Tyr Asp Ser Asp Gly Ala Ser Ile Glu Glu
 130 135 140

Ser Val Leu Arg Gln Phe Glu Lys Glu Val Lys Glu Arg Ile Lys Met
 Page 37

14-03 WO.sequence listing.txt

145 150 155 160
 Thr Arg Gln Val Ile Ala Glu Ala Lys Glu Ser Phe Asp Asn Gln Leu
 165 170 175
 Lys Ile Gln Lys Leu Lys Asp Thr Ile Phe Ala Val Asn Glu Gln Leu
 180 185 190
 Thr Asn Ala Lys Lys Gln Gly Ala Phe Ser Ser Leu Ile Ala Ala Lys
 195 200 205
 Ser Ile Pro Lys Gly Leu His Cys Leu Ala Met Arg Leu Met Glu Glu
 210 215 220
 Arg Ile Ala His Pro Glu Lys Tyr Thr Asp Glu Gly Lys Asp Arg Pro
 225 230 235 240
 Arg Glu Leu Glu Asp Pro Asn Leu Tyr His Tyr Ala Ile Phe Ser Asp
 245 250 255
 Asn Val Ile Ala Ala Ser Val Val Val Asn Ser Ala Val Lys Asn Ala
 260 265 270
 Lys Glu Pro Trp Lys His Val Phe His Val Val Thr Asp Lys Met Asn
 275 280 285
 Leu Gly Ala Met Gln Val Met Phe Lys Leu Lys Glu Tyr Lys Gly Ala
 290 295 300
 His Val Glu Val Lys Ala Val Glu Asp Tyr Thr Phe Leu Asn Ser Ser
 305 310 315 320
 Tyr Val Pro Val Leu Lys Gln Leu Glu Ser Ala Asn Leu Gln Lys Phe
 325 330 335
 Tyr Phe Glu Asn Lys Leu Glu Asn Ala Thr Lys Asp Thr Thr Asn Met
 340 345 350
 Lys Phe Arg Asn Pro Lys Tyr Leu Ser Ile Leu Asn His Leu Arg Phe
 355 360 365
 Tyr Leu Pro Glu Met Tyr Pro Lys Leu His Arg Ile Leu Phe Leu Asp
 370 375 380
 Asp Asp Val Val Val Gln Lys Asp Leu Thr Gly Leu Trp Glu Ile Asp
 385 390 395 400

14-03 WO.sequence listing.txt

Met Asp Gly Lys Val Asn Gly Ala Val Glu Thr Cys Phe Gly Ser Phe
 405 410 415

His Arg Tyr Ala Gln Tyr Met Asn Phe Ser His Pro Leu Ile Lys Glu
 420 425 430

Lys Phe Asn Pro Lys Ala Cys Ala Trp Ala Tyr Gly Met Asn Phe Phe
 435 440 445

Asp Leu Asp Ala Trp Arg Arg Glu Lys Cys Thr Glu Glu Tyr His Tyr
 450 455 460

Trp Gln Asn Leu Asn Glu Asn Arg Ala Leu Trp Lys Leu Gly Thr Leu
 465 470 475 480

Pro Pro Gly Leu Ile Thr Phe Tyr Ser Thr Thr Lys Pro Leu Asp Lys
 485 490 495

Ser Trp His Val Leu Gly Leu Gly Tyr Asn Pro Ser Ile Ser Met Asp
 500 505 510

Glu Ile Arg Asn Ala Ala Val Val His Phe Asn Gly Asn Met Lys Pro
 515 520 525

Trp Leu Asp Ile Ala Met Asn Gln Phe Arg Pro Leu Trp Thr Lys His
 530 535 540

Val Asp Tyr Asp Leu Glu Phe Val Gln Ala Cys Asn Phe Gly Leu
 545 550 555

<210> 23
 <211> 1623
 <212> DNA
 <213> Arabidopsis thaliana

<400> 23
 atgaagtttt acatatcagc gacggggatt aagaagggtta cgatatcaaa tcccggcgtc 60
 ggaatcggta aaggaagcgg aggatgtgctg gctgcagcgg cggcgtagc agcgcggaga 120
 ttctctagtc gcacgttggtt actgttgctg ctgctgctcg ctatcgtcct cccttttatc 180
 ttcgtcaggt tcgcgtttct cgtcctcgaa tctgcctccg tttgcgattc accactcgat 240
 tgcattgggac tcagactttt ccgtgggggc gacacatctc tgaaaattgg ggaagagttg 300
 acacgggctc tagtggaaga gacgacagat catcaggacg ttaatggaag aggaacgaag 360
 ggatcattgg agtcattcga cgaccttggtt aaggagatga cgttaaaacg ccgtgacata 420
 agggcgtttg cttccgtgac taagaagatg ctgttgacaga tggaacgtaa agtccaatca 480
 gcgaaacatc atgagttagt gtactggcat ttagcctctc acggtattcc taaaagcctc 540
 Page 39

14-03 WO.sequence listing.txt

```

cattgccttt ccctcagatt aactgaagag tactctgtaa atgcaatggc tcgaatgcgt    600
ttgcctccgc ctgagtcctg atcacgtctg accgacccat cttttcatca tattgtcctc    660
ctgactgaca atgtccttgc tgcctctgtc gtcatatcgt ctactgtaca aaacgctgtg    720
aatcccgaga agtttgtctt tcatattgtt accgataaga aaacctatac ccctatgcat    780
gcttggtttg ctatcaactc tgcttcatca ccagttgttg aagtaaaggg acttcatcag    840
tatgattggc ctcaagaagt gaacttcaaa gttagagaga tgctggacat tcaccgctta    900
at ttggagac gacattatca aaatttgaaa gactctgatt ttagttttgt tgagggtact    960
catgagcagt ccttgcaagc tctaaatcct agctgccttg cccttttgaa ccatcttcgc   1020
atttacattc ccaagctttt tccagatctc aacaagatag tgttgttgga tgatgatgta   1080
gtagtacaga gcgatctttc gtctttatgg gaaacggatc tcaacggtaa agttgttggt   1140
gctgtcgttg attcgtgggtg cggagacaac tgttgccccg gaagaaaata caaagactat   1200
ttcaacttct cacatccttt gatctcatca aacttagttc aagaagactg tgcttggctt   1260
tctggtatga atgtctttga tctcaaagcc tggagacaaa ccaatattac tgaagcttac   1320
tctacatggc taagactcag tgttaggcca ggactacaat tatggcaacc aggggcttta   1380
ccaccgacat tacttgcttt caaaggactt acacagtctc ttgaaccatc atggcacgtc   1440
gctggactag gttctcgatc cgtaaaatcc cctcaagaga ttctgaaatc tgcttcgggt   1500
ttacatttca gcggtccagc aaaaccgtgg ctagagatca gtaaccctga ggtacgatct   1560
ctttggtata gatacgtaaa ttcctccgac atcttcgtta gaaaatgcaa aatcatgaac   1620
tga                                                                    1623

```

<210> 24
 <211> 540
 <212> PRT
 <213> Arabidopsis thaliana

<400> 24

Met Lys Phe Tyr Ile Ser Ala Thr Gly Ile Lys Lys Val Thr Ile Ser
 1 5 10 15

Asn Pro Gly Val Gly Ile Gly Lys Gly Ser Gly Gly Cys Ala Ala Ala
 20 25 30

Ala Ala Ala Leu Ala Ala Arg Arg Phe Ser Ser Arg Thr Leu Leu Leu
 35 40 45

Leu Leu Leu Leu Leu Ala Ile Val Leu Pro Phe Ile Phe Val Arg Phe
 50 55 60

14-03 WO.sequence listing.txt

Ala Phe Leu Val Leu Glu Ser Ala Ser Val Cys Asp Ser Pro Leu Asp
 65 70 75 80
 Cys Met Gly Leu Arg Leu Phe Arg Gly Gly Asp Thr Ser Leu Lys Ile
 85 90 95
 Gly Glu Glu Leu Thr Arg Ala Leu Val Glu Glu Thr Thr Asp His Gln
 100 105 110
 Asp Val Asn Gly Arg Gly Thr Lys Gly Ser Leu Glu Ser Phe Asp Asp
 115 120 125
 Leu Val Lys Glu Met Thr Leu Lys Arg Arg Asp Ile Arg Ala Phe Ala
 130 135 140
 Ser Val Thr Lys Lys Met Leu Leu Gln Met Glu Arg Lys Val Gln Ser
 145 150 155 160
 Ala Lys His His Glu Leu Val Tyr Trp His Leu Ala Ser His Gly Ile
 165 170 175
 Pro Lys Ser Leu His Cys Leu Ser Leu Arg Leu Thr Glu Glu Tyr Ser
 180 185 190
 Val Asn Ala Met Ala Arg Met Arg Leu Pro Pro Pro Glu Ser Val Ser
 195 200 205
 Arg Leu Thr Asp Pro Ser Phe His His Ile Val Leu Leu Thr Asp Asn
 210 215 220
 Val Leu Ala Ala Ser Val Val Ile Ser Ser Thr Val Gln Asn Ala Val
 225 230 235 240
 Asn Pro Glu Lys Phe Val Phe His Ile Val Thr Asp Lys Lys Thr Tyr
 245 250 255
 Thr Pro Met His Ala Trp Phe Ala Ile Asn Ser Ala Ser Ser Pro Val
 260 265 270
 Val Glu Val Lys Gly Leu His Gln Tyr Asp Trp Pro Gln Glu Val Asn
 275 280 285
 Phe Lys Val Arg Glu Met Leu Asp Ile His Arg Leu Ile Trp Arg Arg
 290 295 300
 His Tyr Gln Asn Leu Lys Asp Ser Asp Phe Ser Phe Val Glu Gly Thr
 305 310 315 320

14-03 wo.sequence listing.txt

His Glu Gln Ser Leu Gln Ala Leu Asn Pro Ser Cys Leu Ala Leu Leu
 325 330 335
 Asn His Leu Arg Ile Tyr Ile Pro Lys Leu Phe Pro Asp Leu Asn Lys
 340 345 350
 Ile Val Leu Leu Asp Asp Asp Val Val Val Gln Ser Asp Leu Ser Ser
 355 360 365
 Leu Trp Glu Thr Asp Leu Asn Gly Lys Val Val Gly Ala Val Val Asp
 370 375 380
 Ser Trp Cys Gly Asp Asn Cys Cys Pro Gly Arg Lys Tyr Lys Asp Tyr
 385 390 395 400
 Phe Asn Phe Ser His Pro Leu Ile Ser Ser Asn Leu Val Gln Glu Asp
 405 410 415
 Cys Ala Trp Leu Ser Gly Met Asn Val Phe Asp Leu Lys Ala Trp Arg
 420 425 430
 Gln Thr Asn Ile Thr Glu Ala Tyr Ser Thr Trp Leu Arg Leu Ser Val
 435 440 445
 Arg Ser Gly Leu Gln Leu Trp Gln Pro Gly Ala Leu Pro Pro Thr Leu
 450 455 460
 Leu Ala Phe Lys Gly Leu Thr Gln Ser Leu Glu Pro Ser Trp His Val
 465 470 475 480
 Ala Gly Leu Gly Ser Arg Ser Val Lys Ser Pro Gln Glu Ile Leu Lys
 485 490 495
 Ser Ala Ser Val Leu His Phe Ser Gly Pro Ala Lys Pro Trp Leu Glu
 500 505 510
 Ile Ser Asn Pro Glu Val Arg Ser Leu Trp Tyr Arg Tyr Val Asn Ser
 515 520 525
 Ser Asp Ile Phe Val Arg Lys Cys Lys Ile Met Asn
 530 535 540

<210> 25
 <211> 2043
 <212> DNA
 <213> Arabidopsis thaliana

<400> 25

14-03 WO.sequence listing.txt

atgacgacgt tctctacatg cgccgccttt ttatcgctgg tagtagtgct acatgctgtt	60
catgtcgggtg gagccatttt agagtcacaa gcaccccaca gagaacttaa agcttatcgt	120
ccgctgcaag ataataatct acaggagggtg tatgcttcct cagctgctgc agtgactac	180
gatccagatc tgaaagatgt gaacatagtt gcgacataca gtgaccatta cggcaatata	240
cgccttggtg ggggtgaaaat gggggatctt tcaccttctt gggttttgga gaatcctgcc	300
tatcaagtta gccgcaaac aaaagggttcg cagctagtta taccacggga ttcatttcaa	360
aatgatactg gaatggaaga taatgcaagc cattctacaa ctaatcagac tgatgaaagc	420
gaaaatcagt ttccaaacgt ggattttgca agcccagcaa aactgaagcg gcagatttta	480
cgtcaggaaa ggagagggtca acgaacttta gagctgatcc gacaagaaaa ggaaactgat	540
gagcagatgc aagaagcagc cattcagaag tcaatgagct ttgaaaactc agtcataggg	600
aaatacagta tatggaggag agactatgag agcccaaagt ctgatgctat cttgaagctt	660
atgagagacc agatcataat ggcaaaagca tatgcaaata ttgccaaatc aaaaaatgta	720
accaatctgt acgttttctt gatgcagcag tgtggagaaa ataaacgtgt tataggtaaa	780
gcaacctctg atgctgacct tccttcaagc gctcttgatc aagcaaaagc catgggccat	840
gcactctctc ttgcaaaaga cgagttatat gactgccatg aacttgcaaa aaagttccgg	900
gccatccttc agtccactga acgcaaagta gatggactga agaaaaaggg aaccttctta	960
attcagctag ctgccaaaa acattccaag ccattgcatt gcctgagtct gcagctagcg	1020
gcagactatt ttattctagg tttcaatgaa gaggatgcag tgaaagagga tgtcagtcaa	1080
aagaagcttg aagatccttc gctctatcac tatgcatct tttcgataa cgttctggct	1140
acatcagtgg tggtgaaact cactgtcttg aatgcaaagg aaccgcagag gcatgtgttc	1200
catatagtaa ctgacaaact gaattttggt gcaatgaaga tgtggtttcg catcaatgct	1260
cctgctgatg cgacgattca agttgaaaac ataatgatt tcaagtggct gaactcctct	1320
tactgctctg ttctacggca gcttgaatct gcaaggctga aagaatacta tttcaaagca	1380
aatcatcctt catcaatctc agctggcgca gataatctaa agtaccgcaa ccaaagtat	1440
ctatcgatgc tgaatcatct cagattctac cttcctgagg tttatccgaa gctggagaag	1500
attctgtttc tagacgatga cattgtggtg cagaaggacc tggcaccact atgggaaata	1560
gacatgcaag gaaaagtga tgggtgcgggtg gagacgtgca aggagagctt ccacagattt	1620
gacaagtacc tcaacttctc aaatccaaag atttcagaga attttgacgc tgggtgcttgt	1680
gggtgggcat ttgggatgaa tatgtttgac ctgaaagagt ggaggaaacg gaacattaca	1740
gggatatact actattggca agacttgaat gaagacagaa cactgtggaa gctgggatcg	1800
ttgccaccgg ggctgataac attttacaac ctgacgtatg caatggatag gagctggcac	1860
gtactagggc tgggatatga cccagcgcta aaccaaacag caatagagaa tgcagcggtg	1920

14-03 WO.sequence listing.txt

gtgcattaca atgggaacta caagccatgg ctgggttag cattcgccaa gtacaaaccg 1980
 tactggtcca agtacgttga gtacgacaac ccttatctcc gacggtgcga catcaatgaa 2040
 tga 2043

<210> 26
 <211> 680
 <212> PRT
 <213> Arabidopsis thaliana

<400> 26

Met Thr Thr Phe Ser Thr Cys Ala Ala Phe Leu Ser Leu Val Val Val
 1 5 10 15

Leu His Ala Val His Val Gly Gly Ala Ile Leu Glu Ser Gln Ala Pro
 20 25 30

His Arg Glu Leu Lys Ala Tyr Arg Pro Leu Gln Asp Asn Asn Leu Gln
 35 40 45

Glu Val Tyr Ala Ser Ser Ala Ala Ala Val His Tyr Asp Pro Asp Leu
 50 55 60

Lys Asp Val Asn Ile Val Ala Thr Tyr Ser Asp His Tyr Gly Asn Ile
 65 70 75 80

Arg Leu Gly Arg Val Lys Met Gly Asp Leu Ser Pro Ser Trp Val Leu
 85 90 95

Glu Asn Pro Ala Tyr Gln Val Ser Arg Lys Thr Lys Gly Ser Gln Leu
 100 105 110

Val Ile Pro Arg Asp Ser Phe Gln Asn Asp Thr Gly Met Glu Asp Asn
 115 120 125

Ala Ser His Ser Thr Thr Asn Gln Thr Asp Glu Ser Glu Asn Gln Phe
 130 135 140

Pro Asn Val Asp Phe Ala Ser Pro Ala Lys Leu Lys Arg Gln Ile Leu
 145 150 155 160

Arg Gln Glu Arg Arg Gly Gln Arg Thr Leu Glu Leu Ile Arg Gln Glu
 165 170 175

Lys Glu Thr Asp Glu Gln Met Gln Glu Ala Ala Ile Gln Lys Ser Met
 180 185 190

14-03 WO.sequence listing.txt

Ser Phe Glu Asn Ser Val Ile Gly Lys Tyr Ser Ile Trp Arg Arg Asp
 195 200 205

Tyr Glu Ser Pro Asn Ala Asp Ala Ile Leu Lys Leu Met Arg Asp Gln
 210 215 220

Ile Ile Met Ala Lys Ala Tyr Ala Asn Ile Ala Lys Ser Lys Asn Val
 225 230 235 240

Thr Asn Leu Tyr Val Phe Leu Met Gln Gln Cys Gly Glu Asn Lys Arg
 245 250 255

Val Ile Gly Lys Ala Thr Ser Asp Ala Asp Leu Pro Ser Ser Ala Leu
 260 265 270

Asp Gln Ala Lys Ala Met Gly His Ala Leu Ser Leu Ala Lys Asp Glu
 275 280 285

Leu Tyr Asp Cys His Glu Leu Ala Lys Lys Phe Arg Ala Ile Leu Gln
 290 295 300

Ser Thr Glu Arg Lys Val Asp Gly Leu Lys Lys Lys Gly Thr Phe Leu
 305 310 315 320

Ile Gln Leu Ala Ala Lys Thr Phe Pro Lys Pro Leu His Cys Leu Ser
 325 330 335

Leu Gln Leu Ala Ala Asp Tyr Phe Ile Leu Gly Phe Asn Glu Glu Asp
 340 345 350

Ala Val Lys Glu Asp Val Ser Gln Lys Lys Leu Glu Asp Pro Ser Leu
 355 360 365

Tyr His Tyr Ala Ile Phe Ser Asp Asn Val Leu Ala Thr Ser Val Val
 370 375 380

Val Asn Ser Thr Val Leu Asn Ala Lys Glu Pro Gln Arg His Val Phe
 385 390 395 400

His Ile Val Thr Asp Lys Leu Asn Phe Gly Ala Met Lys Met Trp Phe
 405 410 415

Arg Ile Asn Ala Pro Ala Asp Ala Thr Ile Gln Val Glu Asn Ile Asn
 420 425 430

Asp Phe Lys Trp Leu Asn Ser Ser Tyr Cys Ser Val Leu Arg Gln Leu
 435 440 445

14-03 WO.sequence listing.txt

Glu Ser Ala Arg Leu Lys Glu Tyr Tyr Phe Lys Ala Asn His Pro Ser
 450 455 460

Ser Ile Ser Ala Gly Ala Asp Asn Leu Lys Tyr Arg Asn Pro Lys Tyr
 465 470 475 480

Leu Ser Met Leu Asn His Leu Arg Phe Tyr Leu Pro Glu Val Tyr Pro
 485 490 495

Lys Leu Glu Lys Ile Leu Phe Leu Asp Asp Asp Ile Val Val Gln Lys
 500 505 510

Asp Leu Ala Pro Leu Trp Glu Ile Asp Met Gln Gly Lys Val Asn Gly
 515 520 525

Ala Val Glu Thr Cys Lys Glu Ser Phe His Arg Phe Asp Lys Tyr Leu
 530 535 540

Asn Phe Ser Asn Pro Lys Ile Ser Glu Asn Phe Asp Ala Gly Ala Cys
 545 550 555 560

Gly Trp Ala Phe Gly Met Asn Met Phe Asp Leu Lys Glu Trp Arg Lys
 565 570 575

Arg Asn Ile Thr Gly Ile Tyr His Tyr Trp Gln Asp Leu Asn Glu Asp
 580 585 590

Arg Thr Leu Trp Lys Leu Gly Ser Leu Pro Pro Gly Leu Ile Thr Phe
 595 600 605

Tyr Asn Leu Thr Tyr Ala Met Asp Arg Ser Trp His Val Leu Gly Leu
 610 615 620

Gly Tyr Asp Pro Ala Leu Asn Gln Thr Ala Ile Glu Asn Ala Ala Val
 625 630 635 640

Val His Tyr Asn Gly Asn Tyr Lys Pro Trp Leu Gly Leu Ala Phe Ala
 645 650 655

Lys Tyr Lys Pro Tyr Trp Ser Lys Tyr Val Glu Tyr Asp Asn Pro Tyr
 660 665 670

Leu Arg Arg Cys Asp Ile Asn Glu
 675 680

<210> 27
 <211> 1599

14-03 WO.sequence listing.txt

<212> DNA

<213> Arabidopsis thaliana

<400> 27

```

atgcagcttc acatatcgcc gagtatgaga agcattacga tttcgagcag caatgagttt      60
attgacttga tgaagatcaa ggtcgcagct cgtcacatct cttaccgaac tctcttccac      120
accatcttaa tcctcgcttt cttgttgccct tttgttttca ttctcaccgc tgttggttacc      180
cttgagggtg tcaacaaatg ctcctccatt gattgttttag ggaggcggat aggtccacgt      240
cttcttggtg gggtagatga ttcagagaga ctagctagag acttttataa aattctaaac      300
gaagtaagca ctcaagaaat tccagatggt ttgaagcttc caaattcttt tagtcaactt      360
gtttccgata tgaagaataa ccactatgat gcaaaaacat ttgctcttgt gctgcgagcc      420
atgatggaga agtttgaacg tgatatgagg gaatcgaaat ttgcagaact tatgaacaag      480
cactttgcag caagttccat tcccaaaggc attcattgtc tctctctaag actgacagat      540
gaatattcct ccaatgctca tgctcgaaga cagcttcctt caccagagtt tctccctggt      600
ctttcagata atgcttacca ccactttatt ttgtccacgg acaatatttt ggctgcctca      660
gttgtggtct catccgctgt tcagtcattc tcaaaacccg agaaaattgt ctttcacatc      720
attacagaca agaaaaccta tgcgggtatg cattcatggt ttgcgcttaa ttctgttgca      780
ccagcaattg ttgagggtta aggtgttcat cagtttgact ggttgacgag agagaatggt      840
ccggttttgg aagctgtgga aagccataat ggtgtcaggg actattatca tgggaatcat      900
gtcgctgggg caaacctcac cgaaacaact cctcgaacat ttgcttcaaa attgcagtct      960
agaagtccaa aatacatatc tttgctcaac catcttagaa tatatatacc agagcttttc     1020
ccgaacttgg acaagggtgg tttcttagac gatgatatag ttgtccaggg agacttaact     1080
ccactttggg atgttgacct cggtggttaag gtcaatgggg cagtagagac ttgcaggggt     1140
gaagatgaat gggatgatgt aaagcgttta aggaactact tcaatttctc tcacccgctc     1200
atcgcaaagc atttagatcc tgaagaatgt gcttgggcat atggtatgaa tatcttcgat     1260
ctacaagctt ggaggaaaac aaatatcaga gaaacgtatc actcttggtc tagagagaat     1320
ctaaagtcaa atctgacaat gtggaaactt ggaaccttgc ctcctgctct tatcgcgttc     1380
aagggtcacg tacacataat agactcgtca tggcatatgc taggattagg ctaccagagc     1440
aagaccaaca tagaaaatgt gaagaaagca gcagtgatcc actacaatgg gcagtcaaag     1500
ccatggctgg agattggttt cgagcatctg cggccattct ggaccaaata cgtcaactac     1560
tcaaatgatt tcatcaagaa ctgtcacata ttggagtag                                1599

```

<210> 28

<211> 532

<212> PRT

<213> Arabidopsis thaliana

14-03 WO.sequence listing.txt

<400> 28

Met Gln Leu His Ile Ser Pro Ser Met Arg Ser Ile Thr Ile Ser Ser
 1 5 10 15

Ser Asn Glu Phe Ile Asp Leu Met Lys Ile Lys Val Ala Ala Arg His
 20 25 30

Ile Ser Tyr Arg Thr Leu Phe His Thr Ile Leu Ile Leu Ala Phe Leu
 35 40 45

Leu Pro Phe Val Phe Ile Leu Thr Ala Val Val Thr Leu Glu Gly Val
 50 55 60

Asn Lys Cys Ser Ser Ile Asp Cys Leu Gly Arg Arg Ile Gly Pro Arg
 65 70 75 80

Leu Leu Gly Arg Val Asp Asp Ser Glu Arg Leu Ala Arg Asp Phe Tyr
 85 90 95

Lys Ile Leu Asn Glu Val Ser Thr Gln Glu Ile Pro Asp Gly Leu Lys
 100 105 110

Leu Pro Asn Ser Phe Ser Gln Leu Val Ser Asp Met Lys Asn Asn His
 115 120 125

Tyr Asp Ala Lys Thr Phe Ala Leu Val Leu Arg Ala Met Met Glu Lys
 130 135 140

Phe Glu Arg Asp Met Arg Glu Ser Lys Phe Ala Glu Leu Met Asn Lys
 145 150 155 160

His Phe Ala Ala Ser Ser Ile Pro Lys Gly Ile His Cys Leu Ser Leu
 165 170 175

Arg Leu Thr Asp Glu Tyr Ser Ser Asn Ala His Ala Arg Arg Gln Leu
 180 185 190

Pro Ser Pro Glu Phe Leu Pro Val Leu Ser Asp Asn Ala Tyr His His
 195 200 205

Phe Ile Leu Ser Thr Asp Asn Ile Leu Ala Ala Ser Val Val Val Ser
 210 215 220

Ser Ala Val Gln Ser Ser Ser Lys Pro Glu Lys Ile Val Phe His Ile
 225 230 235 240

14-03 WO.sequence listing.txt

Ile Thr Asp Lys Lys Thr Tyr Ala Gly Met His Ser Trp Phe Ala Leu
245 250 255

Asn Ser Val Ala Pro Ala Ile Val Glu Val Lys Gly Val His Gln Phe
260 265 270

Asp Trp Leu Thr Arg Glu Asn Val Pro Val Leu Glu Ala Val Glu Ser
275 280 285

His Asn Gly Val Arg Asp Tyr Tyr His Gly Asn His Val Ala Gly Ala
290 295 300

Asn Leu Thr Glu Thr Thr Pro Arg Thr Phe Ala Ser Lys Leu Gln Ser
305 310 315 320

Arg Ser Pro Lys Tyr Ile Ser Leu Leu Asn His Leu Arg Ile Tyr Ile
325 330 335

Pro Glu Leu Phe Pro Asn Leu Asp Lys Val Val Phe Leu Asp Asp Asp
340 345 350

Ile Val Val Gln Gly Asp Leu Thr Pro Leu Trp Asp Val Asp Leu Gly
355 360 365

Gly Lys Val Asn Gly Ala Val Glu Thr Cys Arg Gly Glu Asp Glu Trp
370 375 380

Val Met Ser Lys Arg Leu Arg Asn Tyr Phe Asn Phe Ser His Pro Leu
385 390 395 400

Ile Ala Lys His Leu Asp Pro Glu Glu Cys Ala Trp Ala Tyr Gly Met
405 410 415

Asn Ile Phe Asp Leu Gln Ala Trp Arg Lys Thr Asn Ile Arg Glu Thr
420 425 430

Tyr His Ser Trp Leu Arg Glu Asn Leu Lys Ser Asn Leu Thr Met Trp
435 440 445

Lys Leu Gly Thr Leu Pro Pro Ala Leu Ile Ala Phe Lys Gly His Val
450 455 460

His Ile Ile Asp Ser Ser Trp His Met Leu Gly Leu Gly Tyr Gln Ser
465 470 475 480

Lys Thr Asn Ile Glu Asn Val Lys Lys Ala Ala Val Ile His Tyr Asn
485 490 495

14-03 WO.sequence listing.txt

Gly Gln Ser Lys Pro Trp Leu Glu Ile Gly Phe Glu His Leu Arg Pro
 500 505 510

Phe Trp Thr Lys Tyr Val Asn Tyr Ser Asn Asp Phe Ile Lys Asn Cys
 515 520 525

His Ile Leu Glu
 530

<210> 29
 <211> 1608
 <212> DNA
 <213> Arabidopsis thaliana

<400> 29
 atgcagttac atatatctcc gagcttgaga catgtgactg tggtcacagg gaaaggattg 60
 agagagttca taaaagttaa ggttggttct agaagattct cttatcaaat ggtgtttttac 120
 tctctactct tcttcacttt tcttctccga ttcgtctttg ttctctccac cgttgatact 180
 atcgacggcg atccctctcc ttgctcctct cttgcttgct tggggaaaag actaaagcca 240
 aagcttttag gaagaagggg tgattctggt aatgttccag aagctatgta ccaagtttta 300
 gaacagcctt taagcgaaca agaactcaaa ggaagatcag atatacctca aacacttcaa 360
 gatttcatgt ctgaagtcaa aagaagcaaa tcagacgcaa gagaatttgc tcaaaagcta 420
 aaagaaatgg tgacattgat ggaacagaga acaagaacgg ctaagattca agagtattta 480
 tatcgacatg tcgcatcaag cagcataccg aaacaacttc actgtttagc tcttaaaacta 540
 gccaacgaac actcgataaa cgcagcggcg cgtctccagc ttccagaagc tgagcttgtc 600
 cctatgttgg tagacaacaa ctactttcac tttgtcttgg cttcagacaa tattcttgca 660
 gcttcggttg tggctaagtc gttggttcaa aatgctttaa gacctcataa gatcgttctt 720
 cacatcataa cggataggaa aacttatttc ccaatgcaag cttggttctc attgcatcct 780
 ctgtctccag caataattga ggtcaaggct ttgcatcatt tcgattgggt atcgaaaggt 840
 aaagtacccg ttttggagc tatggagaaa gatcagagag tgagggtctca attcagaggt 900
 ggatcatcgg ttattgtggc taataacaaa gagaacccgg ttgttggtgc tgctaagtta 960
 caagctctca gccctaaata caactccttg atgaatcaca tccgtattca tctaccagag 1020
 ttgtttccaa gcttaaacia ggttgtgttt ctagacgatg acattgtgat ccaaactgat 1080
 ctttcacctc tttgggacat tgacatgaat ggaaaagtaa atggagcagt ggaaacatgt 1140
 agaggagaag acaagtttgt gatgtcaaag aagttcaaga gttacctcaa cttctcgaat 1200
 ccgacaattg ccaaaaactt caatccagag gaatgtgcat gggcttatgg aatgaatgtt 1260
 ttcgacctag cggcttggag gaggactaac ataagctcca cttactatca ttggcttgac 1320

14-03 WO.sequence listing.txt

gagaacttaa aatcagacct gagtttgtgg cagctgggaa ctttgcctcc tgggctgatt 1380
 gctttccacg gtcatgtcca aaccatagat ccgttctggc atatgcttgg tctcggatac 1440
 caagagacca cgagctatgc cgatgctgaa agtgccgctg ttgttcattt caatggaaga 1500
 gctaagcctt ggctggatat agcatttcct catctacgtc ctctctgggc taagtatctt 1560
 gattcttctg acagatttat caagagctgt cacattagag catcatga 1608

<210> 30
 <211> 535
 <212> PRT
 <213> Arabidopsis thaliana

<400> 30

Met Gln Leu His Ile Ser Pro Ser Leu Arg His Val Thr Val Val Thr
1 5 10 15

Gly Lys Gly Leu Arg Glu Phe Ile Lys Val Lys Val Gly Ser Arg Arg
20 25 30

Phe Ser Tyr Gln Met Val Phe Tyr Ser Leu Leu Phe Phe Thr Phe Leu
35 40 45

Leu Arg Phe Val Phe Val Leu Ser Thr Val Asp Thr Ile Asp Gly Asp
50 55 60

Pro Ser Pro Cys Ser Ser Leu Ala Cys Leu Gly Lys Arg Leu Lys Pro
65 70 75 80

Lys Leu Leu Gly Arg Arg Val Asp Ser Gly Asn Val Pro Glu Ala Met
85 90 95

Tyr Gln Val Leu Glu Gln Pro Leu Ser Glu Gln Glu Leu Lys Gly Arg
100 105 110

Ser Asp Ile Pro Gln Thr Leu Gln Asp Phe Met Ser Glu Val Lys Arg
115 120 125

Ser Lys Ser Asp Ala Arg Glu Phe Ala Gln Lys Leu Lys Glu Met Val
130 135 140

Thr Leu Met Glu Gln Arg Thr Arg Thr Ala Lys Ile Gln Glu Tyr Leu
145 150 155 160

Tyr Arg His Val Ala Ser Ser Ser Ile Pro Lys Gln Leu His Cys Leu
165 170 175

Ala Leu Lys Leu Ala Asn Glu His Ser Ile Asn Ala Ala Ala Arg Leu
Page 51

14-03 WO.sequence listing.txt

180

185

190

Gln Leu Pro Glu Ala Glu Leu Val Pro Met Leu Val Asp Asn Asn Tyr
 195 200 205

Phe His Phe Val Leu Ala Ser Asp Asn Ile Leu Ala Ala Ser Val Val
 210 215 220

Ala Lys Ser Leu Val Gln Asn Ala Leu Arg Pro His Lys Ile Val Leu
 225 230 235 240

His Ile Ile Thr Asp Arg Lys Thr Tyr Phe Pro Met Gln Ala Trp Phe
 245 250 255

Ser Leu His Pro Leu Ser Pro Ala Ile Ile Glu Val Lys Ala Leu His
 260 265 270

His Phe Asp Trp Leu Ser Lys Gly Lys Val Pro Val Leu Glu Ala Met
 275 280 285

Glu Lys Asp Gln Arg Val Arg Ser Gln Phe Arg Gly Gly Ser Ser Val
 290 295 300

Ile Val Ala Asn Asn Lys Glu Asn Pro Val Val Val Ala Ala Lys Leu
 305 310 315 320

Gln Ala Leu Ser Pro Lys Tyr Asn Ser Leu Met Asn His Ile Arg Ile
 325 330 335

His Leu Pro Glu Leu Phe Pro Ser Leu Asn Lys Val Val Phe Leu Asp
 340 345 350

Asp Asp Ile Val Ile Gln Thr Asp Leu Ser Pro Leu Trp Asp Ile Asp
 355 360 365

Met Asn Gly Lys Val Asn Gly Ala Val Glu Thr Cys Arg Gly Glu Asp
 370 375 380

Lys Phe Val Met Ser Lys Lys Phe Lys Ser Tyr Leu Asn Phe Ser Asn
 385 390 395 400

Pro Thr Ile Ala Lys Asn Phe Asn Pro Glu Glu Cys Ala Trp Ala Tyr
 405 410 415

Gly Met Asn Val Phe Asp Leu Ala Ala Trp Arg Arg Thr Asn Ile Ser
 420 425 430

14-03 WO.sequence listing.txt

Ser Thr Tyr Tyr His Trp Leu Asp Glu Asn Leu Lys Ser Asp Leu Ser
 435 440 445

Leu Trp Gln Leu Gly Thr Leu Pro Pro Gly Leu Ile Ala Phe His Gly
 450 455 460

His Val Gln Thr Ile Asp Pro Phe Trp His Met Leu Gly Leu Gly Tyr
 465 470 475 480

Gln Glu Thr Thr Ser Tyr Ala Asp Ala Glu Ser Ala Ala Val Val His
 485 490 495

Phe Asn Gly Arg Ala Lys Pro Trp Leu Asp Ile Ala Phe Pro His Leu
 500 505 510

Arg Pro Leu Trp Ala Lys Tyr Leu Asp Ser Ser Asp Arg Phe Ile Lys
 515 520 525

Ser Cys His Ile Arg Ala Ser
 530 535

<210> 31
 <211> 1086
 <212> DNA
 <213> Arabidopsis thaliana

<400> 31
 atgcattgga ttacgagatt ctctgctttc ttctccgccg cattagccat gattctcctt 60
 tctccttcgc tccaatcctt ttctccggcg gcagctatcc gatcatctca cccctacgcc 120
 gacgaattca aacccaaca aaactccgat tactcctcct tcagagaatc tccaatgttc 180
 cgtaacgccg aacaatgcag atcttccggc gaagattccg gcgtctgtaa ccctaattctc 240
 gtccacgtag ccatcactct cgacatcgat tacctccgtg gctcaatcgc agccgtcaat 300
 tcgatacctcc agcactcaat gtgccctcaa agcgtcttct tccacttcct cgtctcctcc 360
 gagtctcaaa acctagaatc tctgattcgt tctactttcc ccaaattgac gaatctcaaa 420
 atttactatt ttgcccctga gaccgtacag tctttgattt catcttccgt gagacaagcc 480
 ctagagcaac cggtgaatta cgccagaaat tacttggcgg atctgctcga gccttgcggtt 540
 aagcgagtca tctacttgga ttcggatctc gtcgtcgtcg atgatatcgt caagctttgg 600
 aaaacggggt taggccagag aacaatcgga gctccggagt attgtcacgc gaatttcacg 660
 aaatacttca ccggagggtt ttggtcagat aagaggttta acgggacgtt caaagggagg 720
 aacccttggt acttcaatac tggtgtaatg gtgattgatt tgaagaagtg gagacaattt 780
 aggttcacga aacgaattga gaaatggatg gagattcaga agatagagag gatttatgag 840
 cttggttctc ttctccggtt tcttctggta ttgctggtc atgtagctcc gatttcacat 900

14-03 WO.sequence listing.txt

cggtggaatc aacatgggct tgggtggtgat aatgttagag gtagttgccg tgatttgcac 960
 tctggtcctg tgagtttgct tcactgggtca ggtagtggtta agccatgggtt aagactcgat 1020
 tccaagcttc catgtccttt agacacattg tgggcacctt atgatttgta taaacactcc 1080
 cattga 1086

<210> 32
 <211> 361
 <212> PRT
 <213> Arabidopsis thaliana

<400> 32

Met His Trp Ile Thr Arg Phe Ser Ala Phe Phe Ser Ala Ala Leu Ala
 1 5 10 15

Met Ile Leu Leu Ser Pro Ser Leu Gln Ser Phe Ser Pro Ala Ala Ala
 20 25 30

Ile Arg Ser Ser His Pro Tyr Ala Asp Glu Phe Lys Pro Gln Gln Asn
 35 40 45

Ser Asp Tyr Ser Ser Phe Arg Glu Ser Pro Met Phe Arg Asn Ala Glu
 50 55 60

Gln Cys Arg Ser Ser Gly Glu Asp Ser Gly Val Cys Asn Pro Asn Leu
 65 70 75 80

Val His Val Ala Ile Thr Leu Asp Ile Asp Tyr Leu Arg Gly Ser Ile
 85 90 95

Ala Ala Val Asn Ser Ile Leu Gln His Ser Met Cys Pro Gln Ser Val
 100 105 110

Phe Phe His Phe Leu Val Ser Ser Glu Ser Gln Asn Leu Glu Ser Leu
 115 120 125

Ile Arg Ser Thr Phe Pro Lys Leu Thr Asn Leu Lys Ile Tyr Tyr Phe
 130 135 140

Ala Pro Glu Thr Val Gln Ser Leu Ile Ser Ser Ser Val Arg Gln Ala
 145 150 155 160

Leu Glu Gln Pro Leu Asn Tyr Ala Arg Asn Tyr Leu Ala Asp Leu Leu
 165 170 175

Glu Pro Cys Val Lys Arg Val Ile Tyr Leu Asp Ser Asp Leu Val Val
 180 185 190

14-03 WO.sequence listing.txt

Val Asp Asp Ile Val Lys Leu Trp Lys Thr Gly Leu Gly Gln Arg Thr
 195 200 205
 Ile Gly Ala Pro Glu Tyr Cys His Ala Asn Phe Thr Lys Tyr Phe Thr
 210 215 220
 Gly Gly Phe Trp Ser Asp Lys Arg Phe Asn Gly Thr Phe Lys Gly Arg
 225 230 235 240
 Asn Pro Cys Tyr Phe Asn Thr Gly Val Met Val Ile Asp Leu Lys Lys
 245 250
 Trp Arg Gln Phe Arg Phe Thr Lys Arg Ile Glu Lys Trp Met Glu Ile
 260 265 270
 Gln Lys Ile Glu Arg Ile Tyr Glu Leu Gly Ser Leu Pro Pro Phe Leu
 275 280 285
 Leu Val Phe Ala Gly His Val Ala Pro Ile Ser His Arg Trp Asn Gln
 290 295 300
 His Gly Leu Gly Gly Asp Asn Val Arg Gly Ser Cys Arg Asp Leu His
 305 310 315 320
 Ser Gly Pro Val Ser Leu Leu His Trp Ser Gly Ser Gly Lys Pro Trp
 325 330 335
 Leu Arg Leu Asp Ser Lys Leu Pro Cys Pro Leu Asp Thr Leu Trp Ala
 340 345 350
 Pro Tyr Asp Leu Tyr Lys His Ser His
 355 360

<210> 33
 <211> 1038
 <212> DNA
 <213> Arabidopsis thaliana

<400> 33
 atgtcttctc tgcgtttgcg tttatgtctt cttctactct tacctatcac aattagctgc 60
 gtcacagtca ctctcactga cctccccgcg tttcgtgaag ctccggcggt tcgaaacggc 120
 agagaatgct ccaaaacgac atggatacct tcggatcacg aacacaaccc atcaatcatc 180
 cacatcgcta tgactctcga cgcaatttac ctccgtggct cagtcgccgg cgtcttctcc 240
 gttctccaac acgcttcttg tcctgaaaac atcgttttcc acttcatcgc cactcaccgt 300
 cgcagcgccg atctccgccc cataatctcc tcaacattcc catacctaac ctaccacatt 360

14-03 WO.sequence listing.txt

```

taccattttg accctaacct cgtccgcagc aaaatatctt cctctattcg tcgtgcttta 420
gaccaaccgt taaactacgc tcggatctac ctcgccgatc tcctccaat cgccgtccgc 480
cgcgtaatct acttcgactc cgatctcgta gtcgtcgatg acgtggctaa actctggaga 540
atcgatctac gtcggcacgt cgtcggagct ccggagtact gtcacgcgaa tttcactaac 600
tacttcactt caagattctg gtcgagtcaa ggttacaaat cggcgttgaa agataggaaa 660
ccgtgttatt tcaacaccgg agtgatgggtg attgatctcg gaaaatggag agaaaggaga 720
gtcacgggtga agctagagac atggatgagg attcaaaaac gacatcgat ttacgaattg 780
ggatctttgc ctccgtttct gctcgttttc gccggagatg ttgagccggt ggagcatagg 840
tggaatcagc atggtcttgg tggtgataac ttggaaggac tttgccgaa tttgcatcca 900
gggccggtga gtttgttgca ttggagcggg aaagggaaac catggctaag gcttgactcg 960
agacgaccgt gtccgttggg ttcgttatgg gctccttatg atttgtttcg ttattcaccg 1020
ttgatctctg atagctga 1038

```

```

<210> 34
<211> 345
<212> PRT
<213> Arabidopsis thaliana

```

```
<400> 34
```

```

Met Ser Ser Leu Arg Leu Arg Leu Cys Leu Leu Leu Leu Leu Pro Ile
1          5          10          15

```

```

Thr Ile Ser Cys Val Thr Val Thr Leu Thr Asp Leu Pro Ala Phe Arg
          20          25          30

```

```

Glu Ala Pro Ala Phe Arg Asn Gly Arg Glu Cys Ser Lys Thr Thr Trp
          35          40          45

```

```

Ile Pro Ser Asp His Glu His Asn Pro Ser Ile Ile His Ile Ala Met
          50          55          60

```

```

Thr Leu Asp Ala Ile Tyr Leu Arg Gly Ser Val Ala Gly Val Phe Ser
65          70          75          80

```

```

Val Leu Gln His Ala Ser Cys Pro Glu Asn Ile Val Phe His Phe Ile
          85          90          95

```

```

Ala Thr His Arg Arg Ser Ala Asp Leu Arg Arg Ile Ile Ser Ser Thr
          100          105          110

```

```

Phe Pro Tyr Leu Thr Tyr His Ile Tyr His Phe Asp Pro Asn Leu Val
          115          120          125

```

14-03 WO.sequence listing.txt

Arg Ser Lys Ile Ser Ser Ser Ile Arg Arg Ala Leu Asp Gln Pro Leu
 130 135 140
 Asn Tyr Ala Arg Ile Tyr Leu Ala Asp Leu Leu Pro Ile Ala Val Arg
 145 150 155 160
 Arg Val Ile Tyr Phe Asp Ser Asp Leu Val Val Val Asp Asp Val Ala
 165 170 175
 Lys Leu Trp Arg Ile Asp Leu Arg Arg His Val Val Gly Ala Pro Glu
 180 185 190
 Tyr Cys His Ala Asn Phe Thr Asn Tyr Phe Thr Ser Arg Phe Trp Ser
 195 200 205
 Ser Gln Gly Tyr Lys Ser Ala Leu Lys Asp Arg Lys Pro Cys Tyr Phe
 210 215 220
 Asn Thr Gly Val Met Val Ile Asp Leu Gly Lys Trp Arg Glu Arg Arg
 225 230 235 240
 Val Thr Val Lys Leu Glu Thr Trp Met Arg Ile Gln Lys Arg His Arg
 245 250 255
 Ile Tyr Glu Leu Gly Ser Leu Pro Pro Phe Leu Leu Val Phe Ala Gly
 260 265 270
 Asp Val Glu Pro Val Glu His Arg Trp Asn Gln His Gly Leu Gly Gly
 275 280 285
 Asp Asn Leu Glu Gly Leu Cys Arg Asn Leu His Pro Gly Pro Val Ser
 290 295 300
 Leu Leu His Trp Ser Gly Lys Gly Lys Pro Trp Leu Arg Leu Asp Ser
 305 310 315 320
 Arg Arg Pro Cys Pro Leu Asp Ser Leu Trp Ala Pro Tyr Asp Leu Phe
 325 330 335
 Arg Tyr Ser Pro Leu Ile Ser Asp Ser
 340 345

<210> 35
 <211> 1056
 <212> DNA
 <213> Arabidopsis thaliana

14-03 WO.sequence listing.txt

```

<400> 35
atgtcccaac atcttcttct tctcattctc ctctcgctac ttcttcttca taaacccatt 60
tccgccacta caattattca aaaattcaaa gaagcccccac agttttacaa ttctgcagat 120
tgccccttaa tcgatgactc cgagtccgac gatgacgtgg tcgccaaacc aatcttctgc 180
tcacgtcgag ctgtccacgt ggcgatgaca ctcgacgccg cctacattcg tggctcagtc 240
gccgctgttc tctccgtcct ccaacactct tcttgtcctg aaaacattgt tttccacttc 300
gtcgcctctg cttccgccga cgcttcttcc ttacgagcca ccatatcctc ctctttccct 360
taccttgatt tcaccgtcta cgtcttcaac gtctcctccg tctctgcct tatctcctcc 420
tctatccgct ccgcactaga ctgtccttta aactacgcaa gaagctacct cgccgatctc 480
ctccctccct gcgtccgccg cgtcgtctac ctagactccg atctgatcct cgtcgacgac 540
atagcaaaac tcgccgccac agatctcggc cgtgattcag tcctcgccgc gccggaatac 600
tgcaacgcca atttcacttc atacttcaca tcaaccttct ggtctaatac gactctctct 660
ttaaccttcg ccgatcggaa agcatgctac ttcaacactg gagtcatggt gatcgatctt 720
tcccgggtggc gcgaaggcgc gtacacgtca cgcacgaag agtggatggc gatgcaaaag 780
agaatgagaa ttacgagct tggttcggtta ccaccgtttt tattggtttt tgccggtttg 840
attaaaccgg ttaatcatcg gtggaaccaa cacggtttag gaggtgataa tttcagagga 900
ctgtgtagag atctccatcc tgggtccggtg agtctgttgc attggagtgg gaaaggtaag 960
ccatgggcta ggcttgatgc tggtcggcct tgtcctttag acgcgctttg ggctccgtat 1020
gatcttcttc aaacgccgtt cgcgttggat tcttga 1056

```

```

<210> 36
<211> 351
<212> PRT
<213> Arabidopsis thaliana

```

```
<400> 36
```

```

Met Ser Gln His Leu Leu Leu Leu Ile Leu Leu Ser Leu Leu Leu Leu
1          5          10          15

```

```

His Lys Pro Ile Ser Ala Thr Thr Ile Ile Gln Lys Phe Lys Glu Ala
20          25          30

```

```

Pro Gln Phe Tyr Asn Ser Ala Asp Cys Pro Leu Ile Asp Asp Ser Glu
35          40          45

```

```

Ser Asp Asp Asp Val Val Ala Lys Pro Ile Phe Cys Ser Arg Arg Ala
50          55          60

```

```

Val His Val Ala Met Thr Leu Asp Ala Ala Tyr Ile Arg Gly Ser Val
65          70          75          80

```

14-03 wo.sequence listing.txt

Ala	Ala	Val	Leu	Ser	Val	Leu	Gln	His	Ser	Ser	Cys	Pro	Glu	Asn	Ile
			85						90					95	
Val	Phe	His	Phe	Val	Ala	Ser	Ala	Ser	Ala	Asp	Ala	Ser	Ser	Leu	Arg
			100					105					110		
Ala	Thr	Ile	Ser	Ser	Ser	Phe	Pro	Tyr	Leu	Asp	Phe	Thr	Val	Tyr	Val
		115					120					125			
Phe	Asn	Val	Ser	Ser	Val	Ser	Arg	Leu	Ile	Ser	Ser	Ser	Ile	Arg	Ser
	130					135					140				
Ala	Leu	Asp	Cys	Pro	Leu	Asn	Tyr	Ala	Arg	Ser	Tyr	Leu	Ala	Asp	Leu
145					150					155					160
Leu	Pro	Pro	Cys	Val	Arg	Arg	Val	Val	Tyr	Leu	Asp	Ser	Asp	Leu	Ile
				165					170					175	
Leu	Val	Asp	Asp	Ile	Ala	Lys	Leu	Ala	Ala	Thr	Asp	Leu	Gly	Arg	Asp
			180					185					190		
Ser	Val	Leu	Ala	Ala	Pro	Glu	Tyr	Cys	Asn	Ala	Asn	Phe	Thr	Ser	Tyr
		195					200					205			
Phe	Thr	Ser	Thr	Phe	Trp	Ser	Asn	Pro	Thr	Leu	Ser	Leu	Thr	Phe	Ala
	210					215					220				
Asp	Arg	Lys	Ala	Cys	Tyr	Phe	Asn	Thr	Gly	Val	Met	Val	Ile	Asp	Leu
225					230					235					240
Ser	Arg	Trp	Arg	Glu	Gly	Ala	Tyr	Thr	Ser	Arg	Ile	Glu	Glu	Trp	Met
				245					250					255	
Ala	Met	Gln	Lys	Arg	Met	Arg	Ile	Tyr	Glu	Leu	Gly	Ser	Leu	Pro	Pro
			260					265					270		
Phe	Leu	Leu	Val	Phe	Ala	Gly	Leu	Ile	Lys	Pro	Val	Asn	His	Arg	Trp
		275					280					285			
Asn	Gln	His	Gly	Leu	Gly	Gly	Asp	Asn	Phe	Arg	Gly	Leu	Cys	Arg	Asp
	290					295					300				
Leu	His	Pro	Gly	Pro	Val	Ser	Leu	Leu	His	Trp	Ser	Gly	Lys	Gly	Lys
305					310					315					320
Pro	Trp	Ala	Arg	Leu	Asp	Ala	Gly	Arg	Pro	Cys	Pro	Leu	Asp	Ala	Leu

14-03 WO.sequence listing.txt

325

330

335

Trp Ala Pro Tyr Asp Leu Leu Gln Thr Pro Phe Ala Leu Asp Ser
 340 345 350

<210> 37
 <211> 1182
 <212> DNA
 <213> Arabidopsis thaliana

<400> 37
 atgtcgtcgc gtttttcttt gacggtggtg tgtttgattg ctctgttacc gtttgttggt 60
 ggtatacggg tgattccggc gaggatcacg agtgtcgggt atggcggcgg cggaggagggt 120
 aataatgggt ttagtaaact tgggtccgtt atggaagctc cggagtatag aaacggcaag 180
 gagtgtgtat cttcatcagt gaacagagag aacttcgtgt cgtcttcttc tagttctaatt 240
 gatccttcgc ttgttcacat cgctatgact ttggactcag agtatctccg tggatcaatc 300
 gcagccggtt attctgttct tcgccacgcg tcttggtccag agaacgtctt cttccatttc 360
 atcgctgctg agtttgactc tgcgagtcct cgtgttctga gtcaactcgt gaggtcgact 420
 tttccttcgt tgaactttaa agtctacatt tttagggag atacggtgat caatctcata 480
 tcttcttcga ttagactagc tttggagaat ccgttgaact atgctcggaa ctatctcgga 540
 gatattcttg atcgaagtgt tgaacgagtc atttatcttg actcggatgt tataactgtg 600
 gatgatatca caaagctttg gaacacgggt ttgaccgggt cacgagtcac cggagctccg 660
 gagtattgtc acgcgaactt cactcagtat ttcacttccg ggttctgggt agaccgggt 720
 ttaccgggtc taatctcggg tcaaaagcct tgctatttca acacaggagt gatggtgatg 780
 gatcttggtt gatggagaga agggaattac agagagaagt tagagcaatg gatgcaattg 840
 cagaagaaga tgagaatcta cgatcttgga tcattaccac cgtttctttt ggtgtttgcg 900
 ggtaatggtt aagctattga tcatagatgg aaccaacatg gtttaggagg agacaatata 960
 cgaggaagtt gtcggtcatt gcatcctggt cctgtgagct tgttgcattg gagtggtaaa 1020
 ggtaagccat gggtagact tgatgagaag aggccttggt cgttggatca tcttggggag 1080
 ccatatgatt tgtataagca taagattgag agagctaaag atcagtctct gcttgggttt 1140
 gcttctctgt cggagttgac tgatgattca agcttcttgt ga 1182

<210> 38
 <211> 393
 <212> PRT
 <213> Arabidopsis thaliana

<400> 38

Met Ser Ser Arg Phe Ser Leu Thr Val Val Cys Leu Ile Ala Leu Leu
 1 5 10 15

14-03 WO.sequence listing.txt

Pro Phe Val Val Gly Ile Arg Leu Ile Pro Ala Arg Ile Thr Ser Val
20 25 30

Gly Asp Gly Gly Gly Gly Gly Gly Asn Asn Gly Phe Ser Lys Leu Gly
35 40 45

Pro Phe Met Glu Ala Pro Glu Tyr Arg Asn Gly Lys Glu Cys Val Ser
50 55 60

Ser Ser Val Asn Arg Glu Asn Phe Val Ser Ser Ser Ser Ser Ser Asn
65 70 75 80

Asp Pro Ser Leu Val His Ile Ala Met Thr Leu Asp Ser Glu Tyr Leu
85 90 95

Arg Gly Ser Ile Ala Ala Val His Ser Val Leu Arg His Ala Ser Cys
100 105 110

Pro Glu Asn Val Phe Phe His Phe Ile Ala Ala Glu Phe Asp Ser Ala
115 120 125

Ser Pro Arg Val Leu Ser Gln Leu Val Arg Ser Thr Phe Pro Ser Leu
130 135 140

Asn Phe Lys Val Tyr Ile Phe Arg Glu Asp Thr Val Ile Asn Leu Ile
145 150 155 160

Ser Ser Ser Ile Arg Leu Ala Leu Glu Asn Pro Leu Asn Tyr Ala Arg
165 170 175

Asn Tyr Leu Gly Asp Ile Leu Asp Arg Ser Val Glu Arg Val Ile Tyr
180 185 190

Leu Asp Ser Asp Val Ile Thr Val Asp Asp Ile Thr Lys Leu Trp Asn
195 200 205

Thr Val Leu Thr Gly Ser Arg Val Ile Gly Ala Pro Glu Tyr Cys His
210 215 220

Ala Asn Phe Thr Gln Tyr Phe Thr Ser Gly Phe Trp Ser Asp Pro Ala
225 230 235 240

Leu Pro Gly Leu Ile Ser Gly Gln Lys Pro Cys Tyr Phe Asn Thr Gly
245 250 255

Val Met Val Met Asp Leu Val Arg Trp Arg Glu Gly Asn Tyr Arg Glu
Page 61

14-03 WO.sequence listing.txt

260

265

270

Lys Leu Glu Gln Trp Met Gln Leu Gln Lys Lys Met Arg Ile Tyr Asp
 275 280 285

Leu Gly Ser Leu Pro Pro Phe Leu Leu Val Phe Ala Gly Asn Val Glu
 290 295 300

Ala Ile Asp His Arg Trp Asn Gln His Gly Leu Gly Gly Asp Asn Ile
 305 310 315 320

Arg Gly Ser Cys Arg Ser Leu His Pro Gly Pro Val Ser Leu Leu His
 325 330 335

Trp Ser Gly Lys Gly Lys Pro Trp Val Arg Leu Asp Glu Lys Arg Pro
 340 345 350

Cys Pro Leu Asp His Leu Trp Glu Pro Tyr Asp Leu Tyr Lys His Lys
 355 360 365

Ile Glu Arg Ala Lys Asp Gln Ser Leu Leu Gly Phe Ala Ser Leu Ser
 370 375 380

Glu Leu Thr Asp Asp Ser Ser Phe Leu
 385 390

<210> 39
 <211> 1173
 <212> DNA
 <213> Arabidopsis thaliana

<400> 39
 atgcggttgc gttttccgat gaaatctgcc gttttagcgt ttgctatctt tctggtgttt 60
 attccactgt tttccgtcgg tatacggatg attccgggaa gactcaccgc cgtatccgcc 120
 accgtcggaa atggctttga tctggggtcg ttcgtggaag ctccggagta cagaaacggc 180
 aaggagtgcg tgtctcaatc gttgaacaga gaaaacttcg tgtcgtcttg cgacgcttcg 240
 ttagttcatg tagctatgac gcttgactcg gagtacttac gtggctcaat cgcagccgta 300
 cattcaatgc tccgccacgc gtcgtgtcca gaaaacgtct tcttccatct catcgctgca 360
 gagtttgacc cggcgagtcc acgcgttctg agtcaactcg tccgatctac tttcccgtcg 420
 ctaaacttca aagtctacat tttccgggaa gatacgggtga tcaaccttat ctcttcttca 480
 atcagacaag ctttagagaa tccattgaac tatgctcgga actacctcgg agatattctt 540
 gatccatgcg tagacagagt catttaccta gactcggaca tcatcgtcgt cgatgacata 600
 acaaagcttt ggaacacgag tttgacaggg tcaagaatca tcggagctcc ggagtattgt 660

14-03 wo.sequence listing.txt

```

cacgctaact tcacaaagta cttcacttca ggtttctggt ccgacccggc tttacccggt      720
ttctttctcgg gtcgaaagcc ttgttatttc aacacgggtg tgatggtgat ggatctagtt      780
agatggagag aaggaaacta cagagaaaag cttgaaactt ggatgcagat acagaagaag      840
aagagaatct acgatttggg ttctttgcct ccgtttcttc ttgtcttcgc agggAACgtt      900
gaagcaattg atcataggtg gaaccaacat ggtttaggag gagacaatgt acgaggaagt      960
tgtaggtctt tgcataaagg accagtgagt ttgttgcatt ggagtggtaa aggtaagcca     1020
tggggtgagac ttgatgagaa gagaccgtgt ccgttggatc atttatggga accgtatgat     1080
ttatatgagc ataagattga aagagctaaa gatcagtctt tgttcggggt ctcttctttg     1140
tctgagttaa cagaagattc aagctttttc tga                                  1173

```

<210> 40
 <211> 390
 <212> PRT
 <213> Arabidopsis thaliana

<400> 40

```

Met Arg Leu Arg Phe Pro Met Lys Ser Ala Val Leu Ala Phe Ala Ile
1          5          10          15

Phe Leu Val Phe Ile Pro Leu Phe Ser Val Gly Ile Arg Met Ile Pro
20          25          30

Gly Arg Leu Thr Ala Val Ser Ala Thr Val Gly Asn Gly Phe Asp Leu
35          40          45

Gly Ser Phe Val Glu Ala Pro Glu Tyr Arg Asn Gly Lys Glu Cys Val
50          55          60

Ser Gln Ser Leu Asn Arg Glu Asn Phe Val Ser Ser Cys Asp Ala Ser
65          70          75          80

Leu Val His Val Ala Met Thr Leu Asp Ser Glu Tyr Leu Arg Gly Ser
85          90          95

Ile Ala Ala Val His Ser Met Leu Arg His Ala Ser Cys Pro Glu Asn
100         105         110

Val Phe Phe His Leu Ile Ala Ala Glu Phe Asp Pro Ala Ser Pro Arg
115         120         125

Val Leu Ser Gln Leu Val Arg Ser Thr Phe Pro Ser Leu Asn Phe Lys
130         135         140

Val Tyr Ile Phe Arg Glu Asp Thr Val Ile Asn Leu Ile Ser Ser Ser

```

[illegible]

14-03 WO.sequence listing.txt

<210> 41
 <211> 1056
 <212> DNA
 <213> Arabidopsis thaliana

```

<400> 41
atggcctcaa ggagcctctc ctatacacia ctcctaggcc tcctgtcctt tatactcctc    60
ttggtcacaa ccaccactat ggcggttcgt gttggagtca ttcttcataa gccttctgct    120
ccaactcttc ctgttttcag agaagccccg gcttttcgaa acggtgatca atgcgggact    180
cgtgaggctg atcagattca tatcgccatg actctcgaca caaactacct ccgtggcaca    240
atggctgccc ttttgtctct ctttcaacat tccacttgcc ctgaaaacct ctcttttcat    300
ttcctgtccc ttctctattt cgaaaacgac cttttcacca gcatcaaata aacctttcct    360
tacctaaact tcaagattta tcagtttgat ccaaacctcg tccgcagcaa gatatcgaaa    420
tccatcaggc aagcccttga tcagcctctt aactacgcaa gaatctacct cgcgatatac    480
atccctagca gcgttgacag gatcatctac ttagactcag acctcgttgt ggtagacgac    540
atagagaagc tgtggcatgt ggagatggaa ggtaaagtgg tggctgctcc cgagtactgc    600
cacgcaaact tcacccatta tttcacaaga actttctggt cagaccgggt attggtcaaa    660
gttcttgaag gaaaacgtcc gtgttatttc aacacagggg tgatggttgt ggatgtaaac    720
aaatggagga aaggaatgta tacacagaag gtagaagagt ggatgacaat tcagaagcag    780
aagaggatat accatttggg atcattacct ccgtttctgc tgatattcgc cggatgata    840
aaagcgggta atcatagggt gaaccagcat ggtctaggag gtgataattt cgaaggaaga    900
tgtagaacgt tgcattccgg accgataagt cttcttcact ggagtggaaa aggggaagcca    960
tgggtaagac tagattcaag gaagccttgt atcgttgatc atctatgggc accgtatgat   1020
ctgtaccgtt catcaagaca ttcattagaa gagtag                               1056
  
```

<210> 42
 <211> 351
 <212> PRT
 <213> Arabidopsis thaliana

<400> 42

Met Ala Ser Arg Ser Leu Ser Tyr Thr Gln Leu Leu Gly Leu Leu Ser
 1 5 10 15

Phe Ile Leu Leu Leu Val Thr Thr Thr Thr Met Ala Val Arg Val Gly
 20 25 30

Val Ile Leu His Lys Pro Ser Ala Pro Thr Leu Pro Val Phe Arg Glu
 35 40 45

Ala Pro Ala Phe Arg Asn Gly Asp Gln Cys Gly Thr Arg Glu Ala Asp
 Page 65

14-03 WO.sequence listing.txt

50
 55
 60
 Gln Ile His Ile Ala Met Thr Leu Asp Thr Asn Tyr Leu Arg Gly Thr
 65 70 75 80
 Met Ala Ala Val Leu Ser Leu Leu Gln His Ser Thr Cys Pro Glu Asn
 85 90 95
 Leu Ser Phe His Phe Leu Ser Leu Pro His Phe Glu Asn Asp Leu Phe
 100 105 110
 Thr Ser Ile Lys Ser Thr Phe Pro Tyr Leu Asn Phe Lys Ile Tyr Gln
 115 120 125
 Phe Asp Pro Asn Leu Val Arg Ser Lys Ile Ser Lys Ser Ile Arg Gln
 130 135 140
 Ala Leu Asp Gln Pro Leu Asn Tyr Ala Arg Ile Tyr Leu Ala Asp Ile
 145 150 155 160
 Ile Pro Ser Ser Val Asp Arg Ile Ile Tyr Leu Asp Ser Asp Leu Val
 165 170 175
 Val Val Asp Asp Ile Glu Lys Leu Trp His Val Glu Met Glu Gly Lys
 180 185 190
 Val Val Ala Ala Pro Glu Tyr Cys His Ala Asn Phe Thr His Tyr Phe
 195 200 205
 Thr Arg Thr Phe Trp Ser Asp Pro Val Leu Val Lys Val Leu Glu Gly
 210 215 220
 Lys Arg Pro Cys Tyr Phe Asn Thr Gly Val Met Val Val Asp Val Asn
 225 230 235 240
 Lys Trp Arg Lys Gly Met Tyr Thr Gln Lys Val Glu Glu Trp Met Thr
 245 250 255
 Ile Gln Lys Gln Lys Arg Ile Tyr His Leu Gly Ser Leu Pro Pro Phe
 260 265 270
 Leu Leu Ile Phe Ala Gly Asp Ile Lys Ala Val Asn His Arg Trp Asn
 275 280 285
 Gln His Gly Leu Gly Gly Asp Asn Phe Glu Gly Arg Cys Arg Thr Leu
 290 295 300

14-03 WO.sequence listing.txt

His Pro Gly Pro Ile Ser Leu Leu His Trp Ser Gly Lys Gly Lys Pro
 305 310 315 320

Trp Leu Arg Leu Asp Ser Arg Lys Pro Cys Ile Val Asp His Leu Trp
 325 330 335

Ala Pro Tyr Asp Leu Tyr Arg Ser Ser Arg His Ser Leu Glu Glu
 340 345 350

<210> 43
 <211> 1098
 <212> DNA
 <213> Arabidopsis thaliana

<400> 43
 atgatgtctg gttcaagatt agcctctaga ctaataataa tcttctcaat aatctccaca 60
 tctttcttca ccgttgaatc gattcgacta ttccctgatt cattcgacga tgcattctca 120
 gatttaatgg aagctccagc atatcaaaac ggtcttgatt gctctgtttt agccaaaaac 180
 agactcttgt tagcttgtga tccatcagct gttcatatag ctatgactct agatccagct 240
 tacttgctg gcacgggtatc tgcagtacat tccatcctca aacacacttc ttgccctgaa 300
 aacatcttct tccacttcat tgcttcgggt acaagtcagg gttccctcgc caagacccta 360
 tcctctgttt ttcttctttt gagtttcaaa gtctatacct ttgaagaaac cacgggtcaag 420
 aatctaattct cttcttctat aagacaagct cttgatagtc ctttgaatta cgcaagaagc 480
 tacttatccg agattctttc ttcgtgtgtt agtcgagtga tttatctcga ttcggatgtg 540
 attgtggctg atgatattca gaaactatgg aagatttctt tatccgggtc aagaacaatc 600
 ggtgcaccag agtattgcca cgcaaatttc accaaatact tcacagatag tttctgggtc 660
 gatcaaaaac tctcgagtgt cttcgattcc aagactcctt gttatttcaa cacaggagtg 720
 atggttatcg atttagagcg atggagagaa ggagattaca cgagaaagat cgaaaactgg 780
 atgaagattc agaaagaaga taagagaatc tacgaattgg gttctttacc accgtttctt 840
 ctagtgtttg gtggtgatat tgaagctatt gatcatcaat ggaaccaaca cggctctcgg 900
 ggagacaaca ttgtgagtag ttgtagatct ttgcatcctg gtccgggttag ttgatacat 960
 tggagtggta aaggggaagc atgggttagg cttgatgatg gtaagccttg tccaattgat 1020
 tatctttggg ctccttatga tcttcacaag tcacagaggc agtatcttca atacaatcaa 1080
 gagttagaaa ttctttga 1098

<210> 44
 <211> 365
 <212> PRT
 <213> Arabidopsis thaliana

<400> 44

14-03 WO.sequence listing.txt

Met Met Ser Gly Ser Arg Leu Ala Ser Arg Leu Ile Ile Ile Phe Ser
 1 5 10 15
 Ile Ile Ser Thr Ser Phe Phe Thr Val Glu Ser Ile Arg Leu Phe Pro
 20 25 30
 Asp Ser Phe Asp Asp Ala Ser Ser Asp Leu Met Glu Ala Pro Ala Tyr
 35 40 45
 Gln Asn Gly Leu Asp Cys Ser Val Leu Ala Lys Asn Arg Leu Leu Leu
 50 55 60
 Ala Cys Asp Pro Ser Ala Val His Ile Ala Met Thr Leu Asp Pro Ala
 65 70 75 80
 Tyr Leu Arg Gly Thr Val Ser Ala Val His Ser Ile Leu Lys His Thr
 85 90 95
 Ser Cys Pro Glu Asn Ile Phe Phe His Phe Ile Ala Ser Gly Thr Ser
 100 105 110
 Gln Gly Ser Leu Ala Lys Thr Leu Ser Ser Val Phe Pro Ser Leu Ser
 115 120 125
 Phe Lys Val Tyr Thr Phe Glu Glu Thr Thr Val Lys Asn Leu Ile Ser
 130 135 140
 Ser Ser Ile Arg Gln Ala Leu Asp Ser Pro Leu Asn Tyr Ala Arg Ser
 145 150 155 160
 Tyr Leu Ser Glu Ile Leu Ser Ser Cys Val Ser Arg Val Ile Tyr Leu
 165 170 175
 Asp Ser Asp Val Ile Val Val Asp Asp Ile Gln Lys Leu Trp Lys Ile
 180 185 190
 Ser Leu Ser Gly Ser Arg Thr Ile Gly Ala Pro Glu Tyr Cys His Ala
 195 200 205
 Asn Phe Thr Lys Tyr Phe Thr Asp Ser Phe Trp Ser Asp Gln Lys Leu
 210 215 220
 Ser Ser Val Phe Asp Ser Lys Thr Pro Cys Tyr Phe Asn Thr Gly Val
 225 230 235 240
 Met Val Ile Asp Leu Glu Arg Trp Arg Glu Gly Asp Tyr Thr Arg Lys
 245 250 255

14-03 WO.sequence listing.txt

Ile Glu Asn Trp Met Lys Ile Gln Lys Glu Asp Lys Arg Ile Tyr Glu
 260 265 270

Leu Gly Ser Leu Pro Pro Phe Leu Leu Val Phe Gly Gly Asp Ile Glu
 275 280 285

Ala Ile Asp His Gln Trp Asn Gln His Gly Leu Gly Gly Asp Asn Ile
 290 295 300

Val Ser Ser Cys Arg Ser Leu His Pro Gly Pro Val Ser Leu Ile His
 305 310 315 320

Trp Ser Gly Lys Gly Lys Pro Trp Val Arg Leu Asp Asp Gly Lys Pro
 325 330 335

Cys Pro Ile Asp Tyr Leu Trp Ala Pro Tyr Asp Leu His Lys Ser Gln
 340 345 350

Arg Gln Tyr Leu Gln Tyr Asn Gln Glu Leu Glu Ile Leu
 355 360 365

<210> 45
 <211> 1026
 <212> DNA
 <213> Arabidopsis thaliana

<400> 45
 atgcactcga agtttatatt atatctcagc atcctcgccg tattcaccgt ctctttcgcc 60
 ggcggcgaga gattcaaaga agctccaaag ttcttcaact ccccgagtg tctaaccatc 120
 gaaaacgatg aagatttcgt ttgttcagac aaagccatcc acgtggcaat gaccttagac 180
 acagcttacc tccgtggctc aatggccgtg attctctccg tctccaaca ctcttcttgt 240
 cctcaaaaca ttgttttcca cttcgtcact tcaaaacaaa gccaccgact ccaaaactac 300
 gtcgttgctt cttttcccta cttgaaattc cgaatttacc cttacgacgt agccgccatc 360
 tccggcctca tctcaacctc catccgctcc gcgctagact ctccgctaaa ctacgcaaga 420
 aactacctcg ccgacattct tcccacgtgc ctctcacgtg tcgtatacct agactcagat 480
 ctcatactcg tcgatgacat ctccaagctc ttctccactc acatccctac cgacgtcgtt 540
 ttagccgcgc ctgagtactg caacgcaaac ttcacgactt actttactcc gacgttttgg 600
 tcaaaccctt ctctctccat cacactatcc ctcaaccgcc gtgctacacc gtgttacttc 660
 aacaccggag tgatgggtcat cgagttaaag aaatggcgag aaggagatta cacgaggaag 720
 atcatagagt ggatggagtt acaaaaacgg ataagaatct acgagttagg ctctttacca 780
 ccgttttttac ttgtcttcgc cggaacata gctccggtag atcaccggtg gaaccaacac 840

14-03 WO.sequence listing.txt

ggtttaggag gagataattt tagaggactg tgtcgagatt tgcattccagg tccagtgagt 900
 ttgttgcatt ggagtgggaa aggggaagcca tgggtaaggt tagatgatgg tcgaccttgc 960
 ccgcttgatg cactttgggt tccatatgat ttgttagagt cacggttcga ccttatcgag 1020
 agttaa 1026

<210> 46
 <211> 341
 <212> PRT
 <213> Arabidopsis thaliana

<400> 46

Met His Ser Lys Phe Ile Leu Tyr Leu Ser Ile Leu Ala Val Phe Thr
 1 5 10 15
 Val Ser Phe Ala Gly Gly Glu Arg Phe Lys Glu Ala Pro Lys Phe Phe
 20 25 30
 Asn Ser Pro Glu Cys Leu Thr Ile Glu Asn Asp Glu Asp Phe Val Cys
 35 40 45
 Ser Asp Lys Ala Ile His Val Ala Met Thr Leu Asp Thr Ala Tyr Leu
 50 55 60
 Arg Gly Ser Met Ala Val Ile Leu Ser Val Leu Gln His Ser Ser Cys
 65 70 75 80
 Pro Gln Asn Ile Val Phe His Phe Val Thr Ser Lys Gln Ser His Arg
 85 90 95
 Leu Gln Asn Tyr Val Val Ala Ser Phe Pro Tyr Leu Lys Phe Arg Ile
 100 105 110
 Tyr Pro Tyr Asp Val Ala Ala Ile Ser Gly Leu Ile Ser Thr Ser Ile
 115 120 125
 Arg Ser Ala Leu Asp Ser Pro Leu Asn Tyr Ala Arg Asn Tyr Leu Ala
 130 135 140
 Asp Ile Leu Pro Thr Cys Leu Ser Arg Val Val Tyr Leu Asp Ser Asp
 145 150 155 160
 Leu Ile Leu Val Asp Asp Ile Ser Lys Leu Phe Ser Thr His Ile Pro
 165 170 175
 Thr Asp Val Val Leu Ala Ala Pro Glu Tyr Cys Asn Ala Asn Phe Thr
 180 185 190

14-03 WO.sequence listing.txt

Thr Tyr Phe Thr Pro Thr Phe Trp Ser Asn Pro Ser Leu Ser Ile Thr
 195 200 205
 Leu Ser Leu Asn Arg Arg Ala Thr Pro Cys Tyr Phe Asn Thr Gly Val
 210 215 220
 Met Val Ile Glu Leu Lys Lys Trp Arg Glu Gly Asp Tyr Thr Arg Lys
 225 230 235 240
 Ile Ile Glu Trp Met Glu Leu Gln Lys Arg Ile Arg Ile Tyr Glu Leu
 245 250 255
 Gly Ser Leu Pro Pro Phe Leu Leu Val Phe Ala Gly Asn Ile Ala Pro
 260 265 270
 Val Asp His Arg Trp Asn Gln His Gly Leu Gly Gly Asp Asn Phe Arg
 275 280 285
 Gly Leu Cys Arg Asp Leu His Pro Gly Pro Val Ser Leu Leu His Trp
 290 295 300
 Ser Gly Lys Gly Lys Pro Trp Val Arg Leu Asp Asp Gly Arg Pro Cys
 305 310 315 320
 Pro Leu Asp Ala Leu Trp Val Pro Tyr Asp Leu Leu Glu Ser Arg Phe
 325 330 335
 Asp Leu Ile Glu Ser
 340

<210> 47
 <211> 1086
 <212> DNA
 <213> Arabidopsis thaliana

<400> 47
 atgctttgga tcatgagatt ctccggttta ttctccgccg ctttggttat catcgtcctc 60
 tctccttctc tccaatcggt tctccagct gaagctatca gacacctca tctcgacgct 120
 tacctccgtt tcccctctc cgatccaccg ccgcatagat tctccttcag aaaagctcct 180
 gttttccgca atgccgccga ttgcgccgcc gcagatatcg attccggcgt ctgtaaccct 240
 tccttggtcc acgtcgcgat tactctcgat ttcgagtacc tgcgtggctc aatcgccgcc 300
 gttcattcga ttctcaagca ctgcgtcgtt cccgagagcg tcttcttcca tttcctcgtc 360
 tccgagactg acctagaatc cttgattcgt tcgacttttc ccgaattgaa attaaagggt 420
 tactacttcg atccggagat tgtacggacg ctgatctcaa cctccgtgag acaagcgctc 480

14-03 WO.sequence listing.txt

```

gagcagccgt tgaattacgc tagaaattac ctagctgacc ttctcgagcc ttgcgtgcgt      540
cgcgatgatct acctagattc cgatctaata gtcgtcgacg acatcgcaaa gctctggatg      600
acgaaactgg gatcgaaaac gatcggagct cccgagtact gtcacgcgaa cttcacaaag      660
tatttcacac cggcgttctg gtccgacgag aggttctccg gagctttctc cgggaggaaa      720
ccgtgctact tcaacacggg agtgatggtg atggatctag agagatggag gcgcgtaggg      780
tacacggagg tgatagagaa atggatggag attcagaaga gtgataggat ttacgagctg      840
ggatcattgc cgccgttctt gttggtgttc gccggagaag tagctccgat agagcatcgg      900
tggaaccagc atgggcttgg tggagataac gtgagaggaa gctgtagaga ttacatccc      960
ggtccggtta gcttgcttca ttggtccggt agtggtaaac cgtggtttcg gttagattcg     1020
agacggcctt gtccacttga tactctttgg gcaccttatg atttgtatgg acactactct     1080
cgctga                                1086

```

<210> 48
 <211> 361
 <212> PRT
 <213> Arabidopsis thaliana

<400> 48

Met Leu Trp Ile Met Arg Phe Ser Gly Leu Phe Ser Ala Ala Leu Val
 1 5 10 15

Ile Ile Val Leu Ser Pro Ser Leu Gln Ser Phe Pro Pro Ala Glu Ala
 20 25 30

Ile Arg Ser Ser His Leu Asp Ala Tyr Leu Arg Phe Pro Ser Ser Asp
 35 40 45

Pro Pro Pro His Arg Phe Ser Phe Arg Lys Ala Pro Val Phe Arg Asn
 50 55 60

Ala Ala Asp Cys Ala Ala Ala Asp Ile Asp Ser Gly Val Cys Asn Pro
 65 70 75 80

Ser Leu Val His Val Ala Ile Thr Leu Asp Phe Glu Tyr Leu Arg Gly
 85 90 95

Ser Ile Ala Ala Val His Ser Ile Leu Lys His Ser Ser Cys Pro Glu
 100 105 110

Ser Val Phe Phe His Phe Leu Val Ser Glu Thr Asp Leu Glu Ser Leu
 115 120 125

14-03 WO.sequence listing.txt

Ile Arg Ser Thr Phe Pro Glu Leu Lys Leu Lys Val Tyr Tyr Phe Asp
 130 135 140

Pro Glu Ile Val Arg Thr Leu Ile Ser Thr Ser Val Arg Gln Ala Leu
 145 150 155 160

Glu Gln Pro Leu Asn Tyr Ala Arg Asn Tyr Leu Ala Asp Leu Leu Glu
 165 170 175

Pro Cys Val Arg Arg Val Ile Tyr Leu Asp Ser Asp Leu Ile Val Val
 180 185 190

Asp Asp Ile Ala Lys Leu Trp Met Thr Lys Leu Gly Ser Lys Thr Ile
 195 200 205

Gly Ala Pro Glu Tyr Cys His Ala Asn Phe Thr Lys Tyr Phe Thr Pro
 210 215 220

Ala Phe Trp Ser Asp Glu Arg Phe Ser Gly Ala Phe Ser Gly Arg Lys
 225 230 235 240

Pro Cys Tyr Phe Asn Thr Gly Val Met Val Met Asp Leu Glu Arg Trp
 245 250 255

Arg Arg Val Gly Tyr Thr Glu Val Ile Glu Lys Trp Met Glu Ile Gln
 260 265 270

Lys Ser Asp Arg Ile Tyr Glu Leu Gly Ser Leu Pro Pro Phe Leu Leu
 275 280 285

Val phe Ala Gly Glu Val Ala Pro Ile Glu His Arg Trp Asn Gln His
 290 295 300

Gly Leu Gly Gly Asp Asn Val Arg Gly Ser Cys Arg Asp Leu His Pro
 305 310 315 320

Gly Pro Val Ser Leu Leu His Trp Ser Gly Ser Gly Lys Pro Trp Phe
 325 330 335

Arg Leu Asp Ser Arg Arg Pro Cys Pro Leu Asp Thr Leu Trp Ala Pro
 340 345 350

Tyr Asp Leu Tyr Gly His Tyr Ser Arg
 355 360

<210> 49
 <211> 1041
 <212> DNA

14-03 WO.sequence listing.txt

<213> Arabidopsis thaliana

<400> 49

```

atgctttgga taacgagatt tgctggatta ttctccgccg cgatggcagt gatcgtgta      60
tctccgtcgc ttcagtcatt tcctccggcg gcggcaatcc gttcttctcc atcaccgatc      120
ttcagaaaag ctccagcggg gttcaacaac ggcgacgaat gtctctcctc cggcggcgctc      180
tgcaatccgt cgttggtcca cgtggcgatc acgttagacg tagagtacct gcgtgggtca      240
atcgcagccg ttaactcgat ccttcagcac tcggtgtgtc cagagagcgt cttcttccac      300
ttcatcgccg tctccgagga aacaaacctg ttggagtcgc tggtagatc ggttttcccg      360
agactgaaat tcaatattta cgattttgcc cctgagacag ttcgtggttt gatttcttct      420
tccgtgagac aagctctcga gcagcctctg aactacgcta gaagctactt agcggatctg      480
ctggagcctt gtgtaaccg tgtcatatac ttggattcgg atcttgtcgt cgtcgatgac      540
atcgctaagc tttggaaaac tagcctaggc tcgaggataa tcggagctcc ggagtattgt      600
cacgcgaatt tcacgaaata cttcaccgga ggattctggt cggaggagag attctccggt      660
accttttagag ggaggaagcc atgttacttc aacacagggt tgatggtgat agatcttaag      720
aaatggagaa gaggtggtta cacgaaacgt atcgagaaat ggatggagat tcagagaaga      780
gagaggattt acgaactagg ctgccttcca ccgtttcttc tagttttctc cggtcacgtg      840
gctcccatct ctcaccggtg gaaccagcat ggacttggtg gtgacaatgt tagaggtagc      900
tgtcgtgatt tgcacctctg tcctgtgagt ttgctgcatt ggtctggtag tggcaagccc      960
tggaataagac tcgattccaa acggccttgt cccttagacg cattatggac gccttacgac     1020
ttgtatcgac attcgattg a                                     1041

```

<210> 50

<211> 346

<212> PRT

<213> Arabidopsis thaliana

<400> 50

```

Met Leu Trp Ile Thr Arg Phe Ala Gly Leu Phe Ser Ala Ala Met Ala
1           5           10           15
Val Ile Val Leu Ser Pro Ser Leu Gln Ser Phe Pro Pro Ala Ala Ala
20          25          30
Ile Arg Ser Ser Pro Ser Pro Ile Phe Arg Lys Ala Pro Ala Val Phe
35          40          45
Asn Asn Gly Asp Glu Cys Leu Ser Ser Gly Gly Val Cys Asn Pro Ser
50          55          60

```

14-03 WO.sequence listing.txt

Leu Val His Val Ala Ile Thr Leu Asp Val Glu Tyr Leu Arg Gly Ser
 65 70 75 80

Ile Ala Ala Val Asn Ser Ile Leu Gln His Ser Val Cys Pro Glu Ser
 85 90 95

Val Phe Phe His Phe Ile Ala Val Ser Glu Glu Thr Asn Leu Leu Glu
 100 105 110

Ser Leu Val Arg Ser Val Phe Pro Arg Leu Lys Phe Asn Ile Tyr Asp
 115 120 125

Phe Ala Pro Glu Thr Val Arg Gly Leu Ile Ser Ser Ser Val Arg Gln
 130 135 140

Ala Leu Glu Gln Pro Leu Asn Tyr Ala Arg Ser Tyr Leu Ala Asp Leu
 145 150 155 160

Leu Glu Pro Cys Val Asn Arg Val Ile Tyr Leu Asp Ser Asp Leu Val
 165 170 175

Val Val Asp Asp Ile Ala Lys Leu Trp Lys Thr Ser Leu Gly Ser Arg
 180 185 190

Ile Ile Gly Ala Pro Glu Tyr Cys His Ala Asn Phe Thr Lys Tyr Phe
 195 200 205

Thr Gly Gly Phe Trp Ser Glu Glu Arg Phe Ser Gly Thr Phe Arg Gly
 210 215 220

Arg Lys Pro Cys Tyr Phe Asn Thr Gly Val Met Val Ile Asp Leu Lys
 225 230 235 240

Lys Trp Arg Arg Gly Gly Tyr Thr Lys Arg Ile Glu Lys Trp Met Glu
 245 250 255

Ile Gln Arg Arg Glu Arg Ile Tyr Glu Leu Gly Ser Leu Pro Pro Phe
 260 265 270

Leu Leu Val Phe Ser Gly His Val Ala Pro Ile Ser His Arg Trp Asn
 275 280 285

Gln His Gly Leu Gly Gly Asp Asn Val Arg Gly Ser Cys Arg Asp Leu
 290 295 300

His Pro Gly Pro Val Ser Leu Leu His Trp Ser Gly Ser Gly Lys Pro
 305 310 315 320

14-03 WO.sequence listing.txt

Trp Ile Arg Leu Asp Ser Lys Arg Pro Cys Pro Leu Asp Ala Leu Trp
325 330 335

Thr Pro Tyr Asp Leu Tyr Arg His Ser His
340 345